

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE091117\
 Data File : BE093976.D
 Acq On : 11 Sep 2017 23:18
 Operator : SJ/JU
 Sample : I5147-05
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 KY038PS034-170906

Quant Time: Sep 12 08:33:19 2017
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE090517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 05 13:34:56 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.92	152	2359	0.40	ng	0.00
7) Naphthalene-d8	10.71	136	11724	0.40	ng	0.00
13) Acenaphthene-d10	14.53	164	7167	0.40	ng	0.00
19) Phenanthrene-d10	17.27	188	13129	0.40	ng	0.00
27) Chrysene-d12	21.43	240	17552	0.40	ng	0.00
34) Perylene-d12	23.94	264	13592	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.53	112	743	0.10	ng	0.00
5) Phenol-d6	7.11	99	606	0.05	ng	0.00
8) Nitrobenzene-d5	9.08	82	2727	0.27	ng	0.00
11) 2-Methylnaphthalene-d10	12.30	152	5208	0.28	ng	0.00
14) 2,4,6-Tribromophenol	16.03	330	383	0.17	ng	0.00
15) 2-Fluorobiphenyl	13.16	172	7232	0.26	ng	0.00
25) Fluoranthene-d10	19.28	212	56655	0.29	ng	0.00
29) Terphenyl-d14	19.87	244	11052	0.34	ng	0.00
Target Compounds						Qvalue
32) Bis(2-ethylhexyl)phthalate	21.30	149	14515	0.111	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE091117\
Data File : BE093976.D
Acq On : 11 Sep 2017 23:18
Operator : SJ/JU
Sample : I5147-05
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
KY038PS034-170906

Quant Time: Sep 12 08:33:19 2017
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE090517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 05 13:34:56 2017
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.92 min Scan# 402
 Delta R.T. -0.00 min
 Lab File: BE093976.D
 Acq: 11 Sep 2017 23:18

Instrument :
 BNA_E
 ClientSampleId :
 KY038PS034-170906

Tgt Ion:152 Resp: 2359
 Ion Ratio Lower Upper
 152 100
 150 159.6 121.8 182.6
 115 69.1 52.6 79.0




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E






#4
 2-Fluorophenol
 Concen: 0.097 ng
 RT: 5.53 min Scan# 212
 Delta R.T. -0.00 min
 Lab File: BE093976.D
 Acq: 11 Sep 2017 23:18

Tgt Ion:112 Resp: 743
 Ion Ratio Lower Upper
 112 100
 64 68.8 57.7 86.5
 63 146.4 116.0 174.0



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BE0
 Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.053 ng

RT: 7.11 min Scan# 338

Delta R.T. -0.00 min

Lab File: BE093976.D

Acq: 11 Sep 2017 23:18

Instrument :

BNA_E

ClientSampleId :

KY038PS034-170906


Tgt Ion: 99 Resp: 606

Ion Ratio Lower Upper

99 100

42 35.5 17.1 25.7#




71 43.4 26.6 39.8#



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.71 min Scan# 577

Delta R.T. -0.00 min

Lab File: BE093976.D

Acq: 11 Sep 2017 23:18

Tgt Ion: 136 Resp: 11724


Ion Ratio Lower Upper

136 100

137 11.7 9.2 13.8

54 50.9 21.9 32.9#

68 9.9 4.6 7.0#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0









#8
 Nitrobenzene-d5
 Concen: 0.275 ng
 RT: 9.08 min Scan# 480
 Delta R.T. -0.00 min
 Lab File: BE093976.D
 Acq: 11 Sep 2017 23:18

Instrument :
 BNA_E
 ClientSampleId :
 KY038PS034-170906

Tgt Ion: 82 Resp: 2727
 Ion Ratio Lower Upper
 82 100
 128 139.1 91.4 137.0#
 54 218.7 197.8 296.8




Abundance Ion 82.00 (81.70 to 82.70): BE0
 Ion 128.00 (127.70 to 128.70): BE0
 Ion 54.00 (53.70 to 54.70): BE0






#11
 2-Methylnaphthalene-d10
 Concen: 0.278 ng
 RT: 12.30 min Scan# 827
 Delta R.T. 0.00 min
 Lab File: BE093976.D
 Acq: 11 Sep 2017 23:18

Tgt Ion: 152 Resp: 5208
 Ion Ratio Lower Upper
 152 100
 151 18.8 15.4 23.0



Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 151.00 (150.70 to 151.70): E





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.53 min Scan# 1112

Delta R.T. 0.00 min

Lab File: BE093976.D

Acq: 11 Sep 2017 23:18

Instrument :

BNA_E

ClientSampleId :

KY038PS034-170906


Tgt Ion:164 Resp: 7167

Ion Ratio Lower Upper

164 100

162 102.4 80.8 121.2




160 47.6 37.0 55.4



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.173 ng

RT: 16.03 min Scan# 1206

Delta R.T. 0.00 min

Lab File: BE093976.D

Acq: 11 Sep 2017 23:18


Tgt Ion:330 Resp: 383

Ion Ratio Lower Upper

330 100

332 96.6 76.9 115.3



141 0.0 0.0 0.0




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.255 ng
RT: 13.16 min Scan# 1020
Delta R.T. 0.00 min
Lab File: BE093976.D
Acq: 11 Sep 2017 23:18




Instrument :
BNA_E
ClientSampleId :
KY038PS034-170906


Tgt Ion:172 Resp: 7232
Ion Ratio Lower Upper
172 100
171 36.1 26.9 40.3
170 23.5 17.3 25.9



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.27 min Scan# 1244
Delta R.T. 0.00 min
Lab File: BE093976.D
Acq: 11 Sep 2017 23:18

Tgt Ion:188 Resp: 13129
Ion Ratio Lower Upper
188 100
94 6.1 16.1 24.1#
80 6.0 18.2 27.2#





#25

Fluoranthene-d10

Concen: 0.290 ng

RT: 19.28 min Scan# 1433

Delta R.T. -0.00 min

Lab File: BE093976.D

Acq: 11 Sep 2017 23:18

Instrument :

BNA_E

ClientSampleId :

KY038PS034-170906


Tgt Ion:212 Resp: 56655

Ion Ratio Lower Upper

212 100

106 3.4 2.7 4.1




104 2.0 1.6 2.4



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.43 min Scan# 1656

Delta R.T. -0.00 min

Lab File: BE093976.D

Acq: 11 Sep 2017 23:18


Tgt Ion:240 Resp: 17552

Ion Ratio Lower Upper

240 100

120 8.9 8.7 13.1



236 25.9 21.3 31.9




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.342 ng

RT: 19.87 min Scan# 1512

Delta R.T. -0.01 min

Lab File: BE093976.D

Acq: 11 Sep 2017 23:18

Instrument :

BNA_E

ClientSampleId :

KY038PS034-170906





Tgt Ion:244 Resp: 11052

Ion Ratio Lower Upper

244 100

212 33.2 28.3 42.5

122 10.3 9.4 14.0



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.111 ng

RT: 21.30 min Scan# 1645

Delta R.T. -0.00 min

Lab File: BE093976.D

Acq: 11 Sep 2017 23:18




Tgt Ion:149 Resp: 14515




Ion Ratio Lower Upper

149 100

167 6.3 5.4 8.0

279 1.0 0.7 1.1





#34

Perylene-d12

Concen: 0.400 ng

RT: 23.94 min Scan# 2128

Delta R.T. -0.00 min

Lab File: BE093976.D

Acq: 11 Sep 2017 23:18

Instrument :

BNA_E

ClientSampleId :

KY038PS034-170906

Tgt Ion: 264 Resp: 13592

Ion Ratio Lower Upper

264 100

260 25.7 20.0 30.0

265 31.6 24.0 36.0

