

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE091415\
 Data File : BE090812.D
 Acq On : 14 Sep 2015 23:18
 Operator : UM/IZ
 Sample : G3658-02
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 091215-D534-E-D-M

Quant Time: Sep 15 01:15:06 2015
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE090115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 02 11:40:50 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.55	152	33264	5.00	ng	0.00
6) Naphthalene-d8	10.31	136	135693	5.00	ng	0.00
12) Acenaphthene-d10	14.17	164	68498	5.00	ng	0.00
18) Phenanthrene-d10	16.91	188	174075	5.00	ng	0.00
25) Chrysene-d12	21.07	240	225396	5.00	ng	0.00
32) Perylene-d12	23.35	264	209358	5.00	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.18	112	17904	2.77	ng	0.00
5) Phenol-d6	6.75	99	13688	1.48	ng	0.00
7) Nitrobenzene-d5	8.72	82	31306	3.49	ng	0.00
13) 2,4,6-Tribromophenol	15.67	330	12997	6.49	ng	0.00
14) 2-Fluorobiphenyl	12.80	172	73246	3.86	ng	0.00
27) Terphenyl-d14	19.53	244	138914	5.57	ng	-0.01
Target Compounds						
30) Bis(2-ethylhexyl)phthalate	21.00	149	2510	0.26	ng	Qvalue # 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE091415\
Data File : BE090812.D
Acq On : 14 Sep 2015 23:18
Operator : UM/IZ
Sample : G3658-02
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
091215-D534-E-D-M

Quant Time: Sep 15 01:15:06 2015
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE090115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 02 11:40:50 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 7.55 min Scan# 838

Delta R.T. -0.01 min

Lab File: BE090812.D

Acq: 14 Sep 2015 23:18

Instrument :

BNA_E

ClientSampleId :

091215-D534-E-D-M


Tgt Ion:152 Resp: 33264

Ion Ratio Lower Upper

152 100

150 152.3 122.2 183.4



115 66.5 51.0 76.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 2.77 ng

RT: 5.18 min Scan# 381

Delta R.T. -0.00 min

Lab File: BE090812.D

Acq: 14 Sep 2015 23:18


Tgt Ion:112 Resp: 17904

Ion Ratio Lower Upper

112 100

64 73.1 57.3 85.9



63 37.0 29.2 43.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 1.48 ng

RT: 6.75 min Scan# 663

Delta R.T. 0.00 min

Lab File: BE090812.D

Acq: 14 Sep 2015 23:18

Instrument :

BNA_E

ClientSampleId :

091215-D534-E-D-M


Tgt Ion: 99 Resp: 13688

Ion Ratio Lower Upper

99 100

42 22.4 16.8 25.2




71 35.5 28.3 42.5



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#6

Naphthalene-d8

Concen: 5.00 ng

RT: 10.31 min Scan# 1367

Delta R.T. 0.00 min

Lab File: BE090812.D

Acq: 14 Sep 2015 23:18

Tgt Ion: 136 Resp: 135693


Ion Ratio Lower Upper

136 100

137 11.2 8.7 13.1

54 11.6 9.0 13.6

68 8.2 6.3 9.5





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0





#7

Nitrobenzene-d5

Concen: 3.49 ng

RT: 8.72 min Scan# 1090

Delta R.T. 0.01 min

Lab File: BE090812.D

Acq: 14 Sep 2015 23:18

Instrument :

BNA_E

ClientSampleId :

091215-D534-E-D-M





Tgt Ion: 82 Resp: 31306

Ion Ratio Lower Upper

82 100

128 29.5 25.0 37.4

54 57.9 46.3 69.5



#12

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.17 min Scan# 2070

Delta R.T. 0.00 min

Lab File: BE090812.D

Acq: 14 Sep 2015 23:18




Tgt Ion: 164 Resp: 68498

Ion Ratio Lower Upper

164 100

162 108.9 86.8 130.2

160 64.1 53.9 80.9








#13
 2,4,6-Tribromophenol
 Concen: 6.49 ng
 RT: 15.67 min Scan# 2204
 Delta R.T. -0.00 min
 Lab File: BE090812.D
 Acq: 14 Sep 2015 23:18




Instrument :
 BNA_E
 ClientSampleId :
 091215-D534-E-D-M

Tgt Ion:330 Resp: 12997
 Ion Ratio Lower Upper
 330 100
 332 96.6 74.9 112.3
 141 183.3 145.2 217.8



#14
 2-Fluorobiphenyl
 Concen: 3.86 ng
 RT: 12.80 min Scan# 1823
 Delta R.T. -0.00 min
 Lab File: BE090812.D
 Acq: 14 Sep 2015 23:18

Tgt Ion:172 Resp: 73246
 Ion Ratio Lower Upper
 172 100
 171 35.2 27.8 41.8
 170 24.8 19.8 29.6





#18

Phenanthrene-d10

Concen: 5.00 ng

RT: 16.91 min Scan# 2275

Delta R.T. -0.00 min

Lab File: BE090812.D

Acq: 14 Sep 2015 23:18

Instrument :

BNA_E

ClientSampleId :

091215-D534-E-D-M


Tgt Ion:188 Resp: 174075

Ion Ratio Lower Upper

188 100

94 11.1 10.3 15.5



80 11.8 11.0 16.6



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#25

Chrysene-d12

Concen: 5.00 ng

RT: 21.07 min Scan# 2860

Delta R.T. -0.01 min

Lab File: BE090812.D

Acq: 14 Sep 2015 23:18


Tgt Ion:240 Resp: 225396

Ion Ratio Lower Upper

240 100

120 14.5 10.1 15.1



236 27.4 21.9 32.9



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E








#27
 Terphenyl-d14
 Concen: 5.57 ng
 RT: 19.53 min Scan# 2608
 Delta R.T. -0.01 min
 Lab File: BE090812.D
 Acq: 14 Sep 2015 23:18




Instrument :
 BNA_E
 ClientSampleId :
 091215-D534-E-D-M


Tgt Ion: 244 Resp: 138914
 Ion Ratio Lower Upper
 244 100
 212 8.1 6.9 10.3
 122 13.9 12.9 19.3



#30
 Bis(2-ethylhexyl)phthalate
 Concen: 0.26 ng
 RT: 21.00 min Scan# 2850
 Delta R.T. -0.01 min
 Lab File: BE090812.D
 Acq: 14 Sep 2015 23:18

Tgt Ion: 149 Resp: 2510
 Ion Ratio Lower Upper
 149 100
 167 24.6 20.1 30.1
 279 3.5 2.3 3.5#





#32

Perylene-d12

Concen: 5.00 ng

RT: 23.35 min Scan# 3297

Delta R.T. -0.01 min

Lab File: BE090812.D

Acq: 14 Sep 2015 23:18

Instrument :

BNA_E

ClientSampleId :

091215-D534-E-D-M

Tgt Ion: 264 Resp: 209358

Ion Ratio Lower Upper

264 100

260 25.1 19.7 29.5

265 22.1 17.5 26.3

