

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE091715\
 Data File : BE090880.D
 Acq On : 18 Sep 2015 00:30
 Operator : UM/IZ
 Sample : G3700-06
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 091515-P004-E-U-S

Quant Time: Sep 18 03:51:24 2015
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE090115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 02 11:40:50 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.55	152	32755	5.00	ng	0.00
6) Naphthalene-d8	10.31	136	146855	5.00	ng	0.00
12) Acenaphthene-d10	14.16	164	78625	5.00	ng	0.00
18) Phenanthrene-d10	16.91	188	193577	5.00	ng	0.00
25) Chrysene-d12	21.07	240	228629	5.00	ng	0.00
32) Perylene-d12	23.35	264	202334	5.00	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.18	112	29222	4.58	ng	0.00
5) Phenol-d6	6.75	99	23706	2.60	ng	0.00
7) Nitrobenzene-d5	8.71	82	39895	4.11	ng	0.00
13) 2,4,6-Tribromophenol	15.67	330	18608	8.06	ng	0.00
14) 2-Fluorobiphenyl	12.79	172	90939	4.18	ng	0.00
27) Terphenyl-d14	19.52	244	149787	5.92	ng	-0.02


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE091715\
Data File : BE090880.D
Acq On : 18 Sep 2015 00:30
Operator : UM/IZ
Sample : G3700-06
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
091515-P004-E-U-S

Quant Time: Sep 18 03:51:24 2015
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE090115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 02 11:40:50 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 7.55 min Scan# 837

Delta R.T. -0.01 min

Lab File: BE090880.D

Acq: 18 Sep 2015 00:30

Instrument :

BNA_E

ClientSampleId :

091515-P004-E-U-S


Tgt Ion:152 Resp: 32755

Ion Ratio Lower Upper

152 100

150 156.2 122.2 183.4




115 66.8 51.0 76.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 4.58 ng

RT: 5.18 min Scan# 381

Delta R.T. -0.01 min

Lab File: BE090880.D

Acq: 18 Sep 2015 00:30


Tgt Ion:112 Resp: 29222

Ion Ratio Lower Upper

112 100

64 72.4 57.3 85.9



63 37.7 29.2 43.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 2.60 ng

RT: 6.75 min Scan# 661

Delta R.T. -0.00 min

Lab File: BE090880.D

Acq: 18 Sep 2015 00:30

Instrument :

BNA_E

ClientSampleId :

091515-P004-E-U-S


Tgt Ion: 99 Resp: 23706

Ion Ratio Lower Upper

99 100

42 20.3 16.8 25.2




71 35.5 28.3 42.5



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#6

Naphthalene-d8

Concen: 5.00 ng

RT: 10.31 min Scan# 1367

Delta R.T. 0.00 min

Lab File: BE090880.D

Acq: 18 Sep 2015 00:30

Tgt Ion: 136 Resp: 146855


Ion Ratio Lower Upper

136 100

137 11.0 8.7 13.1

54 10.8 9.0 13.6

68 8.0 6.3 9.5






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0





#7

Nitrobenzene-d5

Concen: 4.11 ng

RT: 8.71 min Scan# 1088

Delta R.T. 0.00 min

Lab File: BE090880.D

Acq: 18 Sep 2015 00:30

Instrument :

BNA_E

ClientSampleId :

091515-P004-E-U-S


Tgt Ion: 82 Resp: 39895

Ion Ratio Lower Upper

82 100

128 29.3 25.0 37.4

54 58.9 46.3 69.5




Abundance Ion 82.00 (81.70 to 82.70): BE090673.D (-1078) (-)


Ion 128.00 (127.70 to 128.70): BE090673.D (-1078) (-)

Ion 54.00 (53.70 to 54.70): BE090673.D (-1078) (-)

Time-->



Time-->



#12

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.16 min Scan# 2069

Delta R.T. -0.01 min

Lab File: BE090880.D

Acq: 18 Sep 2015 00:30


Tgt Ion: 164 Resp: 78625

Ion Ratio Lower Upper

164 100

162 107.4 86.8 130.2

160 60.1 53.9 80.9




Abundance Ion 164.00 (163.70 to 164.70): BE090673.D (-2059) (-)


Ion 162.00 (161.70 to 162.70): BE090673.D (-2059) (-)

Ion 160.00 (159.70 to 160.70): BE090673.D (-2059) (-)

Time-->







Time-->



#13
 2,4,6-Tribromophenol
 Concen: 8.06 ng
 RT: 15.67 min Scan# 2204
 Delta R.T. -0.00 min
 Lab File: BE090880.D
 Acq: 18 Sep 2015 00:30




Instrument :
 BNA_E
 ClientSampleId :
 091515-P004-E-U-S


Tgt Ion:330 Resp: 18608
 Ion Ratio Lower Upper
 330 100
 332 97.2 74.9 112.3
 141 174.7 145.2 217.8



#14
 2-Fluorobiphenyl
 Concen: 4.18 ng
 RT: 12.79 min Scan# 1822
 Delta R.T. -0.01 min
 Lab File: BE090880.D
 Acq: 18 Sep 2015 00:30

Tgt Ion:172 Resp: 90939
 Ion Ratio Lower Upper
 172 100
 171 34.4 27.8 41.8
 170 23.4 19.8 29.6





#18

Phenanthrene-d10

Concen: 5.00 ng

RT: 16.91 min Scan# 2275

Delta R.T. -0.00 min

Lab File: BE090880.D

Acq: 18 Sep 2015 00:30

Instrument :

BNA_E

ClientSampleId :

091515-P004-E-U-S


Tgt Ion:188 Resp: 193577

Ion Ratio Lower Upper

188 100

94 8.9 10.3 15.5#




80 9.8 11.0 16.6#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#25

Chrysene-d12

Concen: 5.00 ng

RT: 21.07 min Scan# 2860

Delta R.T. -0.01 min

Lab File: BE090880.D

Acq: 18 Sep 2015 00:30


Tgt Ion:240 Resp: 228629

Ion Ratio Lower Upper

240 100

120 12.8 10.1 15.1



236 26.4 21.9 32.9




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#27
 Terphenyl-d14
 Concen: 5.92 ng
 RT: 19.52 min Scan# 2607
 Delta R.T. -0.02 min
 Lab File: BE090880.D
 Acq: 18 Sep 2015 00:30

Instrument :
 BNA_E
 ClientSampleId :
 091515-P004-E-U-S

Tgt Ion:244 Resp: 149787
 Ion Ratio Lower Upper
 244 100
 212 8.3 6.9 10.3
 122 15.7 12.9 19.3




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#32
 Perylene-d12
 Concen: 5.00 ng
 RT: 23.35 min Scan# 3297
 Delta R.T. -0.01 min
 Lab File: BE090880.D
 Acq: 18 Sep 2015 00:30

Tgt Ion:264 Resp: 202334
 Ion Ratio Lower Upper
 264 100
 260 24.8 19.7 29.5
 265 21.8 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

