

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE092115\
 Data File : BE090926.D
 Acq On : 21 Sep 2015 19:49
 Operator : UM/IZ
 Sample : G3745-06
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 091715-D534-F-D-M

Quant Time: Sep 22 02:51:37 2015
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE091815.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 18 18:17:34 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.55	152	26042	5.00	ng	0.00
7) Naphthalene-d8	10.31	136	109693	5.00	ng	0.00
13) Acenaphthene-d10	14.17	164	58432	5.00	ng	0.00
19) Phenanthrene-d10	16.91	188	146622	5.00	ng	0.00
26) Chrysene-d12	21.07	240	184460	5.00	ng	0.00
33) Perylene-d12	23.35	264	170451	5.00	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.18	112	19106	3.25	ng	0.00
5) Phenol-d6	6.76	99	14828	1.83	ng	0.00
8) Nitrobenzene-d5	8.71	82	29913	3.96	ng	0.00
14) 2,4,6-Tribromophenol	15.67	330	14660	7.11	ng	-0.02
15) 2-Fluorobiphenyl	12.80	172	69443	4.19	ng	0.00
28) Terphenyl-d14	19.53	244	128275	6.16	ng	0.00
Target Compounds						
31) Bis(2-ethylhexyl)phthalate	20.99	149	1948	0.26	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE092115\
Data File : BE090926.D
Acq On : 21 Sep 2015 19:49
Operator : UM/IZ
Sample : G3745-06
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
091715-D534-F-D-M

Quant Time: Sep 22 02:51:37 2015
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE091815.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 18 18:17:34 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 5.00 ng
 RT: 7.55 min Scan# 726
 Delta R.T. -0.00 min
 Lab File: BE090926.D
 Acq: 21 Sep 2015 19:49

Instrument :
 BNA_E
 ClientSampleId :
 091715-D534-F-D-M

Tgt Ion:152 Resp: 26042
 Ion Ratio Lower Upper
 152 100
 150 156.1 122.2 183.4
 115 68.2 51.0 76.4




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E








#4
 2-Fluorophenol
 Concen: 3.25 ng
 RT: 5.18 min Scan# 381
 Delta R.T. 0.00 min
 Lab File: BE090926.D
 Acq: 21 Sep 2015 19:49

Tgt Ion:112 Resp: 19106
 Ion Ratio Lower Upper
 112 100
 64 73.1 57.3 85.9
 63 38.1 29.2 43.8



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BE0
 Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 1.83 ng

RT: 6.76 min Scan# 610

Delta R.T. 0.01 min

Lab File: BE090926.D

Acq: 21 Sep 2015 19:49

Instrument :

BNA_E

ClientSampleId :

091715-D534-F-D-M





Tgt Ion: 99 Resp: 14828

Ion Ratio Lower Upper

99 100

42 23.4 16.8 25.2

71 36.6 28.3 42.5



#7

Naphthalene-d8

Concen: 5.00 ng

RT: 10.31 min Scan# 1212

Delta R.T. 0.01 min

Lab File: BE090926.D

Acq: 21 Sep 2015 19:49

Tgt Ion: 136 Resp: 109693


Ion Ratio Lower Upper


136 100

137 11.0 8.7 13.1

54 12.5 9.0 13.6

68 8.8 6.3 9.5





#8

Nitrobenzene-d5

Concen: 3.96 ng

RT: 8.71 min Scan# 935

Delta R.T. 0.01 min

Lab File: BE090926.D

Acq: 21 Sep 2015 19:49

Instrument :

BNA_E

ClientSampleId :

091715-D534-F-D-M


Tgt Ion: 82 Resp: 29913

Ion Ratio Lower Upper

82 100

128 29.8 25.0 37.4




54 60.7 46.3 69.5



Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): BE0

Ion 54.00 (53.70 to 54.70): BE0



#13

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.17 min Scan# 1915

Delta R.T. 0.00 min

Lab File: BE090926.D

Acq: 21 Sep 2015 19:49


Tgt Ion: 164 Resp: 58432

Ion Ratio Lower Upper

164 100

162 106.6 86.8 130.2



160 59.9 53.9 80.9




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#14
 2,4,6-Tribromophenol
 Concen: 7.11 ng
 RT: 15.67 min Scan# 2049
 Delta R.T. -0.02 min
 Lab File: BE090926.D
 Acq: 21 Sep 2015 19:49




Instrument :
 BNA_E
 ClientSampleId :
 091715-D534-F-D-M


Tgt Ion:330 Resp: 14660
 Ion Ratio Lower Upper
 330 100
 332 96.7 74.9 112.3
 141 178.5 145.2 217.8



#15
 2-Fluorobiphenyl
 Concen: 4.19 ng
 RT: 12.80 min Scan# 1669
 Delta R.T. 0.00 min
 Lab File: BE090926.D
 Acq: 21 Sep 2015 19:49

Tgt Ion:172 Resp: 69443
 Ion Ratio Lower Upper
 172 100
 171 34.0 27.8 41.8
 170 23.0 19.8 29.6





#19

Phenanthrene-d10

Concen: 5.00 ng

RT: 16.91 min Scan# 2120

Delta R.T. -0.00 min

Lab File: BE090926.D

Acq: 21 Sep 2015 19:49

Instrument :

BNA_E

ClientSampleId :

091715-D534-F-D-M


Tgt Ion:188 Resp: 146622

Ion Ratio Lower Upper

188 100

94 10.3 10.3 15.5#




80 11.4 11.0 16.6



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#26

Chrysene-d12

Concen: 5.00 ng

RT: 21.07 min Scan# 2705

Delta R.T. 0.00 min

Lab File: BE090926.D

Acq: 21 Sep 2015 19:49


Tgt Ion:240 Resp: 184460

Ion Ratio Lower Upper

240 100

120 12.6 10.1 15.1



236 26.7 21.9 32.9




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#28

Terphenyl-d14

Concen: 6.16 ng

RT: 19.53 min Scan# 2453

Delta R.T. -0.00 min

Lab File: BE090926.D

Acq: 21 Sep 2015 19:49

Instrument :

BNA_E

ClientSampleId :

091715-D534-F-D-M


Tgt Ion:244 Resp: 128275

Ion Ratio Lower Upper

244 100

212 8.1 6.9 10.3




122 13.1 12.9 19.3



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#31

Bis(2-ethylhexyl)phthalate

Concen: 0.26 ng

RT: 20.99 min Scan# 2694

Delta R.T. -0.01 min

Lab File: BE090926.D

Acq: 21 Sep 2015 19:49


Tgt Ion:149 Resp: 1948

Ion Ratio Lower Upper

149 100

167 25.4 20.1 30.1



279 2.8 2.3 3.5




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#33

Perylene-d12

Concen: 5.00 ng

RT: 23.35 min Scan# 3142

Delta R.T. 0.00 min

Lab File: BE090926.D


Acq: 21 Sep 2015 19:49

Instrument :

BNA_E

ClientSampleId :

091715-D534-F-D-M



Tgt Ion: 264 Resp: 170451

Ion Ratio Lower Upper

264 100

260 24.8 19.7 29.5

265 22.0 17.5 26.3

Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

