

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE092118\
 Data File : BE097637.D
 Acq On : 22 Sep 2018 7:30
 Operator : SJ/JU
 Sample : J4980-12
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 BPSI-TT-MW30412-20180917

Quant Time: Sep 24 02:29:57 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE091918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 20 10:54:43 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.38	152	709	0.40	ng	0.00
7) Naphthalene-d8	10.15	136	3129	0.40	ng	0.01
13) Acenaphthene-d10	14.00	164	1988	0.40	ng	0.00
19) Phenanthrene-d10	16.77	188	6550	0.40	ng	0.01
27) Chrysene-d12	20.97	240	8875	0.40	ng	0.00
34) Perylene-d12	23.21	264	8433	0.40	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
4) 2-Fluorophenol	5.06	112	311	0.15	ng	0.01
5) Phenol-d6	6.62	99	189	0.07	ng	0.01
8) Nitrobenzene-d5	8.58	82	786	0.33	ng	0.05
11) 2-Methylnaphthalene-d10	11.74	152	1940	0.45	ng	0.02
14) 2,4,6-Tribromophenol	15.53	330	332	0.44	ng	0.01
15) 2-Fluorobiphenyl	12.63	172	3332	0.47	ng	0.01
25) Fluoranthene-d10	18.80	212	38325	0.46	ng	0.00
29) Terphenyl-d14	19.41	244	8623	0.53	ng	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) 1,4-Dioxane	3.08	88	75	0.023	ng	# 11
3) n-Nitrosodimethylamine	3.39	42	9	0.025	ng	# 1
22) Pentachlorophenol	16.46	266	3	0.132	ng	91
32) Bis(2-ethylhexyl)phthalate	20.89	149	4021	0.118	ng	# 98
37) Benzo(a)pyrene	23.13	252	103	0.025	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE092118\
Data File : BE097637.D
Acq On : 22 Sep 2018 7:30
Operator : SJ/JU
Sample : J4980-12
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
BPSI-TT-MW30412-20180917

Quant Time: Sep 24 02:29:57 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE091918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 20 10:54:43 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.38 min Scan# 392
Delta R.T. -0.00 min
Lab File: BE097637.D
Acq: 22 Sep 2018 7:30

Instrument :
BNA_E
ClientSampleId :
BPSI-TT-MW30412-20180917

Tot Ion:152 Resp: 709
Ion Ratio Lower Upper
152 100
150 157.5 117.2 175.8
115 70.8 57.0 85.6




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#2

1,4-Dioxane
Concen: 0.023 ng
RT: 3.08 min Scan# 19
Delta R.T. 0.01 min
Lab File: BE097637.D
Acq: 22 Sep 2018 7:30

Tgt Ion: 88 Resp: 75
Ion Ratio Lower Upper
88 100
58 165.3 63.2 94.8#
43 0.0 41.2 61.8#



Abundance Ion 88.00 (87.70 to 88.70): BE0
Ion 58.00 (57.70 to 58.70): BE0
Ion 43.00 (42.70 to 43.70): BE0









#3
n-Nitrosodimethylamine
Concen: 0.025 ng
RT: 3.39 min Scan# 46
Delta R.T. 0.02 min
Lab File: BE097637.D
Acq: 22 Sep 2018 7:30




Instrument :
BNA_E
ClientSampleId :
BPSI-TT-MW30412-20180917




Tot Ion: 42 Resp: 9
Ion Ratio Lower Upper
42 100
74 0.0 96.0 144.0#
44 0.0 12.0 18.0#



#4
2-Fluorophenol
Concen: 0.146 ng
RT: 5.06 min Scan# 191
Delta R.T. 0.01 min
Lab File: BE097637.D
Acq: 22 Sep 2018 7:30

Tgt Ion: 112 Resp: 311
Ion Ratio Lower Upper
112 100
64 72.7 60.1 90.1
63 144.1 116.8 175.2





#5

Phenol-d6

Concen: 0.070 ng

RT: 6.62 min Scan# 326

Delta R.T. 0.01 min

Lab File: BE097637.D

Acq: 22 Sep 2018 7:30

Instrument :

BNA_E

ClientSampleId :

BPSI-TT-MW304I2-20180917





Tot Ion: 99 Resp: 189

Ion Ratio Lower Upper

99 100

42 28.6 20.2 30.2

71 33.3 28.4 42.6



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.15 min Scan# 613

Delta R.T. 0.01 min

Lab File: BE097637.D

Acq: 22 Sep 2018 7:30

Tgt Ion: 136 Resp: 3129


Ion Ratio Lower Upper


136 100

137 15.0 9.5 14.3#

54 53.7 29.1 43.7#

68 12.2 6.2 9.2#





#8

Nitrobenzene-d5

Concen: 0.325 ng

RT: 8.58 min Scan# 496

Delta R.T. 0.05 min

Lab File: BE097637.D

Acq: 22 Sep 2018 7:30

Instrument :

BNA_E

ClientSampleId :

BPSI-TT-MW304I2-20180917


Tot Ion: 82 Resp: 786

Ion Ratio Lower Upper

82 100

128 47.5 24.0 36.0#

54 62.7 40.0 60.0#






Abundance Ion 82.00 (81.70 to 82.70): BE097538.D (-485) (-)

Ion 128.00 (127.70 to 128.70): BE097538.D (-485) (-)

Ion 54.00 (53.70 to 54.70): BE097538.D (-485) (-)

Time-->



#11

2-Methylnaphthalene-d10

Concen: 0.450 ng

RT: 11.74 min Scan# 763

Delta R.T. 0.02 min

Lab File: BE097637.D


Acq: 22 Sep 2018 7:30

Tgt Ion: 152 Resp: 1940

Ion Ratio Lower Upper

152 100



151 18.8 15.4 23.0




Abundance Ion 152.00 (151.70 to 152.70): BE097538.D (-750) (-)

Ion 151.00 (150.70 to 151.70): BE097538.D (-750) (-)

Time-->









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.00 min Scan# 1026
Delta R.T. -0.00 min
Lab File: BE097637.D
Acq: 22 Sep 2018 7:30




Instrument :
BNA_E
ClientSampleId :
BPSI-TT-MW304I2-20180917


Tot Ion:164 Resp: 1988
Ion Ratio Lower Upper
164 100
162 100.2 83.1 124.7
160 50.3 37.1 55.7



#14
2,4,6-Tribromophenol
Concen: 0.435 ng
RT: 15.53 min Scan# 1154
Delta R.T. 0.01 min
Lab File: BE097637.D
Acq: 22 Sep 2018 7:30

Tgt Ion:330 Resp: 332
Ion Ratio Lower Upper
330 100
332 90.1 152.7 229.1#
141 35.2 33.7 50.5









#15
2-Fluorobiphenyl
Concen: 0.474 ng
RT: 12.63 min Scan# 907
Delta R.T. 0.01 min
Lab File: BE097637.D
Acq: 22 Sep 2018 7:30




Instrument :
BNA_E
ClientSampleId :
BPSI-TT-MW30412-20180917


Tot Ion:172 Resp: 3332
Ion Ratio Lower Upper
172 100
171 36.0 29.9 44.9
170 25.4 21.8 32.8



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 16.77 min Scan# 1260
Delta R.T. 0.01 min
Lab File: BE097637.D
Acq: 22 Sep 2018 7:30

Tgt Ion:188 Resp: 6550
Ion Ratio Lower Upper
188 100
94 0.0 3.9 5.9#
80 10.9 3.6 5.4#









#22
 Pentachlorophenol
 Concen: 0.132 ng
 RT: 16.46 min Scan# 1234
 Delta R.T. 0.02 min
 Lab File: BE097637.D
 Acq: 22 Sep 2018 7:30

Instrument :
 BNA_E
 ClientSampleId :
 BPSI-TT-MW304I2-20180917

Tot Ion:266 Resp: 3




Ion	Ratio	Lower	Upper
266	100		
264	97.8	72.5	108.7
268	102.2	73.8	110.6




#25
 Fluoranthene-d10
 Concen: 0.457 ng
 RT: 18.80 min Scan# 1500
 Delta R.T. -0.00 min
 Lab File: BE097637.D
 Acq: 22 Sep 2018 7:30

Tgt Ion:212 Resp: 38325

Ion	Ratio	Lower	Upper
212	100		
106	3.2	2.8	4.2
104	1.8	1.6	2.4





#27

Chrysene-d12

Concen: 0.400 ng

RT: 20.97 min Scan# 1785

Delta R.T. 0.00 min

Lab File: BE097637.D

Acq: 22 Sep 2018 7:30

Instrument :

BNA_E

ClientSampleId :

BPSI-TT-MW304I2-20180917


Tot Ion:240 Resp: 8875

Ion Ratio Lower Upper

240 100

120 9.8 5.5 8.3#




236 27.3 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29

Terphenyl-d14

Concen: 0.531 ng

RT: 19.41 min Scan# 1606

Delta R.T. -0.01 min

Lab File: BE097637.D

Acq: 22 Sep 2018 7:30


Tgt Ion:244 Resp: 8623

Ion Ratio Lower Upper

244 100

212 31.0 25.4 38.0



122 10.6 8.1 12.1




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#32
 Bis(2-ethylhexyl)phthalate
 Concen: 0.118 ng
 RT: 20.89 min Scan# 1779
 Delta R.T. -0.01 min
 Lab File: BE097637.D
 Acq: 22 Sep 2018 7:30




Instrument :
 BNA_E
 ClientSampleId :
 BPSI-TT-MW30412-20180917




Tot Ion:149 Resp: 4021
 Ion Ratio Lower Upper
 149 100
 167 6.1 5.4 8.0
 279 1.3 0.7 1.1#



#34
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.21 min Scan# 2202
 Delta R.T. 0.00 min
 Lab File: BE097637.D
 Acq: 22 Sep 2018 7:30

Tgt Ion:264 Resp: 8433
 Ion Ratio Lower Upper
 264 100
 260 25.7 20.5 30.7
 265 28.0 22.8 34.2





#37

Benzo(a)pyrene

Concen: 0.025 ng

RT: 23.13 min Scan# 2179

Delta R.T. 0.02 min

Lab File: BE097637.D

Acq: 22 Sep 2018 7:30

Instrument :

BNA_E

ClientSampleId :

BPSI-TT-MW304I2-20180917

Tot Ion: 252 Resp: 103

Ion Ratio Lower Upper

252 100

253 119.1 16.0 24.0#

125 189.1 12.0 18.0#

