

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE092118\
 Data File : BE097635.D
 Acq On : 22 Sep 2018 6:16
 Operator : SJ/JU
 Sample : J4980-09
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 BPSI-TT-MW304D-20180917

Manual Integrations
 APPROVED

Sohil
 9/24/2018 8:30:46 AM

Quant Time: Sep 24 02:47:32 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE091918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 20 10:54:43 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.38	152	748	0.40	ng	0.00
7) Naphthalene-d8	10.15	136	3285	0.40	ng	0.01
13) Acenaphthene-d10	14.01	164	2051	0.40	ng	0.01
19) Phenanthrene-d10	16.77	188	6590	0.40	ng	0.01
27) Chrysene-d12	20.97	240	8677	0.40	ng	0.00
34) Perylene-d12	23.21	264	8441	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.06	112	308	0.14	ng	0.01
5) Phenol-d6	6.63	99	219m	0.08	ng	0.02
8) Nitrobenzene-d5	8.58	82	744	0.29	ng	0.05
11) 2-Methylnaphthalene-d10	11.74	152	2013	0.44	ng	0.03
14) 2,4,6-Tribromophenol	15.53	330	303	0.40	ng	0.01
15) 2-Fluorobiphenyl	12.63	172	3365	0.46	ng	0.01
25) Fluoranthene-d10	18.80	212	37740	0.45	ng	0.00
29) Terphenyl-d14	19.41	244	8777	0.55	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.08	88	191	0.121	ng	# 55
32) Bis(2-ethylhexyl)phthalate	20.89	149	1883	0.062	ng	# 100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE092118\
Data File : BE097635.D
Acq On : 22 Sep 2018 6:16
Operator : SJ/JU
Sample : J4980-09
Misc :
ALS Vial : 25 Sample Multiplier: 1


Instrument :
BNA_E
ClientSampleId :
BPSI-TT-MW304D-20180917

Manual Integrations
APPROVED

Sohil
9/24/2018 8:30:46 AM

Quant Time: Sep 24 02:47:32 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE091918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 20 10:54:43 2018
Response via : Initial Calibration





#1





1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.38 min Scan# 392
Delta R.T. 0.00 min
Lab File: BE097635.D
Acq: 22 Sep 2018 6:16

Instrument :
BNA_E
ClientSampleId :
BPSI-TT-MW304D-20180917

Tot Ion	Ratio	Lower	Upper
152	100		
150	144.2	117.2	175.8
115	68.7	57.0	85.6

Manual Integrations
APPROVED




Sohil
9/24/2018 8:30:46 AM



#2

1,4-Dioxane
Concen: 0.121 ng
RT: 3.08 min Scan# 19
Delta R.T. 0.01 min
Lab File: BE097635.D
Acq: 22 Sep 2018 6:16

Tgt Ion	Ratio	Lower	Upper
88	100		
58	103.7	63.2	94.8#
43	100.5	41.2	61.8#





#4

2-Fluorophenol

Concen: 0.137 ng

RT: 5.06 min Scan# 191

Delta R.T. 0.01 min

Lab File: BE097635.D

Acq: 22 Sep 2018 6:16

Instrument :

BNA_E





ClientSampleId :

BPSI-TT-MW304D-20180917

Tot Ion:	112	Resp:	308
Ion Ratio	Lower	Upper	
112	100		
64	68.5	60.1	90.1
63	146.8	116.8	175.2

Manual Integrations
APPROVED

Sohil
9/24/2018 8:30:46 AM



#5

Phenol-d6

Concen: 0.076 ng m




RT: 6.63 min Scan# 327


Delta R.T. 0.02 min

Lab File: BE097635.D

Acq: 22 Sep 2018 6:16

Tgt Ion:	99	Resp:	219
Ion Ratio	Lower	Upper	
99	100		
42	14.2	20.2	30.2#
71	21.5	28.4	42.6#





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.15 min Scan# 613

Delta R.T. 0.01 min

Lab File: BE097635.D

Acq: 22 Sep 2018 6:16

Instrument :

BNA_E


ClientSampleId :

BPSI-TT-MW304D-20180917

Tot Ion	Ion	Ratio	Resp	Lower	Upper
136	100				
137	15.2	9.5	14.3#		
54	58.1	29.1	43.7#		
68	12.5	6.2	9.2#		

Manual Integrations
APPROVED

Sohil
9/24/2018 8:30:46 AM






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0



#8

Nitrobenzene-d5

Concen: 0.293 ng


RT: 8.58 min Scan# 496

Delta R.T. 0.05 min

Lab File: BE097635.D

Acq: 22 Sep 2018 6:16



Tgt Ion	Ion	Ratio	Resp	Lower	Upper
82	100				
128	48.7	24.0	36.0#		
54	61.1	40.0	60.0#		




Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE0









#11
2-Methylnaphthalene-d10
Concen: 0.445 ng
RT: 11.74 min Scan# 764
Delta R.T. 0.03 min
Lab File: BE097635.D
Acq: 22 Sep 2018 6:16

Instrument :
BNA_E
ClientSampleId :
BPSI-TT-MW304D-20180917

Tot Ion	Ratio	Lower	Upper
152	100		
151	18.5	15.4	23.0




Manual Integrations
APPROVED

Sohil
9/24/2018 8:30:46 AM



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.01 min Scan# 1027
Delta R.T. 0.01 min
Lab File: BE097635.D
Acq: 22 Sep 2018 6:16

Tgt Ion	Ratio	Lower	Upper
164	100		
162	98.6	83.1	124.7
160	48.9	37.1	55.7









#14
 2,4,6-Tribromophenol
 Concen: 0.397 ng
 RT: 15.53 min Scan# 1154
 Delta R.T. 0.01 min
 Lab File: BE097635.D
 Acq: 22 Sep 2018 6:16

Instrument :
 BNA_E
 ClientSampleId :
 BPSI-TT-MW304D-20180917

Tot Ion	Ratio	Lower	Upper
330	100		
332	100.3	152.7	229.1#
141	36.6	33.7	50.5




Manual Integrations
 APPROVED


Sohil
 9/24/2018 8:30:46 AM



#15
 2-Fluorobiphenyl
 Concen: 0.464 ng
 RT: 12.63 min Scan# 907
 Delta R.T. 0.01 min
 Lab File: BE097635.D
 Acq: 22 Sep 2018 6:16

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.2	29.9	44.9
170	26.3	21.8	32.8









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 16.77 min Scan# 1260
Delta R.T. 0.01 min
Lab File: BE097635.D
Acq: 22 Sep 2018 6:16

Instrument :
BNA_E
ClientSampleId :
BPSI-TT-MW304D-20180917

Tot Ion	Ratio	Resp	Lower	Upper
188	100			
94	0.0	3.9	5.9#	
80	12.5	3.6	5.4#	




Manual Integrations
APPROVED

Sohil
9/24/2018 8:30:46 AM



#25
Fluoranthene-d10
Concen: 0.447 ng
RT: 18.80 min Scan# 1500
Delta R.T. -0.00 min
Lab File: BE097635.D
Acq: 22 Sep 2018 6:16

Tgt Ion	Ratio	Resp	Lower	Upper
212	100			
106	3.2	2.8	4.2	
104	1.8	1.6	2.4	






#27
 Chrysene-d12
 Concen: 0.400 ng
 RT: 20.97 min Scan# 1785
 Delta R.T. -0.00 min
 Lab File: BE097635.D
 Acq: 22 Sep 2018 6:16

Instrument :
 BNA_E
 ClientSampleId :
 BPSI-TT-MW304D-20180917

Tot Ion	Ratio	Lower	Upper
240	100		
120	12.0	5.5	8.3#
236	28.0	20.7	31.1

Manual Integrations
 APPROVED

Sohil
 9/24/2018 8:30:46 AM






Abundance

Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29
 Terphenyl-d14
 Concen: 0.553 ng
 RT: 19.41 min Scan# 1606
 Delta R.T. -0.01 min
 Lab File: BE097635.D
 Acq: 22 Sep 2018 6:16




Tgt Ion	Ratio	Lower	Upper
244	100		
212	31.8	25.4	38.0
122	11.2	8.1	12.1

Abundance

Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#32
 Bis(2-ethylhexyl)phthalate
 Concen: 0.062 ng
 RT: 20.89 min Scan# 1779
 Delta R.T. -0.01 min
 Lab File: BE097635.D
 Acq: 22 Sep 2018 6:16

Instrument :
 BNA_E
 ClientSampleId :
 BPSI-TT-MW304D-20180917

Tot Ion	Ratio	Lower	Upper
149	100		
167	6.6	5.4	8.0
279	1.4	0.7	1.1#

Manual Integrations
 APPROVED

Sohil
 9/24/2018 8:30:46 AM



#34
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.21 min Scan# 2202
 Delta R.T. 0.00 min
 Lab File: BE097635.D
 Acq: 22 Sep 2018 6:16

Tgt Ion	Ratio	Lower	Upper
264	100		
260	25.8	20.5	30.7
265	28.4	22.8	34.2

