

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE092315\
 Data File : BE090961.D
 Acq On : 23 Sep 2015 22:23
 Operator : UM/IZ
 Sample : G3651-08
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 CPS073031

Quant Time: Sep 24 02:48:30 2015
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE091815.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 18 18:17:34 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.54	152	43164	5.00	ng	0.00
7) Naphthalene-d8	10.31	136	188545	5.00	ng	0.00
13) Acenaphthene-d10	14.16	164	112845	5.00	ng	0.00
19) Phenanthrene-d10	16.91	188	246274	5.00	ng	0.00
26) Chrysene-d12	21.07	240	295048	5.00	ng	0.00
33) Perylene-d12	23.35	264	266780	5.00	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.17	112	24441	2.50	ng	-0.01
5) Phenol-d6	6.79	99	18400m	1.37	ng	0.04
8) Nitrobenzene-d5	8.72	82	40668	3.13	ng	0.01
14) 2,4,6-Tribromophenol	15.67	330	25867	6.49	ng	-0.02
15) 2-Fluorobiphenyl	12.79	172	108208	3.38	ng	0.00
28) Terphenyl-d14	19.52	244	171372	5.14	ng	0.00
Target Compounds						Qvalue
31) Bis(2-ethylhexyl)phthalate	20.99	149	2526	0.24	ng	# 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE092315\
Data File : BE090961.D
Acq On : 23 Sep 2015 22:23
Operator : UM/IZ
Sample : G3651-08
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
CPS073031

Quant Time: Sep 24 02:48:30 2015
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE091815.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 18 18:17:34 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 5.00 ng
 RT: 7.54 min Scan# 725
 Delta R.T. -0.01 min
 Lab File: BE090961.D
 Acq: 23 Sep 2015 22:23

Instrument :
 BNA_E
 ClientSampleId :
 CPS073031

Tgt Ion:152 Resp: 43164
 Ion Ratio Lower Upper
 152 100
 150 159.2 122.2 183.4
 115 69.3 51.0 76.4




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E






#4
 2-Fluorophenol
 Concen: 2.50 ng
 RT: 5.17 min Scan# 379
 Delta R.T. -0.01 min
 Lab File: BE090961.D
 Acq: 23 Sep 2015 22:23

Tgt Ion:112 Resp: 24441
 Ion Ratio Lower Upper
 112 100
 64 71.9 57.3 85.9
 63 37.3 29.2 43.8



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BE0
 Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 1.37 ng m

RT: 6.79 min Scan# 615

Delta R.T. 0.04 min

Lab File: BE090961.D

Acq: 23 Sep 2015 22:23

Instrument :

BNA_E

ClientSampleId :

CPS073031


Tgt Ion: 99 Resp: 18400

Ion Ratio Lower Upper




99 100

42 14.5 16.8 25.2#

71 24.2 28.3 42.5#



Abundance Ion 99.00 (98.70 to 99.70): BE0
Ion 42.00 (41.70 to 42.70): BE0
Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 5.00 ng

RT: 10.31 min Scan# 1213

Delta R.T. 0.01 min

Lab File: BE090961.D

Acq: 23 Sep 2015 22:23

Tgt Ion: 136 Resp: 188545


Ion Ratio Lower Upper

136 100



137 11.0 8.7 13.1


54 11.7 9.0 13.6

68 8.4 6.3 9.5



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BE0
Ion 68.00 (67.70 to 68.70): BE0









#8
 Nitrobenzene-d5
 Concen: 3.13 ng
 RT: 8.72 min Scan# 936
 Delta R.T. 0.01 min
 Lab File: BE090961.D
 Acq: 23 Sep 2015 22:23




Instrument :
 BNA_E
 ClientSampleId :
 CPS073031


Tgt Ion: 82 Resp: 40668
 Ion Ratio Lower Upper
 82 100
 128 30.7 25.0 37.4
 54 57.2 46.3 69.5



#13
 Acenaphthene-d10
 Concen: 5.00 ng
 RT: 14.16 min Scan# 1916
 Delta R.T. -0.01 min
 Lab File: BE090961.D
 Acq: 23 Sep 2015 22:23

Tgt Ion: 164 Resp: 112845
 Ion Ratio Lower Upper
 164 100
 162 105.7 86.8 130.2
 160 53.3 53.9 80.9#









#14
 2,4,6-Tribromophenol
 Concen: 6.49 ng
 RT: 15.67 min Scan# 2051
 Delta R.T. -0.02 min
 Lab File: BE090961.D
 Acq: 23 Sep 2015 22:23

Instrument :
 BNA_E
 ClientSampleId :
 CPS073031

Tgt Ion:330 Resp: 25867
 Ion Ratio Lower Upper
 330 100
 332 97.7 74.9 112.3
 141 174.6 145.2 217.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#15
 2-Fluorobiphenyl
 Concen: 3.38 ng
 RT: 12.79 min Scan# 1668
 Delta R.T. -0.01 min
 Lab File: BE090961.D
 Acq: 23 Sep 2015 22:23

Tgt Ion:172 Resp: 108208
 Ion Ratio Lower Upper
 172 100
 171 34.1 27.8 41.8
 170 22.6 19.8 29.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#19

Phenanthrene-d10

Concen: 5.00 ng

RT: 16.91 min Scan# 2122

Delta R.T. 0.00 min

Lab File: BE090961.D

Acq: 23 Sep 2015 22:23

Instrument :

BNA_E

ClientSampleId :

CPS073031


Tgt Ion:188 Resp: 246274

Ion Ratio Lower Upper

188 100

94 9.7 10.3 15.5#




80 10.5 11.0 16.6#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#26

Chrysene-d12

Concen: 5.00 ng

RT: 21.07 min Scan# 2707

Delta R.T. 0.00 min

Lab File: BE090961.D

Acq: 23 Sep 2015 22:23


Tgt Ion:240 Resp: 295048

Ion Ratio Lower Upper

240 100

120 11.5 10.1 15.1



236 26.6 21.9 32.9




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#28

Terphenyl-d14

Concen: 5.14 ng

RT: 19.52 min Scan# 2454

Delta R.T. -0.01 min

Lab File: BE090961.D

Acq: 23 Sep 2015 22:23

Instrument :

BNA_E

ClientSampleId :

CPS073031


Tgt Ion:244 Resp: 171372

Ion Ratio Lower Upper

244 100

212 8.2 6.9 10.3




122 15.0 12.9 19.3



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#31

Bis(2-ethylhexyl)phthalate

Concen: 0.24 ng

RT: 20.99 min Scan# 2696

Delta R.T. -0.01 min

Lab File: BE090961.D

Acq: 23 Sep 2015 22:23


Tgt Ion:149 Resp: 2526

Ion Ratio Lower Upper

149 100

167 25.4 20.1 30.1



279 4.1 2.3 3.5#




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#33

Perylene-d12

Concen: 5.00 ng

RT: 23.35 min Scan# 3143

Delta R.T. -0.00 min

Lab File: BE090961.D


Acq: 23 Sep 2015 22:23

Instrument :

BNA_E

ClientSampleId :

CPS073031




Tgt Ion: 264 Resp: 266780

Ion Ratio Lower Upper

264 100

260 25.1 19.7 29.5

265 22.3 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

