

Data Path : Z:\HPCHEM1\BNA E\DATA\BE092317\
 Data File : BE094082.D
 Acq On : 23 Sep 2017 17:36
 Operator : SJ/JU
 Sample : PB102533BS
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :

Quant Time: Sep 25 08:02:02 2017
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE092317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 25 07:59:29 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.90	152	835	0.40	ng	0.00
7) Naphthalene-d8	10.69	136	3958	0.40	ng	0.00
13) Acenaphthene-d10	14.51	164	2489	0.40	ng	0.00
19) Phenanthrene-d10	17.24	188	11613	0.40	ng	0.00
27) Chrysene-d12	21.40	240	19080	0.40	ng	0.00
34) Perylene-d12	23.91	264	14170	0.40	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
4) 2-Fluorophenol	5.50	112	1416	0.27	ng	0.00
5) Phenol-d6	7.09	99	1624	0.33	ng	0.00
8) Nitrobenzene-d5	9.06	82	1110	0.32	ng	0.00
11) 2-Methylnaphthalene-d10	12.27	152	2057	0.31	ng	0.00
14) 2,4,6-Tribromophenol	16.00	330	1134	0.60	ng	0.00
15) 2-Fluorobiphenyl	13.13	172	3971	0.49	ng	0.00
25) Fluoranthene-d10	19.26	212	56784	0.38	ng	0.00
29) Terphenyl-d14	19.84	244	10008	0.33	ng	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) 1,4-Dioxane	3.41	88	415	0.164	ng	# 1
3) n-Nitrosodimethylamine	3.72	42	676	0.322	ng	# 71
6) bis(2-Chloroethyl)ether	7.33	93	980	0.266	ng	91
9) Naphthalene	10.74	128	14449	0.213	ng	99
10) Hexachlorobutadiene	11.03	225	461	0.288	ng	98
12) 2-Methylnaphthalene	12.35	142	2269	0.284	ng	97
16) Acenaphthylene	14.23	152	3683	0.294	ng	99
17) Acenaphthene	14.57	154	2421	0.291	ng	95
18) Fluorene	15.55	166	3819	0.309	ng	99
20) 4-Bromophenyl-phenylether	16.42	248	1666	0.268	ng	95
21) Hexachlorobenzene	16.55	284	1240	0.272	ng	90
22) Pentachlorophenol	16.91	266	1261	0.800	ng	# 74
23) Phenanthrene	17.27	178	12756	0.307	ng	99
24) Anthracene	17.37	178	9460	0.295	ng	100
26) Fluoranthene	19.29	202	15061	0.337	ng	99
28) Pyrene	19.65	202	16443	0.311	ng	99
30) Benzo(a)anthracene	21.38	228	19770	0.309	ng	100
31) Chrysene	21.44	228	18135	0.290	ng	100
32) Bis(2-ethylhexyl)phthalate	21.29	149	43301	0.252	ng	100
33) Indeno(1,2,3-cd)pyrene	26.55	276	13995	0.289	ng	99
35) Benzo(b)fluoranthene	23.13	252	16020	0.312	ng	99
36) Benzo(k)fluoranthene	23.18	252	15485	0.301	ng	99
37) Benzo(a)pyrene	23.79	252	14297	0.310	ng	100
38) Dibenzo(a,h)anthracene	26.56	278	11758	0.319	ng	99
39) Benzo(g,h,i)perylene	27.36	276	11955	0.324	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE092317\
Data File : BE094082.D
Acq On : 23 Sep 2017 17:36
Operator : SJ/JU
Sample : PB102533BS
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :

Quant Time: Sep 25 08:02:02 2017
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE092317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 25 07:59:29 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.90 min Scan# 401
Delta R.T. -0.00 min
Lab File: BE094082.D
Acq: 23 Sep 2017 17:36

Instrument :
BNA_E
ClientSampled :

Tot Ion:152 Resp: 835
Ion Ratio Lower Upper
152 100
150 152.0 117.2 175.8
115 72.6 57.0 85.6




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#2


1,4-Dioxane
Concen: 0.164 ng
RT: 3.41 min Scan# 44
Delta R.T. -0.00 min
Lab File: BE094082.D
Acq: 23 Sep 2017 17:36

Tgt Ion: 88 Resp: 415
Ion Ratio Lower Upper
88 100
58 283.9 63.2 94.8#
43 0.0 41.2 61.8#



Abundance Ion 88.00 (87.70 to 88.70): BE0
Ion 58.00 (57.70 to 58.70): BE0
Ion 43.00 (42.70 to 43.70): BE0





#3

n-Nitrosodimethylamine

Concen: 0.322 ng

RT: 3.72 min Scan# 69

Delta R.T. -0.00 min

Lab File: BE094082.D

Acq: 23 Sep 2017 17:36

Instrument :

BNA_E

ClientSampled :


Tot Ion: 42 Resp: 676

Ion Ratio Lower Upper

42 100

74 95.7 100.3 150.5#




44 0.0 17.0 25.4#



Abundance Ion 42.00 (41.70 to 42.70): BE0

Ion 74.00 (73.70 to 74.70): BE0

Ion 44.00 (43.70 to 44.70): BE0



#4

2-Fluorophenol

Concen: 0.268 ng

RT: 5.50 min Scan# 210

Delta R.T. -0.00 min

Lab File: BE094082.D

Acq: 23 Sep 2017 17:36


Tgt Ion: 112 Resp: 1416

Ion Ratio Lower Upper

112 100

64 74.9 60.1 90.1



63 158.1 116.8 175.2




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.329 ng

RT: 7.09 min Scan# 336

Delta R.T. -0.00 min

Lab File: BE094082.D

Acq: 23 Sep 2017 17:36

Instrument :

BNA_E

ClientSampled :


Tot Ion: 99 Resp: 1624

Ion Ratio Lower Upper

99 100

42 25.7 20.2 30.2




71 36.0 28.4 42.6



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#6

bis(2-Chloroethyl)ether

Concen: 0.266 ng

RT: 7.33 min Scan# 355

Delta R.T. -0.00 min

Lab File: BE094082.D

Acq: 23 Sep 2017 17:36


Tgt Ion: 93 Resp: 980

Ion Ratio Lower Upper

93 100

63 363.8 275.3 412.9



95 36.0 25.2 37.8




Abundance Ion 93.00 (92.70 to 93.70): BE0

Ion 63.00 (62.70 to 63.70): BE0

Ion 95.00 (94.70 to 95.70): BE0





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.69 min Scan# 576

Delta R.T. -0.00 min

Lab File: BE094082.D

Acq: 23 Sep 2017 17:36

Instrument :

BNA_E

ClientSampleId :

Tot Ion:136 Resp: 3958



Ion Ratio Lower Upper

136 100

137 13.0 9.5 14.3

54 38.4 29.1 43.7

68 8.1 6.2 9.2





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0



#8

Nitrobenzene-d5

Concen: 0.315 ng

RT: 9.06 min Scan# 479

Delta R.T. -0.00 min

Lab File: BE094082.D

Acq: 23 Sep 2017 17:36



Tgt Ion: 82 Resp: 1110

Ion Ratio Lower Upper

82 100

128 190.6 150.0 225.0


54 221.9 154.2 231.4




Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE0









#9
Naphthalene
Concen: 0.213 ng
RT: 10.74 min Scan# 579
Delta R.T. -0.00 min
Lab File: BE094082.D
Acq: 23 Sep 2017 17:36




Instrument :
BNA_E
ClientSampleId :


Tot Ion:128 Resp: 14449
Ion Ratio Lower Upper
128 100
129 3.5 2.6 3.8
127 3.6 2.8 4.2



#10
Hexachlorobutadiene
Concen: 0.288 ng
RT: 11.03 min Scan# 596
Delta R.T. -0.00 min
Lab File: BE094082.D
Acq: 23 Sep 2017 17:36

Tgt Ion:225 Resp: 461
Ion Ratio Lower Upper
225 100
223 64.6 53.0 79.6
227 66.6 51.4 77.2





#11

2-Methylnaphthalene-d10

Concen: 0.307 ng

RT: 12.27 min Scan# 820

Delta R.T. -0.00 min

Lab File: BE094082.D

Acq: 23 Sep 2017 17:36

Instrument :

BNA_E


ClientSampleId :

Tot Ion:152 Resp: 2057

Ion Ratio Lower Upper




152 100

151 18.8 15.4 23.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E



#12

2-Methylnaphthalene

Concen: 0.284 ng

RT: 12.35 min Scan# 839

Delta R.T. -0.00 min

Lab File: BE094082.D

Acq: 23 Sep 2017 17:36


Tgt Ion:142 Resp: 2269

Ion Ratio Lower Upper

142 100

141 90.1 70.4 105.6



115 42.1 31.7 47.5




Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E

Ion 115.00 (114.70 to 115.70): E









#13
 Acenaphthene-d10
 Concen: 0.400 ng
 RT: 14.51 min Scan# 1111
 Delta R.T. 0.00 min
 Lab File: BE094082.D
 Acq: 23 Sep 2017 17:36




Instrument :
 BNA_E
 ClientSampleId :


Tot Ion:164 Resp: 2489
 Ion Ratio Lower Upper
 164 100
 162 103.5 83.1 124.7
 160 46.3 37.1 55.7



#14
 2,4,6-Tribromophenol
 Concen: 0.601 ng
 RT: 16.00 min Scan# 1205
 Delta R.T. 0.00 min
 Lab File: BE094082.D
 Acq: 23 Sep 2017 17:36

Tgt Ion:330 Resp: 1134
 Ion Ratio Lower Upper
 330 100
 332 0.0 152.7 229.1#
 141 13.5 33.7 50.5#









#15
2-Fluorobiphenyl
Concen: 0.486 ng
RT: 13.13 min Scan# 1018
Delta R.T. 0.00 min
Lab File: BE094082.D
Acq: 23 Sep 2017 17:36




Instrument :
BNA_E
ClientSampleId :


Tot Ion:172 Resp: 3971
Ion Ratio Lower Upper
172 100
171 36.1 29.9 44.9
170 25.5 21.8 32.8



#16
Acenaphthylene
Concen: 0.294 ng
RT: 14.23 min Scan# 1092
Delta R.T. 0.00 min
Lab File: BE094082.D
Acq: 23 Sep 2017 17:36

Tgt Ion:152 Resp: 3683
Ion Ratio Lower Upper
152 100
151 19.2 15.7 23.5
153 13.3 10.5 15.7





#17

Acenaphthene

Concen: 0.291 ng

RT: 14.57 min Scan# 1115

Delta R.T. 0.00 min

Lab File: BE094082.D

Acq: 23 Sep 2017 17:36

Instrument :

BNA_E

ClientSampleId :


Tot Ion:154 Resp: 2421

Ion Ratio Lower Upper

154 100

153 115.8 89.2 133.8




152 56.5 42.0 63.0



Abundance Ion 154.00 (153.70 to 154.70): E

Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E



#18

Fluorene

Concen: 0.309 ng

RT: 15.55 min Scan# 1181

Delta R.T. 0.00 min

Lab File: BE094082.D

Acq: 23 Sep 2017 17:36


Tgt Ion:166 Resp: 3819

Ion Ratio Lower Upper

166 100

165 98.1 77.8 116.6



167 51.3 42.4 63.6




Abundance Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.24 min Scan# 1243

Delta R.T. 0.00 min

Lab File: BE094082.D

Acq: 23 Sep 2017 17:36

Instrument :

BNA_E

ClientSampleId :


Tot Ion:188 Resp: 11613

Ion Ratio Lower Upper

188 100

94 4.2 3.9 5.9




80 3.9 3.6 5.4



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#20

4-Bromophenyl-phenylether

Concen: 0.268 ng

RT: 16.42 min Scan# 1218

Delta R.T. 0.00 min

Lab File: BE094082.D

Acq: 23 Sep 2017 17:36


Tgt Ion:248 Resp: 1666

Ion Ratio Lower Upper

248 100

250 82.3 62.7 94.1



141 56.2 48.2 72.2




Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E









#21
Hexachlorobenzene
Concen: 0.272 ng
RT: 16.55 min Scan# 1222
Delta R.T. 0.00 min
Lab File: BE094082.D
Acq: 23 Sep 2017 17:36




Instrument :
BNA_E
ClientSampleId :


Tot Ion:284 Resp: 1240
Ion Ratio Lower Upper
284 100
142 23.1 22.1 33.1
249 36.1 34.8 52.2



#22
Pentachlorophenol
Concen: 0.800 ng
RT: 16.91 min Scan# 1233
Delta R.T. 0.00 min
Lab File: BE094082.D
Acq: 23 Sep 2017 17:36

Tgt Ion:266 Resp: 1261
Ion Ratio Lower Upper
266 100
264 63.6 72.5 108.7#
268 69.7 73.8 110.6#





#23

Phenanthrene

Concen: 0.307 ng

RT: 17.27 min Scan# 1244

Delta R.T. 0.00 min

Lab File: BE094082.D

Acq: 23 Sep 2017 17:36


Instrument :

BNA_E

ClientSampleId :

Tot Ion:178 Resp: 12756




Ion	Ratio	Lower	Upper
178	100		
176	18.5	15.1	22.7
179	15.3	11.8	17.6



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E



#24

Anthracene

Concen: 0.295 ng

RT: 17.37 min Scan# 1247


Delta R.T. 0.00 min

Lab File: BE094082.D

Acq: 23 Sep 2017 17:36

Tgt Ion:178 Resp: 9460



Ion	Ratio	Lower	Upper
178	100		
176	15.7	12.8	19.2
179	16.4	13.0	19.6




Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E





#25

Fluoranthene-d10

Concen: 0.381 ng

RT: 19.26 min Scan# 1430

Delta R.T. -0.00 min

Lab File: BE094082.D

Acq: 23 Sep 2017 17:36

Instrument :

BNA_E

ClientSampleId :


Tot Ion:212 Resp: 56784

Ion Ratio Lower Upper

212 100

106 3.4 2.8 4.2




104 1.9 1.6 2.4



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#26

Fluoranthene

Concen: 0.337 ng

RT: 19.29 min Scan# 1434

Delta R.T. -0.00 min

Lab File: BE094082.D

Acq: 23 Sep 2017 17:36


Tgt Ion:202 Resp: 15061

Ion Ratio Lower Upper

202 100

101 11.9 9.8 14.8



203 17.0 13.7 20.5




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E









#27
 Chrysene-d12
 Concen: 0.400 ng
 RT: 21.40 min Scan# 1654
 Delta R.T. -0.00 min
 Lab File: BE094082.D
 Acq: 23 Sep 2017 17:36




Instrument :
 BNA_E
 ClientSampleId :


Tot Ion:240 Resp: 19080
 Ion Ratio Lower Upper
 240 100
 120 6.9 5.5 8.3
 236 25.6 20.7 31.1



#28
 Pyrene
 Concen: 0.311 ng
 RT: 19.65 min Scan# 1483
 Delta R.T. -0.00 min
 Lab File: BE094082.D
 Acq: 23 Sep 2017 17:36

Tgt Ion:202 Resp: 16443
 Ion Ratio Lower Upper
 202 100
 200 20.6 16.6 25.0
 203 18.0 13.8 20.8





#29

Terphenyl-d14

Concen: 0.335 ng

RT: 19.84 min Scan# 1509

Delta R.T. -0.01 min

Lab File: BE094082.D

Acq: 23 Sep 2017 17:36

Instrument :

BNA_E

ClientSampleId :


Tot Ion:244 Resp: 10008

Ion Ratio Lower Upper

244 100

212 36.8 25.4 38.0




122 14.4 8.1 12.1#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#30

Benzo(a)anthracene

Concen: 0.309 ng

RT: 21.38 min Scan# 1652

Delta R.T. -0.00 min

Lab File: BE094082.D

Acq: 23 Sep 2017 17:36


Tgt Ion:228 Resp: 19770

Ion Ratio Lower Upper

228 100

226 26.6 21.4 32.0



229 20.2 16.4 24.6




Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E





#31

Chrysene

Concen: 0.290 ng

RT: 21.44 min Scan# 1657

Delta R.T. -0.00 min

Lab File: BE094082.D

Acq: 23 Sep 2017 17:36


Instrument :

BNA_E

ClientSampleId :

Tot Ion:228 Resp: 18135

Ion	Ratio	Lower	Upper
228	100		
226	29.4	23.6	35.4
229	20.1	16.4	24.6






Abundance

Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.252 ng

RT: 21.29 min Scan# 1644


Delta R.T. -0.00 min

Lab File: BE094082.D

Acq: 23 Sep 2017 17:36

Tgt Ion:149 Resp: 43301

Ion	Ratio	Lower	Upper
149	100		
167	6.8	5.4	8.0
279	0.9	0.7	1.1






Abundance

Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#33

Indeno(1,2,3-cd)pyrene

Concen: 0.289 ng

RT: 26.55 min Scan# 2697

Delta R.T. 0.00 min


Lab File: BE094082.D

Acq: 23 Sep 2017 17:36

Instrument :

BNA_E

ClientSampleId :



Tot Ion:276 Resp: 13995




Ion Ratio Lower Upper

276 100

138 27.0 22.5 33.7

277 25.2 19.9 29.9

Abundance Ion 276.00 (275.70 to 276.70): E
Ion 138.00 (137.70 to 138.70): E
Ion 277.00 (276.70 to 277.70): E



#34

Perylene-d12

Concen: 0.400 ng

RT: 23.91 min Scan# 2121

Delta R.T. 0.00 min

Lab File: BE094082.D

Acq: 23 Sep 2017 17:36

Tgt Ion:264 Resp: 14170




Ion Ratio Lower Upper


264 100

260 24.6 20.5 30.7

265 27.3 22.8 34.2

Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E





#35

Benzo(b)fluoranthene

Concen: 0.312 ng

RT: 23.13 min Scan# 1951

Delta R.T. 0.00 min

Lab File: BE094082.D

Acq: 23 Sep 2017 17:36

Instrument :

BNA_E

ClientSampled :


Tot Ion:252 Resp: 16020

Ion Ratio Lower Upper

252 100

253 23.5 18.2 27.2




125 12.7 10.1 15.1



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#36

Benzo(k)fluoranthene

Concen: 0.301 ng

RT: 23.18 min Scan# 1962

Delta R.T. 0.00 min

Lab File: BE094082.D

Acq: 23 Sep 2017 17:36


Tgt Ion:252 Resp: 15485

Ion Ratio Lower Upper

252 100

253 23.5 18.6 27.8



125 12.3 10.7 16.1




Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E





#37

Benzo(a)pyrene

Concen: 0.310 ng

RT: 23.79 min Scan# 2096

Delta R.T. 0.00 min

Lab File: BE094082.D

Acq: 23 Sep 2017 17:36

Instrument :

BNA_E

ClientSampleId :


Tot Ion:252 Resp: 14297

Ion Ratio Lower Upper




252 100

253 23.8 19.0 28.6

125 14.7 11.8 17.8



Abundance Ion 252.00 (251.70 to 252.70): E
Ion 253.00 (252.70 to 253.70): E
Ion 125.00 (124.70 to 125.70): E



#38

Dibenzo(a,h)anthracene

Concen: 0.319 ng

RT: 26.56 min Scan# 2700

Delta R.T. -0.00 min

Lab File: BE094082.D

Acq: 23 Sep 2017 17:36


Tgt Ion:278 Resp: 11758

Ion Ratio Lower Upper



278 100


139 21.2 16.3 24.5

279 25.0 19.9 29.9



Abundance Ion 278.00 (277.70 to 278.70): E
Ion 139.00 (138.70 to 139.70): E
Ion 279.00 (278.70 to 279.70): E





#39

Benzo(a,h,i)perylene

Concen: 0.324 ng

RT: 27.36 min Scan# 2876

Delta R.T. 0.00 min


Lab File: BE094082.D

Acq: 23 Sep 2017 17:36

Instrument :

BNA_E

ClientSampleId :



Tot Ion: 276 Resp: 11955

Ion Ratio Lower Upper

276 100

277 24.9 20.8 31.2

138 25.4 21.5 32.3

Abundance Ion 276.00 (275.70 to 276.70): E
Ion 277.00 (276.70 to 277.70): E
Ion 138.00 (137.70 to 138.70): E

