

Data Path : Z:\HPCHEM1\BNA E\DATA\BE092517\
 Data File : BE094106.D
 Acq On : 25 Sep 2017 17:22
 Operator : SJ/JU
 Sample : SSTDICV0.4
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 ICVBE092517

Quant Time: Sep 25 17:58:08 2017
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE092517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 25 17:37:08 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.91	152	1256	0.40	ng	0.00
7) Naphthalene-d8	10.69	136	5471	0.40	ng	0.00
13) Acenaphthene-d10	14.51	164	3106	0.40	ng	0.00
19) Phenanthrene-d10	17.24	188	11728	0.40	ng	0.00
27) Chrysene-d12	21.40	240	12985	0.40	ng	0.00
34) Perylene-d12	23.91	264	12713	0.40	ng	0.00

System Monitoring Compounds						
4) 2-Fluorophenol	5.50	112	1797	0.38	ng	0.00
5) Phenol-d6	7.09	99	2464	0.37	ng	0.00
8) Nitrobenzene-d5	9.06	82	2007	0.38	ng	0.00
11) 2-Methylnaphthalene-d10	12.28	152	3362	0.40	ng	0.00
14) 2,4,6-Tribromophenol	16.00	330	548	0.30	ng	0.00
15) 2-Fluorobiphenyl	13.15	172	4366	0.43	ng	0.02
25) Fluoranthene-d10	19.27	212	46463	0.41	ng	0.00
29) Terphenyl-d14	19.85	244	8646	0.36	ng	0.00


Target Compounds				Qvalue		
2) 1,4-Dioxane	3.41	88	820	0.335	ng	# 87
3) n-Nitrosodimethylamine	3.73	42	1072	0.343	ng	# 95
6) bis(2-Chloroethyl)ether	7.33	93	1957	0.382	ng	95
9) Naphthalene	10.74	128	24866	0.403	ng	100
10) Hexachlorobutadiene	11.02	225	918	0.396	ng	97
12) 2-Methylnaphthalene	12.35	142	3957	0.396	ng	99
16) Acenaphthylene	14.23	152	6249	0.401	ng	99
17) Acenaphthene	14.57	154	4133	0.425	ng	97
18) Fluorene	15.56	166	5394	0.409	ng	98
20) 4-Bromophenyl-phenylether	16.42	248	1915	0.398	ng	# 85
21) Hexachlorobenzene	16.55	284	1334	0.439	ng	# 86
22) Pentachlorophenol	16.91	266	1011	0.363	ng	# 74
23) Phenanthrene	17.27	178	12090	0.403	ng	98
24) Anthracene	17.37	178	12544	0.398	ng	98
26) Fluoranthene	19.30	202	13943	0.415	ng	100
28) Pyrene	19.66	202	15247	0.371	ng	100
30) Benzo(a)anthracene	21.38	228	17368	0.397	ng	97
31) Chrysene	21.44	228	17018	0.403	ng	97
32) Bis(2-ethylhexyl)phthalate	21.29	149	55438	0.269	ng	100
33) Indeno(1,2,3-cd)pyrene	26.55	276	17850	0.395	ng	99
35) Benzo(b)fluoranthene	23.14	252	17055	0.372	ng	97
36) Benzo(k)fluoranthene	23.19	252	16959	0.386	ng	98
37) Benzo(a)pyrene	23.80	252	16150	0.390	ng	97
38) Dibenzo(a,h)anthracene	26.56	278	15351	0.391	ng	98
39) Benzo(g,h,i)perylene	27.37	276	15362	0.395	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE092517\
Data File : BE094106.D
Acq On : 25 Sep 2017 17:22
Operator : SJ/JU
Sample : SSTDICV0.4
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
ICVBE092517

Quant Time: Sep 25 17:58:08 2017
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE092517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 25 17:37:08 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.91 min Scan# 401

Delta R.T. 0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22

Instrument :

BNA_E

ClientSampleId :

ICVBE092517


Tot Ion:152 Resp: 1256

Ion Ratio Lower Upper

152 100

150 153.6 117.2 175.8




115 72.3 57.0 85.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 0.335 ng

RT: 3.41 min Scan# 44

Delta R.T. 0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22


Tgt Ion: 88 Resp: 820

Ion Ratio Lower Upper

88 100

58 95.9 63.2 94.8#



43 48.7 41.2 61.8




Abundance Ion 88.00 (87.70 to 88.70): BE0

Ion 58.00 (57.70 to 58.70): BE0

Ion 43.00 (42.70 to 43.70): BE0





#3

n-Nitrosodimethylamine

Concen: 0.343 ng

RT: 3.73 min Scan# 69

Delta R.T. 0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22

Instrument :

BNA_E

ClientSampleId :

ICVBE092517


Tot Ion: 42 Resp: 1072

Ion Ratio Lower Upper

42 100

74 122.6 100.3 150.5




44 11.5 17.0 25.4#



Abundance Ion 42.00 (41.70 to 42.70): BE0

Ion 74.00 (73.70 to 74.70): BE0

Ion 44.00 (43.70 to 44.70): BE0



#4

2-Fluorophenol

Concen: 0.377 ng

RT: 5.50 min Scan# 210

Delta R.T. 0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22


Tgt Ion: 112 Resp: 1797

Ion Ratio Lower Upper

112 100

64 74.8 60.1 90.1



63 148.0 116.8 175.2




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.373 ng

RT: 7.09 min Scan# 336

Delta R.T. 0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22

Instrument :

BNA_E

ClientSampleId :

ICVBE092517


Tot Ion: 99 Resp: 2464

Ion Ratio Lower Upper

99 100

42 23.0 20.2 30.2




71 35.2 28.4 42.6



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#6

bis(2-Chloroethyl)ether

Concen: 0.382 ng

RT: 7.33 min Scan# 355

Delta R.T. 0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22


Tgt Ion: 93 Resp: 1957

Ion Ratio Lower Upper

93 100

63 354.6 275.3 412.9



95 31.1 25.2 37.8




Abundance Ion 93.00 (92.70 to 93.70): BE0

Ion 63.00 (62.70 to 63.70): BE0

Ion 95.00 (94.70 to 95.70): BE0





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.69 min Scan# 576

Delta R.T. -0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22

Instrument :

BNA_E

ClientSampleId :

ICVBE092517

Tot Ion:136 Resp: 5471


Ion Ratio Lower Upper

136 100

137 12.0 9.5 14.3

54 49.0 29.1 43.7#

68 10.3 6.2 9.2#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0



#8

Nitrobenzene-d5

Concen: 0.379 ng

RT: 9.06 min Scan# 479

Delta R.T. -0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22


Tgt Ion: 82 Resp: 2007

Ion Ratio Lower Upper

82 100

128 172.0 150.0 225.0



54 207.7 154.2 231.4




Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE0





#9

Naphthalene

Concen: 0.403 ng

RT: 10.74 min Scan# 579

Delta R.T. -0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22

Instrument :

BNA_E

ClientSampleId :

ICVBE092517


Tot Ion:128 Resp: 24866

Ion Ratio Lower Upper

128 100

129 3.2 2.6 3.8




127 3.6 2.8 4.2



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#10

Hexachlorobutadiene

Concen: 0.396 ng

RT: 11.02 min Scan# 596

Delta R.T. -0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22


Tgt Ion:225 Resp: 918

Ion Ratio Lower Upper

225 100

223 62.7 53.0 79.6



227 63.3 51.4 77.2




Abundance Ion 225.00 (224.70 to 225.70): E

Ion 223.00 (222.70 to 223.70): E

Ion 227.00 (226.70 to 227.70): E





#11

2-Methylnaphthalene-d10

Concen: 0.399 ng

RT: 12.28 min Scan# 821

Delta R.T. 0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22

Instrument :

BNA_E

ClientSampleId :





ICVBE092517

Tot Ion:152 Resp: 3362

Ion Ratio Lower Upper

152 100

151 19.4 15.4 23.0



#12

2-Methylnaphthalene

Concen: 0.396 ng

RT: 12.35 min Scan# 840

Delta R.T. 0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22




Tgt Ion:142 Resp: 3957


Ion Ratio Lower Upper

142 100

141 88.6 70.4 105.6

115 39.0 31.7 47.5









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.51 min Scan# 1111
Delta R.T. 0.00 min
Lab File: BE094106.D
Acq: 25 Sep 2017 17:22

Instrument :
BNA_E
ClientSampleId :
ICVBE092517

Tot Ion:164 Resp: 3106
Ion Ratio Lower Upper
164 100
162 105.5 83.1 124.7
160 48.8 37.1 55.7




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#14
2,4,6-Tribromophenol
Concen: 0.298 ng
RT: 16.00 min Scan# 1205
Delta R.T. 0.00 min
Lab File: BE094106.D
Acq: 25 Sep 2017 17:22

Tgt Ion:330 Resp: 548
Ion Ratio Lower Upper
330 100
332 84.5 152.7 229.1#
141 0.0 33.7 50.5#



Abundance Ion 330.00 (329.70 to 330.70): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.425 ng
RT: 13.15 min Scan# 1019
Delta R.T. 0.02 min
Lab File: BE094106.D
Acq: 25 Sep 2017 17:22




Instrument :
BNA_E
ClientSampleId :
ICVBE092517


Tot Ion:172 Resp: 4366
Ion Ratio Lower Upper
172 100
171 34.6 29.9 44.9
170 22.7 21.8 32.8



#16
Acenaphthylene
Concen: 0.401 ng
RT: 14.23 min Scan# 1092
Delta R.T. 0.00 min
Lab File: BE094106.D
Acq: 25 Sep 2017 17:22

Tgt Ion:152 Resp: 6249
Ion Ratio Lower Upper
152 100
151 19.8 15.7 23.5
153 13.9 10.5 15.7





#17

Acenaphthene

Concen: 0.425 ng

RT: 14.57 min Scan# 1115

Delta R.T. 0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22

Instrument :

BNA_E

ClientSampleId :

ICVBE092517


Tot Ion:154 Resp: 4133

Ion Ratio Lower Upper




154 100

153 114.4 89.2 133.8

152 54.1 42.0 63.0



Abundance Ion 154.00 (153.70 to 154.70): E
Ion 153.00 (152.70 to 153.70): E
Ion 152.00 (151.70 to 152.70): E



#18

Fluorene

Concen: 0.409 ng

RT: 15.56 min Scan# 1182

Delta R.T. 0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22


Tgt Ion:166 Resp: 5394

Ion Ratio Lower Upper



166 100


165 99.5 77.8 116.6

167 54.1 42.4 63.6



Abundance Ion 166.00 (165.70 to 166.70): E
Ion 165.00 (164.70 to 165.70): E
Ion 167.00 (166.70 to 167.70): E





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.24 min Scan# 1243

Delta R.T. 0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22

Instrument :

BNA_E

ClientSampleId :

ICVBE092517


Tot Ion:188 Resp: 11728

Ion Ratio Lower Upper

188 100

94 6.1 3.9 5.9#




80 6.0 3.6 5.4#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#20

4-Bromophenyl-phenylether

Concen: 0.398 ng

RT: 16.42 min Scan# 1218

Delta R.T. 0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22


Tgt Ion:248 Resp: 1915

Ion Ratio Lower Upper

248 100

250 71.9 62.7 94.1



141 79.6 48.2 72.2#




Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E









#21
Hexachlorobenzene
Concen: 0.439 ng
RT: 16.55 min Scan# 1222
Delta R.T. 0.00 min
Lab File: BE094106.D
Acq: 25 Sep 2017 17:22

Instrument :
BNA_E
ClientSampleId :
ICVBE092517

Tot Ion:284 Resp: 1334
Ion Ratio Lower Upper
284 100
142 35.5 22.1 33.1#
249 52.5 34.8 52.2#




Abundance Ion 283.80 (283.50 to 284.50): E
Ion 142.00 (141.70 to 142.70): E
Ion 249.00 (248.70 to 249.70): E






#22
Pentachlorophenol
Concen: 0.363 ng
RT: 16.91 min Scan# 1233
Delta R.T. 0.00 min
Lab File: BE094106.D
Acq: 25 Sep 2017 17:22

Tgt Ion:266 Resp: 1011
Ion Ratio Lower Upper
266 100
264 69.0 72.5 108.7#
268 64.4 73.8 110.6#



Abundance Ion 266.00 (265.70 to 266.70): E
Ion 264.00 (263.70 to 264.70): E
Ion 268.00 (267.70 to 268.70): E





#23

Phenanthrene

Concen: 0.403 ng

RT: 17.27 min Scan# 1244

Delta R.T. 0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22

Instrument :

BNA_E

ClientSampleId :

ICVBE092517


Tot Ion:178 Resp: 12090

Ion Ratio Lower Upper

178 100

176 20.3 15.1 22.7




179 14.7 11.8 17.6



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E



#24

Anthracene

Concen: 0.398 ng

RT: 17.37 min Scan# 1247

Delta R.T. 0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22


Tgt Ion:178 Resp: 12544

Ion Ratio Lower Upper

178 100

176 17.0 12.8 19.2



179 15.7 13.0 19.6




Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E





#25

Fluoranthene-d10

Concen: 0.409 ng

RT: 19.27 min Scan# 1431

Delta R.T. -0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22

Instrument :

BNA_E

ClientSampleId :

ICVBE092517


Tot Ion:212 Resp: 46463

Ion Ratio Lower Upper

212 100

106 3.4 2.8 4.2




104 2.8 1.6 2.4#



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#26

Fluoranthene

Concen: 0.415 ng

RT: 19.30 min Scan# 1435

Delta R.T. -0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22


Tgt Ion:202 Resp: 13943

Ion Ratio Lower Upper

202 100

101 12.4 9.8 14.8



203 17.3 13.7 20.5




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.40 min Scan# 1654

Delta R.T. -0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22

Instrument :

BNA_E

ClientSampleId :

ICVBE092517


Tot Ion:240 Resp: 12985

Ion Ratio Lower Upper

240 100

120 10.4 5.5 8.3#




236 27.2 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#28

Pyrene

Concen: 0.371 ng

RT: 19.66 min Scan# 1484

Delta R.T. -0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22


Tgt Ion:202 Resp: 15247

Ion Ratio Lower Upper

202 100

200 20.7 16.6 25.0



203 17.2 13.8 20.8




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 200.00 (199.70 to 200.70): E

Ion 203.00 (202.70 to 203.70): E





#29

Terphenyl-d14

Concen: 0.365 ng

RT: 19.85 min Scan# 1510

Delta R.T. -0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22

Instrument :

BNA_E

ClientSampleId :

ICVBE092517


Tot Ion:244 Resp: 8646

Ion Ratio Lower Upper

244 100

212 34.4 25.4 38.0




122 12.3 8.1 12.1#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#30

Benzo(a)anthracene

Concen: 0.397 ng

RT: 21.38 min Scan# 1652

Delta R.T. -0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22


Tgt Ion:228 Resp: 17368

Ion Ratio Lower Upper

228 100

226 28.8 21.4 32.0



229 19.6 16.4 24.6




Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E





#31

Chrysene

Concen: 0.403 ng

RT: 21.44 min Scan# 1657

Delta R.T. -0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22

Instrument :

BNA_E

ClientSampleId :

ICVBE092517


Tot Ion:228 Resp: 17018

Ion Ratio Lower Upper

228 100

226 31.4 23.6 35.4




229 19.9 16.4 24.6



Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.269 ng

RT: 21.29 min Scan# 1644

Delta R.T. -0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22


Tgt Ion:149 Resp: 55438

Ion Ratio Lower Upper

149 100

167 6.8 5.4 8.0



279 0.8 0.7 1.1




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#33

Indeno(1,2,3-cd)pyrene

Concen: 0.395 ng

RT: 26.55 min Scan# 2698

Delta R.T. -0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22

Instrument :

BNA_E

ClientSampleId :

ICVBE092517


Tot Ion:276 Resp: 17850

Ion Ratio Lower Upper

276 100

138 27.5 22.5 33.7




277 24.3 19.9 29.9



Abundance Ion 276.00 (275.70 to 276.70): E

Ion 138.00 (137.70 to 138.70): E

Ion 277.00 (276.70 to 277.70): E



#34

Perylene-d12

Concen: 0.400 ng

RT: 23.91 min Scan# 2122

Delta R.T. -0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22


Tgt Ion:264 Resp: 12713

Ion Ratio Lower Upper

264 100

260 25.7 20.5 30.7



265 31.8 22.8 34.2




Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E





#35

Benzo(b)fluoranthene

Concen: 0.372 ng

RT: 23.14 min Scan# 1952

Delta R.T. -0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22

Instrument :

BNA_E

ClientSampleId :

ICVBE092517


Tot Ion:252 Resp: 17055

Ion Ratio Lower Upper

252 100

253 23.9 18.2 27.2




125 14.3 10.1 15.1



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#36

Benzo(k)fluoranthene

Concen: 0.386 ng

RT: 23.19 min Scan# 1963

Delta R.T. -0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22


Tgt Ion:252 Resp: 16959

Ion Ratio Lower Upper

252 100

253 24.0 18.6 27.8



125 14.4 10.7 16.1




Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E





#37

Benzo(a)pyrene

Concen: 0.390 ng

RT: 23.80 min Scan# 2097

Delta R.T. 0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22

Instrument :

BNA_E

ClientSampleId :

ICVBE092517


Tot Ion:252 Resp: 16150

Ion Ratio Lower Upper




252 100

253 25.0 19.0 28.6

125 16.5 11.8 17.8



Abundance Ion 252.00 (251.70 to 252.70): E
Ion 253.00 (252.70 to 253.70): E
Ion 125.00 (124.70 to 125.70): E



#38

Dibenzo(a,h)anthracene

Concen: 0.391 ng

RT: 26.56 min Scan# 2701

Delta R.T. -0.00 min

Lab File: BE094106.D

Acq: 25 Sep 2017 17:22


Tgt Ion:278 Resp: 15351

Ion Ratio Lower Upper



278 100


139 22.4 16.3 24.5

279 25.3 19.9 29.9



Abundance Ion 278.00 (277.70 to 278.70): E
Ion 139.00 (138.70 to 139.70): E
Ion 279.00 (278.70 to 279.70): E





#39

Benzo(a,h,i)perylene

Concen: 0.395 ng

RT: 27.37 min Scan# 2878

Delta R.T. -0.00 min

Lab File: BE094106.D


Acq: 25 Sep 2017 17:22

Instrument :

BNA_E

ClientSampleId :

ICVBE092517



Tot Ion:276 Resp: 15362

Ion Ratio Lower Upper

276 100

277 25.7 20.8 31.2

138 27.7 21.5 32.3

Abundance Ion 276.00 (275.70 to 276.70): E
Ion 277.00 (276.70 to 277.70): E
Ion 138.00 (137.70 to 138.70): E

