

Data Path : Z:\HPCHEM1\BNA E\DATA\BE092617\
 Data File : BE094131.D
 Acq On : 26 Sep 2017 16:41
 Operator : SJ/JU
 Sample : I5322-03
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :

Quant Time: Sep 26 19:21:40 2017
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE092517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 25 17:37:08 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.91	152	1692	0.40	ng	0.00
7) Naphthalene-d8	10.69	136	8185	0.40	ng	0.00
13) Acenaphthene-d10	14.51	164	5281	0.40	ng	0.00
19) Phenanthrene-d10	17.23	188	19536	0.40	ng	0.00
27) Chrysene-d12	21.40	240	16031	0.40	ng	0.00
34) Perylene-d12	23.91	264	14886	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.50	112	903	0.14	ng	0.00
5) Phenol-d6	7.09	99	747	0.08	ng	0.00
8) Nitrobenzene-d5	9.06	82	2356	0.30	ng	0.00
11) 2-Methylnaphthalene-d10	12.27	152	4379	0.35	ng	0.00
14) 2,4,6-Tribromophenol	16.00	330	589	0.17	ng	0.00
15) 2-Fluorobiphenyl	13.15	172	7534	0.43	ng	0.01
25) Fluoranthene-d10	19.27	212	62191	0.33	ng	0.00
29) Terphenyl-d14	19.85	244	13212	0.45	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.41	88	153	0.046	ng	# 16
3) n-Nitrosodimethylamine	3.64	42	183	0.043	ng	# 4
32) Bis(2-ethylhexyl)phthalate	21.29	149	10202	Below Cal		# 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE092617\
Data File : BE094131.D
Acq On : 26 Sep 2017 16:41
Operator : SJ/JU
Sample : I5322-03
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :

Quant Time: Sep 26 19:21:40 2017
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE092517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 25 17:37:08 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.91 min Scan# 401
Delta R.T. 0.00 min
Lab File: BE094131.D
Acq: 26 Sep 2017 16:41

Instrument :
BNA_E
ClientSampleId :

Tot Ion:152 Resp: 1692
Ion Ratio Lower Upper
152 100
150 148.2 117.2 175.8
115 69.3 57.0 85.6




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#2


1,4-Dioxane
Concen: 0.046 ng
RT: 3.41 min Scan# 44
Delta R.T. 0.00 min
Lab File: BE094131.D
Acq: 26 Sep 2017 16:41

Tgt Ion: 88 Resp: 153
Ion Ratio Lower Upper
88 100
58 0.0 63.2 94.8#
43 0.0 41.2 61.8#



Abundance Ion 88.00 (87.70 to 88.70): BE0
Ion 58.00 (57.70 to 58.70): BE0
Ion 43.00 (42.70 to 43.70): BE0





#3

n-Nitrosodimethylamine

Concen: 0.043 ng

RT: 3.64 min Scan# 62

Delta R.T. -0.09 min

Lab File: BE094131.D

Acq: 26 Sep 2017 16:41

Instrument :

BNA_E

ClientSampleId :


Tot Ion: 42 Resp: 183

Ion Ratio Lower Upper

42 100

74 1.1 100.3 150.5#




44 31.1 17.0 25.4#



Abundance Ion 42.00 (41.70 to 42.70): BE0

Ion 74.00 (73.70 to 74.70): BE0

Ion 44.00 (43.70 to 44.70): BE0



#4

2-Fluorophenol

Concen: 0.141 ng

RT: 5.50 min Scan# 210

Delta R.T. 0.00 min

Lab File: BE094131.D

Acq: 26 Sep 2017 16:41


Tgt Ion: 112 Resp: 903

Ion Ratio Lower Upper

112 100

64 70.0 60.1 90.1



63 159.8 116.8 175.2




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.084 ng

RT: 7.09 min Scan# 336

Delta R.T. 0.00 min

Lab File: BE094131.D

Acq: 26 Sep 2017 16:41


Instrument :

BNA_E

ClientSampled :

Tot Ion: 99 Resp: 747


Ion	Ratio	Lower	Upper
99	100		
42	22.1	20.2	30.2
71	38.0	28.4	42.6





Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



Time-->



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.69 min Scan# 576

Delta R.T. 0.00 min

Lab File: BE094131.D

Acq: 26 Sep 2017 16:41

Tgt Ion: 136 Resp: 8185


Ion	Ratio	Lower	Upper
136	100		
137	11.6	9.5	14.3
54	41.4	29.1	43.7
68	8.3	6.2	9.2

Abundance Ion 136.00 (135.70 to 136.70): E



Ion 137.00 (136.70 to 137.70): E


Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0



Time-->





#8

Nitrobenzene-d5

Concen: 0.297 ng

RT: 9.06 min Scan# 479

Delta R.T. 0.00 min

Lab File: BE094131.D

Acq: 26 Sep 2017 16:41

Instrument :

BNA_E

ClientSampleId :


Tot Ion: 82 Resp: 2356

Ion Ratio Lower Upper

82 100

128 159.8 150.0 225.0




54 216.4 154.2 231.4



Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): BE0

Ion 54.00 (53.70 to 54.70): BE0



#11

2-Methylnaphthalene-d10

Concen: 0.347 ng

RT: 12.27 min Scan# 820

Delta R.T. -0.00 min

Lab File: BE094131.D


Acq: 26 Sep 2017 16:41

Tgt Ion: 152 Resp: 4379

Ion Ratio Lower Upper



152 100


151 19.2 15.4 23.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.51 min Scan# 1110
Delta R.T. -0.00 min
Lab File: BE094131.D
Acq: 26 Sep 2017 16:41




Instrument :
BNA_E
ClientSampleId :


Tot Ion:164 Resp: 5281
Ion Ratio Lower Upper
164 100
162 106.0 83.1 124.7
160 49.0 37.1 55.7



#14
2,4,6-Tribromophenol
Concen: 0.173 ng
RT: 16.00 min Scan# 1204
Delta R.T. -0.00 min
Lab File: BE094131.D
Acq: 26 Sep 2017 16:41

Tgt Ion:330 Resp: 589
Ion Ratio Lower Upper
330 100
332 85.4 152.7 229.1#
141 0.0 33.7 50.5#









#15
2-Fluorobiphenyl
Concen: 0.432 ng
RT: 13.15 min Scan# 1018
Delta R.T. 0.01 min
Lab File: BE094131.D
Acq: 26 Sep 2017 16:41




Instrument :
BNA_E
ClientSampleId :


Tot Ion:172 Resp: 7534
Ion Ratio Lower Upper
172 100
171 34.0 29.9 44.9
170 21.7 21.8 32.8#



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.23 min Scan# 1242
Delta R.T. -0.00 min
Lab File: BE094131.D
Acq: 26 Sep 2017 16:41

Tgt Ion:188 Resp: 19536
Ion Ratio Lower Upper
188 100
94 7.0 3.9 5.9#
80 6.8 3.6 5.4#





#25

Fluoranthene-d10

Concen: 0.329 ng

RT: 19.27 min Scan# 1430

Delta R.T. -0.00 min

Lab File: BE094131.D

Acq: 26 Sep 2017 16:41

Instrument :

BNA_E

ClientSampleId :


Tot Ion:212 Resp: 62191

Ion Ratio Lower Upper

212 100

106 3.4 2.8 4.2




104 2.1 1.6 2.4



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.40 min Scan# 1653

Delta R.T. -0.00 min

Lab File: BE094131.D

Acq: 26 Sep 2017 16:41


Tgt Ion:240 Resp: 16031

Ion Ratio Lower Upper

240 100

120 10.7 5.5 8.3#



236 26.8 20.7 31.1




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.452 ng

RT: 19.85 min Scan# 1509

Delta R.T. -0.00 min

Lab File: BE094131.D

Acq: 26 Sep 2017 16:41

Instrument :

BNA_E

ClientSampled :


Tot Ion:244 Resp: 13212

Ion Ratio Lower Upper

244 100

212 33.6 25.4 38.0




122 11.3 8.1 12.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: Below Cal

RT: 21.29 min Scan# 1643

Delta R.T. 0.00 min

Lab File: BE094131.D

Acq: 26 Sep 2017 16:41


Tgt Ion:149 Resp: 10202

Ion Ratio Lower Upper

149 100

167 7.1 5.4 8.0



279 1.1 0.7 1.1#






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34

Pervlene-d12

Concen: 0.400 ng

RT: 23.91 min Scan# 2121

Delta R.T. -0.00 min

Lab File: BE094131.D

Acq: 26 Sep 2017 16:41

Instrument :

BNA_E

ClientSampleId :

Tot Ion:264 Resp: 14886

Ion Ratio Lower Upper

264 100

260 25.4 20.5 30.7

265 29.3 22.8 34.2

