

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE100418\
 Data File : BE097735.D
 Acq On : 4 Oct 2018 21:05
 Operator : SJ/JU
 Sample : J5189-07
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 RE-105D1-20180927

Quant Time: Oct 05 06:52:17 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE100318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 03 12:17:19 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.90	152	3452	0.40	ng	0.00
7) Naphthalene-d8	10.69	136	13414	0.40	ng	0.00
13) Acenaphthene-d10	14.56	164	7265	0.40	ng	0.00
19) Phenanthrene-d10	17.30	188	20143	0.40	ng	0.00
27) Chrysene-d12	21.49	240	28711	0.40	ng	0.00
34) Perylene-d12	24.04	264	27795	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.47	112	1406	0.17	ng	0.00
5) Phenol-d6	7.04	99	1160	0.09	ng	0.00
8) Nitrobenzene-d5	9.04	82	2743	0.63	ng	0.00
11) 2-Methylnaphthalene-d10	12.29	152	7383	0.35	ng	0.00
14) 2,4,6-Tribromophenol	16.04	330	627	0.48	ng	0.00
15) 2-Fluorobiphenyl	13.17	172	24172	0.76	ng	-0.02
25) Fluoranthene-d10	19.33	212	104352	0.41	ng	0.00
29) Terphenyl-d14	19.93	244	22085	0.38	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.39	88	26456	3.846	ng	98
6) bis(2-Chloroethyl)ether	7.31	93	472	0.036	ng	99
32) Bis(2-ethylhexyl)phthalate	21.41	149	4381	0.078	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE100418\
Data File : BE097735.D
Acq On : 4 Oct 2018 21:05
Operator : SJ/JU
Sample : J5189-07
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
RE-105D1-20180927

Quant Time: Oct 05 06:52:17 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE100318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 03 12:17:19 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.90 min Scan# 437
Delta R.T. -0.00 min
Lab File: BE097735.D
Acq: 4 Oct 2018 21:05

Instrument :
BNA_E
ClientSampleId :
RE-105D1-20180927

Tot Ion:152 Resp: 3452
Ion Ratio Lower Upper
152 100
150 153.3 120.9 181.3
115 58.0 46.6 69.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#2


1,4-Dioxane
Concen: 3.846 ng
RT: 3.39 min Scan# 46
Delta R.T. -0.00 min
Lab File: BE097735.D
Acq: 4 Oct 2018 21:05

Tgt Ion: 88 Resp: 26456
Ion Ratio Lower Upper
88 100
58 87.7 70.8 106.2
43 38.6 33.3 49.9



Abundance Ion 88.00 (87.70 to 88.70): BE0
Ion 58.00 (57.70 to 58.70): BE0
Ion 43.00 (42.70 to 43.70): BE0





#4

2-Fluorophenol

Concen: 0.172 ng

RT: 5.47 min Scan# 226

Delta R.T. -0.00 min

Lab File: BE097735.D

Acq: 4 Oct 2018 21:05

Instrument :

BNA_E

ClientSampleId :

RE-105D1-20180927


Tot Ion:112 Resp: 1406

Ion Ratio Lower Upper

112 100

64 67.9 56.6 84.8

63 142.7 119.4 179.0






Abundance Ion 112.00 (111.70 to 112.70): BE097735.D (-217) (-)

Ion 64.00 (63.70 to 64.70): BE097735.D (-217) (-)

Ion 63.00 (62.70 to 63.70): BE097735.D (-217) (-)

Time-->



#5

Phenol-d6

Concen: 0.093 ng

RT: 7.04 min Scan# 363

Delta R.T. -0.00 min

Lab File: BE097735.D

Acq: 4 Oct 2018 21:05


Tgt Ion: 99 Resp: 1160

Ion Ratio Lower Upper

99 100

42 42.9 19.9 29.9#

71 43.5 25.4 38.2#






Abundance Ion 99.00 (98.70 to 99.70): BE097735.D (-354) (-)

Ion 42.00 (41.70 to 42.70): BE097735.D (-354) (-)

Ion 71.00 (70.70 to 71.70): BE097735.D (-354) (-)

Time-->





#6

bis(2-Chloroethyl)ether

Concen: 0.036 ng

RT: 7.31 min Scan# 386

Delta R.T. -0.00 min

Lab File: BE097735.D

Acq: 4 Oct 2018 21:05

Instrument :

BNA_E

ClientSampleId :

RE-105D1-20180927





Tot Ion: 93 Resp: 472

Ion Ratio Lower Upper

93 100

63 334.7 266.9 400.3

95 36.4 26.2 39.2



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.69 min Scan# 656

Delta R.T. 0.00 min

Lab File: BE097735.D

Acq: 4 Oct 2018 21:05

Tgt Ion: 136 Resp: 13414




Ion Ratio Lower Upper


136 100

137 11.0 9.0 13.4

54 44.3 37.8 56.6

68 7.6 6.4 9.6





#8

Nitrobenzene-d5

Concen: 0.630 ng

RT: 9.04 min Scan# 529

Delta R.T. 0.00 min

Lab File: BE097735.D

Acq: 4 Oct 2018 21:05

Instrument :

BNA_E

ClientSampleId :

RE-105D1-20180927


Tot Ion: 82 Resp: 2743

Ion Ratio Lower Upper




82 100

128 134.0 97.0 145.4

54 254.5 206.9 310.3



Abundance Ion 82.00 (81.70 to 82.70): BE0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BE0



#11

2-Methylnaphthalene-d10

Concen: 0.346 ng

RT: 12.29 min Scan# 769

Delta R.T. -0.00 min

Lab File: BE097735.D


Acq: 4 Oct 2018 21:05

Tgt Ion:152 Resp: 7383



Ion Ratio Lower Upper


152 100

151 19.3 15.4 23.2



Abundance Ion 152.00 (151.70 to 152.70): E
Ion 151.00 (150.70 to 151.70): E









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.56 min Scan# 926
Delta R.T. -0.00 min
Lab File: BE097735.D
Acq: 4 Oct 2018 21:05

Instrument :
BNA_E
ClientSampleId :
RE-105D1-20180927

Tot Ion:164 Resp: 7265
Ion Ratio Lower Upper
164 100
162 96.2 78.6 117.8
160 45.4 37.8 56.6




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#14
2,4,6-Tribromophenol
Concen: 0.476 ng
RT: 16.04 min Scan# 1043
Delta R.T. 0.00 min
Lab File: BE097735.D
Acq: 4 Oct 2018 21:05

Tgt Ion:330 Resp: 627
Ion Ratio Lower Upper
330 100
332 87.1 83.5 125.3
141 38.9 34.9 52.3



Abundance Ion 330.00 (329.70 to 330.70): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.756 ng
RT: 13.17 min Scan# 830
Delta R.T. -0.02 min
Lab File: BE097735.D
Acq: 4 Oct 2018 21:05




Instrument :
BNA_E
ClientSampleId :
RE-105D1-20180927


Tot Ion:172 Resp: 24172
Ion Ratio Lower Upper
172 100
171 33.1 25.2 37.8
170 23.1 16.2 24.2



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.30 min Scan# 1151
Delta R.T. -0.00 min
Lab File: BE097735.D
Acq: 4 Oct 2018 21:05

Tgt Ion:188 Resp: 20143
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 7.8 6.6 9.8









#25
Fluoranthene-d10
Concen: 0.409 ng
RT: 19.33 min Scan# 1437
Delta R.T. 0.00 min
Lab File: BE097735.D
Acq: 4 Oct 2018 21:05




Instrument :
BNA_E
ClientSampleId :
RE-105D1-20180927


Tot Ion:212 Resp: 104352
Ion Ratio Lower Upper
212 100
106 2.8 2.2 3.2
104 1.5 1.2 1.8



#27
Chrysene-d12
Concen: 0.400 ng
RT: 21.49 min Scan# 1673
Delta R.T. -0.00 min
Lab File: BE097735.D
Acq: 4 Oct 2018 21:05

Tgt Ion:240 Resp: 28711
Ion Ratio Lower Upper
240 100
120 5.9 4.7 7.1
236 26.7 20.8 31.2





#29

Terphenyl-d14

Concen: 0.377 ng

RT: 19.93 min Scan# 1541

Delta R.T. -0.00 min

Lab File: BE097735.D

Acq: 4 Oct 2018 21:05

Instrument :

BNA_E

ClientSampleId :

RE-105D1-20180927


Tot Ion:244 Resp: 22085

Ion Ratio Lower Upper

244 100

212 32.5 25.8 38.8




122 10.7 8.7 13.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.078 ng

RT: 21.41 min Scan# 1667

Delta R.T. 0.00 min

Lab File: BE097735.D

Acq: 4 Oct 2018 21:05


Tgt Ion:149 Resp: 4381

Ion Ratio Lower Upper

149 100

167 8.2 5.5 8.3



279 1.0 0.9 1.3






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34

Pervlone-d12

Concen: 0.400 ng

RT: 24.04 min Scan# 2280

Delta R.T. -0.01 min

Lab File: BE097735.D

Acq: 4 Oct 2018 21:05

Instrument :

BNA_E

ClientSampleId :

RE-105D1-20180927

Tot Ion:264 Resp: 27795

Ion Ratio Lower Upper

264 100

260 24.8 19.1 28.7

265 25.9 21.9 32.9

