

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE100418\
 Data File : BE097736.D
 Acq On : 4 Oct 2018 21:41
 Operator : SJ/JU
 Sample : J5189-08
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 RE-105D2-20180927

Quant Time: Oct 05 06:52:27 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE100318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 03 12:17:19 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.89	152	3015	0.40	ng	-0.01
7) Naphthalene-d8	10.69	136	11774	0.40	ng	0.00
13) Acenaphthene-d10	14.56	164	6612	0.40	ng	0.00
19) Phenanthrene-d10	17.30	188	19256	0.40	ng	0.00
27) Chrysene-d12	21.49	240	26432	0.40	ng	0.00
34) Perylene-d12	24.04	264	24891	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.47	112	1338	0.19	ng	0.00
5) Phenol-d6	7.05	99	1130	0.10	ng	0.00
8) Nitrobenzene-d5	9.04	82	2462	0.64	ng	0.00
11) 2-Methylnaphthalene-d10	12.30	152	6893	0.37	ng	0.00
14) 2,4,6-Tribromophenol	16.05	330	526	0.44	ng	0.00
15) 2-Fluorobiphenyl	13.17	172	17501	0.60	ng	-0.02
25) Fluoranthene-d10	19.33	212	103555	0.42	ng	0.00
29) Terphenyl-d14	19.93	244	24361	0.45	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.40	88	31237	5.200	ng	97
6) bis(2-Chloroethyl)ether	7.31	93	565	0.050	ng	98
32) Bis(2-ethylhexyl)phthalate	21.41	149	6828	0.131	ng	# 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE100418\
Data File : BE097736.D
Acq On : 4 Oct 2018 21:41
Operator : SJ/JU
Sample : J5189-08
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
RE-105D2-20180927

Quant Time: Oct 05 06:52:27 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE100318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 03 12:17:19 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.89 min Scan# 436
Delta R.T. -0.01 min
Lab File: BE097736.D
Acq: 4 Oct 2018 21:41

Instrument :
BNA_E
ClientSampleId :
RE-105D2-20180927

Tot Ion:152 Resp: 3015
Ion Ratio Lower Upper
152 100
150 154.5 120.9 181.3
115 65.7 46.6 69.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#2


1,4-Dioxane
Concen: 5.200 ng
RT: 3.40 min Scan# 46
Delta R.T. 0.00 min
Lab File: BE097736.D
Acq: 4 Oct 2018 21:41

Tgt Ion: 88 Resp: 31237
Ion Ratio Lower Upper
88 100
58 85.2 70.8 106.2
43 43.8 33.3 49.9



Abundance Ion 88.00 (87.70 to 88.70): BE0
Ion 58.00 (57.70 to 58.70): BE0
Ion 43.00 (42.70 to 43.70): BE0





#4

2-Fluorophenol

Concen: 0.188 ng

RT: 5.47 min Scan# 226

Delta R.T. 0.00 min

Lab File: BE097736.D

Acq: 4 Oct 2018 21:41

Instrument :

BNA_E

ClientSampleId :

RE-105D2-20180927


Tot Ion:112 Resp: 1338

Ion Ratio Lower Upper

112 100

64 70.9 56.6 84.8




63 139.5 119.4 179.0



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0



#5

Phenol-d6

Concen: 0.103 ng

RT: 7.05 min Scan# 363

Delta R.T. 0.00 min

Lab File: BE097736.D

Acq: 4 Oct 2018 21:41


Tgt Ion: 99 Resp: 1130

Ion Ratio Lower Upper

99 100

42 43.3 19.9 29.9#



71 39.6 25.4 38.2#




Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0





#6

bis(2-Chloroethyl)ether

Concen: 0.050 ng

RT: 7.31 min Scan# 386

Delta R.T. 0.00 min

Lab File: BE097736.D

Acq: 4 Oct 2018 21:41

Instrument :

BNA_E

ClientSampleId :

RE-105D2-20180927





Tot Ion: 93 Resp: 565

Ion Ratio Lower Upper

93 100

63 331.2 266.9 400.3

95 36.6 26.2 39.2



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.69 min Scan# 656

Delta R.T. 0.00 min

Lab File: BE097736.D

Acq: 4 Oct 2018 21:41

Tgt Ion:136 Resp: 11774




Ion Ratio Lower Upper


136 100

137 11.3 9.0 13.4

54 44.1 37.8 56.6

68 7.9 6.4 9.6









#8
 Nitrobenzene-d5
 Concen: 0.644 ng
 RT: 9.04 min Scan# 529
 Delta R.T. 0.00 min
 Lab File: BE097736.D
 Acq: 4 Oct 2018 21:41

Instrument :
 BNA_E
 ClientSampleId :
 RE-105D2-20180927

Tot Ion: 82 Resp: 2462
 Ion Ratio Lower Upper
 82 100
 128 141.2 97.0 145.4
 54 255.8 206.9 310.3




Abundance Ion 82.00 (81.70 to 82.70): BE0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BE0






#11
 2-Methylnaphthalene-d10
 Concen: 0.368 ng
 RT: 12.30 min Scan# 769
 Delta R.T. -0.00 min
 Lab File: BE097736.D
 Acq: 4 Oct 2018 21:41

Tgt Ion: 152 Resp: 6893
 Ion Ratio Lower Upper
 152 100
 151 19.3 15.4 23.2



Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 151.00 (150.70 to 151.70): E





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.56 min Scan# 926

Delta R.T. -0.00 min

Lab File: BE097736.D

Acq: 4 Oct 2018 21:41

Instrument :

BNA_E

ClientSampleId :

RE-105D2-20180927


Tot Ion:164 Resp: 6612

Ion Ratio Lower Upper

164 100

162 102.7 78.6 117.8




160 47.2 37.8 56.6



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.439 ng

RT: 16.05 min Scan# 1043

Delta R.T. 0.00 min

Lab File: BE097736.D

Acq: 4 Oct 2018 21:41


Tgt Ion:330 Resp: 526

Ion Ratio Lower Upper

330 100

332 94.1 83.5 125.3



141 45.8 34.9 52.3




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.601 ng
RT: 13.17 min Scan# 830
Delta R.T. -0.02 min
Lab File: BE097736.D
Acq: 4 Oct 2018 21:41

Instrument :
BNA_E
ClientSampleId :
RE-105D2-20180927

Tot Ion:172 Resp: 17501
Ion Ratio Lower Upper
172 100
171 32.5 25.2 37.8
170 23.1 16.2 24.2




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.30 min Scan# 1151
Delta R.T. 0.00 min
Lab File: BE097736.D
Acq: 4 Oct 2018 21:41

Tgt Ion:188 Resp: 19256
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 7.9 6.6 9.8



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BE0
Ion 80.00 (79.70 to 80.70): BE0





#25

Fluoranthene-d10

Concen: 0.425 ng

RT: 19.33 min Scan# 1437

Delta R.T. -0.00 min

Lab File: BE097736.D

Acq: 4 Oct 2018 21:41

Instrument :

BNA_E

ClientSampleId :

RE-105D2-20180927


Tot Ion:212 Resp: 103555

Ion Ratio Lower Upper

212 100

106 2.7 2.2 3.2




104 1.5 1.2 1.8



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.49 min Scan# 1673

Delta R.T. -0.00 min

Lab File: BE097736.D

Acq: 4 Oct 2018 21:41


Tgt Ion:240 Resp: 26432

Ion Ratio Lower Upper

240 100

120 5.7 4.7 7.1



236 26.9 20.8 31.2




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.451 ng

RT: 19.93 min Scan# 1542

Delta R.T. -0.00 min

Lab File: BE097736.D

Acq: 4 Oct 2018 21:41

Instrument :

BNA_E

ClientSampleId :

RE-105D2-20180927


Tot Ion:244 Resp: 24361

Ion Ratio Lower Upper

244 100

212 29.8 25.8 38.8




122 8.4 8.7 13.1#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.131 ng

RT: 21.41 min Scan# 1667

Delta R.T. -0.00 min

Lab File: BE097736.D

Acq: 4 Oct 2018 21:41


Tgt Ion:149 Resp: 6828

Ion Ratio Lower Upper

149 100

167 6.8 5.5 8.3



279 1.3 0.9 1.3#




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E






#34
 Pervlene-d12
 Concen: 0.400 ng
 RT: 24.04 min Scan# 2280
 Delta R.T. -0.01 min
 Lab File: BE097736.D
 Acq: 4 Oct 2018 21:41

Instrument :
 BNA_E
 ClientSampleId :
 RE-105D2-20180927

Tot Ion: 264 Resp: 24891
 Ion Ratio Lower Upper
 264 100
 260 25.5 19.1 28.7
 265 28.4 21.9 32.9



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

