

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA E\DATA\BE101117\
 Data File : BE094280.D
 Acq On : 11 Oct 2017 15:31
 Operator : SJ/JU
 Sample : PB102983BL
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 SBLK83

Manual Integrations
 APPROVED

Sohil
 10/13/2017 12:05:28 PM

Quant Time: Oct 12 08:00:33 2017
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE092017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 12 07:31:23 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.91	152	223	0.40	ng/ul	0.00
2) Naphthalene-d8	10.69	136	388	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.51	164	594	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.24	188	521m	0.40	ng/ul	-0.02
16) Chrysene-d12	21.41	240	132	0.40	ng/ul	0.00
20) Perylene-d12	23.76	264	951921	0.40	ng/ul	-0.16
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.27	152	5557	9.24	ng/ul	0.00
14) Fluoranthene-d10	19.27	212	13183	7.58	ng/ul	0.00
Target Compounds				Ovalue		
11) Pentachlorophenol	17.00	266	4	0.065	ng/ul#	53
12) Phenanthrene	17.34	178	538	0.395	ng/ul#	1
13) Anthracene	17.34	178	563	0.425	ng/ul#	1
15) Fluoranthene	19.30	202	142	0.079	ng/ul#	37
17) Pyrene	19.64	202	1682	4.580	ng/ul#	1
18) Benzo(a)anthracene	21.40	228	116	0.331	ng/ul#	1
19) Chrysene	21.45	228	142	0.351	ng/ul#	1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA E\DATA\BE101117\
Data File : BE094280.D
Acq On : 11 Oct 2017 15:31
Operator : SJ/JU
Sample : PB102983BL
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
SBLK83

Manual Integrations
APPROVED

Sohil
10/13/2017 12:05:28 PM

Quant Time: Oct 12 08:00:33 2017
Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE092017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 12 07:31:23 2017
Response via : Initial Calibration

