

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE102114\
 Data File : BE088144.D
 Acq On : 21 Oct 2014 16:18
 Operator : TP/JJ
 Sample : PB79653BL
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 PB79653BL

Quant Time: Oct 22 04:37:37 2014
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SIM-PAH-BE102014.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Oct 21 02:11:14 2014
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.14	152	32787	5.00	ng	0.00
3) Naphthalene-d8	8.70	136	122696	5.00	ng	0.00
7) Acenaphthene-d10	10.85	164	54417	5.00	ng	0.00
12) Phenanthrene-d10	12.96	188	96170	5.00	ng	0.00
16) Chrysene-d12	18.38	240	66635	5.00	ng	0.00
22) Perylene-d12	21.44	264	62925	5.00	ng	0.00
System Monitoring Compounds						
4) Nitrobenzene-d5	7.82	82	64653	7.31	ng	0.00
8) 2-Fluorobiphenyl	10.03	172	107182	7.13	ng	0.00
18) Terphenyl-d14	16.15	244	81918	7.64	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	2.01	88	460	0.10	ng	# 1
11) Fluorene	11.88	166	1195	0.09	ng	# 77
13) Phenanthrene	13.01	178	4220	Below Cal		# 30
15) Fluoranthene	15.25	202	870	0.05	ng	96
17) Pyrene	15.70	202	903	0.05	ng	96
19) Benzo(a)anthracene	18.36	228	2937	0.05	ng	# 79
20) Chrysene	18.43	228	4067	0.07	ng	# 84


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE102114\
Data File : BE088144.D
Acq On : 21 Oct 2014 16:18
Operator : TP/JJ
Sample : PB79653BL
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
PB79653BL

Quant Time: Oct 22 04:37:37 2014
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SIM-PAH-BE102014.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Oct 21 02:11:14 2014
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 7.14 min Scan# 1258

Delta R.T. 0.00 min

Lab File: BE088144.D

Acq: 21 Oct 2014 16:18

Instrument :

BNA_E

ClientSampleId :

PB79653BL


Tgt Ion:152 Resp: 32787

Ion Ratio Lower Upper

152 100

150 159.2 129.2 193.8




115 60.7 49.3 73.9



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 0.10 ng

RT: 2.01 min Scan# 135

Delta R.T. -0.39 min

Lab File: BE088144.D

Acq: 21 Oct 2014 16:18


Tgt Ion: 88 Resp: 460

Ion Ratio Lower Upper

88 100

58 25.2 59.5 89.3#



43 2800.4 21.2 31.8#




Abundance Ion 88.00 (87.70 to 88.70): BE0

Ion 58.00 (57.70 to 58.70): BE0

Ion 43.00 (42.70 to 43.70): BE0





#3

Naphthalene-d8

Concen: 5.00 ng

RT: 8.70 min Scan# 1711

Delta R.T. 0.00 min

Lab File: BE088144.D

Acq: 21 Oct 2014 16:18

Instrument :

BNA_E

ClientSampleId :

PB79653BL


Tgt Ion: 136 Resp: 122696

Ion Ratio Lower Upper

136 100

137 10.7 8.6 12.8




54 9.3 7.7 11.5



Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0



#4

Nitrobenzene-d5

Concen: 7.31 ng

RT: 7.82 min Scan# 1506

Delta R.T. 0.00 min

Lab File: BE088144.D

Acq: 21 Oct 2014 16:18


Tgt Ion: 82 Resp: 64653

Ion Ratio Lower Upper

82 100

128 45.8 37.1 55.7



54 53.1 41.1 61.7




Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE0





#7

Acenaphthene-d10

Concen: 5.00 ng

RT: 10.85 min Scan# 2114

Delta R.T. -0.00 min

Lab File: BE088144.D

Acq: 21 Oct 2014 16:18

Instrument :

BNA_E

ClientSampleId :

PB79653BL


Tgt Ion:164 Resp: 54417

Ion Ratio Lower Upper

164 100

162 85.5 68.3 102.5




160 36.4 28.7 43.1



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#8

2-Fluorobiphenyl

Concen: 7.13 ng

RT: 10.03 min Scan# 1989

Delta R.T. 0.00 min

Lab File: BE088144.D

Acq: 21 Oct 2014 16:18


Tgt Ion:172 Resp: 107182

Ion Ratio Lower Upper

172 100

171 32.3 25.4 38.2



170 22.0 17.4 26.2




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#11

Fluorene

Concen: 0.09 ng

RT: 11.88 min Scan# 2208

Delta R.T. 0.33 min

Lab File: BE088144.D

Acq: 21 Oct 2014 16:18

Instrument :

BNA_E

ClientSampleId :

PB79653BL


Tgt Ion:166 Resp: 1195

Ion Ratio Lower Upper

166 100

165 106.9 71.4 107.2




167 33.9 10.6 16.0#



Abundance Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E



#12

Phenanthrene-d10

Concen: 5.00 ng

RT: 12.96 min Scan# 2306

Delta R.T. -0.00 min

Lab File: BE088144.D

Acq: 21 Oct 2014 16:18


Tgt Ion:188 Resp: 96170

Ion Ratio Lower Upper

188 100

94 17.2 13.9 20.9



80 16.1 12.9 19.3




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0





#13

Phenanthrene

Concen: Below Cal

RT: 13.01 min Scan# 2311

Delta R.T. 0.00 min

Lab File: BE088144.D

Acq: 21 Oct 2014 16:18

Instrument :

BNA_E

ClientSampleId :

PB79653BL


Tgt Ion:178 Resp: 4220

Ion Ratio Lower Upper

178 100

176 58.8 12.5 18.7#




179 0.0 13.5 20.3#



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E



#15

Fluoranthene

Concen: 0.05 ng

RT: 15.25 min Scan# 2585

Delta R.T. -0.00 min

Lab File: BE088144.D

Acq: 21 Oct 2014 16:18


Tgt Ion:202 Resp: 870

Ion Ratio Lower Upper

202 100

101 16.4 14.8 22.2



203 15.9 13.5 20.3




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E









#16
Chrysene-d12
Concen: 5.00 ng
RT: 18.38 min Scan# 3161
Delta R.T. -0.01 min
Lab File: BE088144.D
Acq: 21 Oct 2014 16:18




Instrument :
BNA_E
ClientSampleId :
PB79653BL


Tgt Ion: 240 Resp: 66635
Ion Ratio Lower Upper
240 100
120 19.2 13.9 20.9
236 25.4 19.9 29.9



#17
Pyrene
Concen: 0.05 ng
RT: 15.70 min Scan# 2671
Delta R.T. -0.00 min
Lab File: BE088144.D
Acq: 21 Oct 2014 16:18

Tgt Ion: 202 Resp: 903
Ion Ratio Lower Upper
202 100
200 18.1 16.1 24.1
203 16.2 13.9 20.9





#18

Terphenyl-d14

Concen: 7.64 ng

RT: 16.15 min Scan# 2755

Delta R.T. 0.00 min

Lab File: BE088144.D

Acq: 21 Oct 2014 16:18

Instrument :

BNA_E

ClientSampleId :

PB79653BL


Tgt Ion:244 Resp: 81918

Ion Ratio Lower Upper

244 100

212 6.3 5.4 8.0




122 18.8 17.5 26.3



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#19

Benzo(a)anthracene

Concen: 0.05 ng

RT: 18.36 min Scan# 3158

Delta R.T. 0.00 min

Lab File: BE088144.D

Acq: 21 Oct 2014 16:18


Tgt Ion:228 Resp: 2937

Ion Ratio Lower Upper

228 100

226 34.7 20.8 31.2#



229 31.4 15.6 23.4#




Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E





#20

Chrysene

Concen: 0.07 ng

RT: 18.43 min Scan# 3169

Delta R.T. -0.01 min

Lab File: BE088144.D

Acq: 21 Oct 2014 16:18

Instrument :

BNA_E

ClientSampleId :

PB79653BL


Tgt Ion:228 Resp: 4067

Ion Ratio Lower Upper

228 100

226 36.5 22.7 34.1#




229 27.2 15.8 23.6#



Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E



#22

Perylene-d12

Concen: 5.00 ng

RT: 21.44 min Scan# 3727

Delta R.T. 0.00 min

Lab File: BE088144.D

Acq: 21 Oct 2014 16:18


Tgt Ion:264 Resp: 62925

Ion Ratio Lower Upper

264 100

260 23.6 19.0 28.4

265 21.5 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

