

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE103116\
 Data File : BE092481.D
 Acq On : 31 Oct 2016 14:52
 Operator : UM/SJ
 Sample : SSTDCCC0.4
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 SSTDCCC0.4

Manual Integrations
 APPROVED

umangi
 11/1/2016 4:15:34 PM

Quant Time: Nov 01 11:03:46 2016
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE102516.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Oct 25 15:25:33 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.17	152	9790	5.00	ng	0.00
7) Naphthalene-d8	10.95	136	48069	5.00	ng	0.00
12) Acenaphthene-d10	14.82	164	34510	5.00	ng	0.00
18) Phenanthrene-d10	17.58	188	65070	5.00	ng	0.00
24) Chrysene-d12	21.75	240	80473	5.00	ng	0.00
31) Perylene-d12	24.11	264	65599	5.00	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.68	112	604	0.41	ng	0.00
5) Phenol-d6	7.36	99	811	0.40	ng	0.00
8) Nitrobenzene-d5	9.36	82	1019	0.47	ng	0.00
13) 2,4,6-Tribromophenol	16.32	330	229	0.37	ng	0.00
14) 2-Fluorobiphenyl	13.44	172	3409	0.41	ng	0.00
26) Terphenyl-d14	20.19	244	3845	0.39	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.41	88	593	0.47	ng	90
3) n-Nitrosodimethylamine	3.79	42	475	0.48	ng	# 89
6) bis(2-Chloroethyl)ether	7.59	93	919	0.43	ng	# 67
9) Naphthalene	10.99	128	4047	0.39	ng	97
10) Hexachlorobutadiene	11.28	225	633	0.40	ng	99
11) 2-Methylnaphthalene	12.65	142	2544	0.38	ng	93
15) Acenaphthylene	14.53	152	18876	0.38	ng	100
16) Acenaphthene	14.88	154	3121	0.40	ng	96
17) Fluorene	15.87	166	3635	0.39	ng	99
19) Hexachlorobenzene	16.89	284	1222	0.42	ng	# 65
20) Pentachlorophenol	17.26	266	156	0.44	ng	93
21) Phenanthrene	17.60	178	6555	0.39	ng	96
22) Anthracene	17.72	178	5581	0.37	ng	99
23) Fluoranthene	19.61	202	25601	0.38	ng	99
25) Pyrene	19.97	202	25849	0.37	ng	99
27) Benzo(a)anthracene	21.72	228	26516m	0.36	ng	
28) Chrysene	21.77	228	31572m	0.40	ng	
29) Bis(2-ethylhexyl)phthalate	21.63	149	1655	0.40	ng	# 74
30) Indeno(1,2,3-cd)pyrene	26.62	276	24066	0.35	ng	98
32) Benzo(b)fluoranthene	23.38	252	5537	0.34	ng	99
33) Benzo(k)fluoranthene	23.43	252	6426	0.40	ng	96
34) Benzo(a)pyrene	24.01	252	5040	0.34	ng	97
35) Dibenzo(a,h)anthracene	26.65	278	4736	0.34	ng	# 96
36) Benzo(g,h,i)perylene	27.40	276	21706	0.36	ng	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA_E\DATA\BE103116\
Data File : BE092481.D
Acq On : 31 Oct 2016 14:52
Operator : UM/SJ
Sample : SSTDCCC0.4
Misc :
ALS Vial : 2 Sample Multiplier: 1


Instrument :
BNA_E
ClientSampleId :
SSTDCCC0.4

Manual Integrations
APPROVED

umangi
11/1/2016 4:15:34 PM

Quant Time: Nov 01 11:03:46 2016
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE102516.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Oct 25 15:25:33 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 8.17 min Scan# 576

Delta R.T. -0.00 min

Lab File: BE092481.D

Acq: 31 Oct 2016 14:52

Instrument :

BNA_E





ClientSampleId :

SSTDCCC0.4

Tgt Ion	Ratio	Lower	Upper
152	100		
150	149.3	106.0	159.0
115	52.7	31.2	46.8

Manual Integrations
APPROVED

umangi
11/1/2016 4:15:34 PM



#2

1,4-Dioxane

Concen: 0.47 ng




RT: 3.41 min Scan# 71


Delta R.T. -0.00 min

Lab File: BE092481.D

Acq: 31 Oct 2016 14:52

Tgt Ion	Ratio	Lower	Upper
88	100		
58	70.5	63.6	95.4
43	29.8	28.0	42.0





#3

n-Nitrosodimethylamine

Concen: 0.48 ng

RT: 3.79 min Scan# 104

Delta R.T. -0.01 min

Lab File: BE092481.D

Acq: 31 Oct 2016 14:52

Instrument :

BNA_E





ClientSampleId :

SSTDCCC0.4

Tgt Ion:	42	Resp:	475
Ion Ratio	Lower	Upper	
42	100		
74	96.6	86.0	129.0
44	0.0	5.1	7.7#

Manual Integrations
APPROVED

umangi
11/1/2016 4:15:34 PM



#4

2-Fluorophenol

Concen: 0.41 ng




RT: 5.68 min Scan# 365


Delta R.T. -0.01 min

Lab File: BE092481.D

Acq: 31 Oct 2016 14:52

Tgt Ion:	112	Resp:	604
Ion Ratio	Lower	Upper	
112	100		
64	66.6	53.5	80.3
63	33.3	27.9	41.9





#5

Phenol-d6

Concen: 0.40 ng

RT: 7.36 min Scan# 541

Delta R.T. -0.00 min

Lab File: BE092481.D

Acq: 31 Oct 2016 14:52

Instrument :

BNA_E





ClientSampleId :

SSTDCCC0.4

Tgt Ion:	99	Resp:	811
Ion	Ratio	Lower	Upper
99	100		
42	0.0	16.0	24.0#
71	36.9	30.6	45.8

Manual Integrations
APPROVED

umangi
11/1/2016 4:15:34 PM



#6

bis(2-Chloroethyl)ether

Concen: 0.43 ng




RT: 7.59 min Scan# 551


Delta R.T. -0.00 min

Lab File: BE092481.D

Acq: 31 Oct 2016 14:52

Tgt Ion:	93	Resp:	919
Ion	Ratio	Lower	Upper
93	100		
63	65.6	71.6	107.4#
95	0.0	24.0	36.0#





#7

Naphthalene-d8

Concen: 5.00 ng

RT: 10.95 min Scan# 708

Delta R.T. -0.00 min

Lab File: BE092481.D

Acq: 31 Oct 2016 14:52

Instrument :

BNA_E


ClientSampleId :

SSTDCCC0.4

Tgt Ion:	136	Resp:	48069
Ion Ratio	Lower	Upper	
136	100		
137	11.9	8.2	12.4
54	6.3	9.6	14.4#
68	4.6	6.7	10.1#

Manual Integrations
APPROVED

umangi
11/1/2016 4:15:34 PM






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0



#8

Nitrobenzene-d5

Concen: 0.47 ng


RT: 9.36 min Scan# 628

Delta R.T. -0.00 min

Lab File: BE092481.D

Acq: 31 Oct 2016 14:52



Tgt Ion:	82	Resp:	1019
Ion Ratio	Lower	Upper	
82	100		
128	43.1	39.0	58.4
54	62.6	44.8	67.2




Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE0





#9

Naphthalene

Concen: 0.39 ng

RT: 10.99 min Scan# 710

Delta R.T. -0.00 min

Lab File: BE092481.D

Acq: 31 Oct 2016 14:52

Instrument :

BNA_E





ClientSampleId :

SSTDCCC0.4

Tgt Ion:	128	Resp:	4047
Ion Ratio	Lower	Upper	
128	100		
129	13.0	11.2	16.8
127	15.8	11.6	17.4

Manual Integrations
APPROVED

umangi
11/1/2016 4:15:34 PM



#10

Hexachlorobutadiene

Concen: 0.40 ng




RT: 11.28 min Scan# 725


Delta R.T. -0.00 min

Lab File: BE092481.D

Acq: 31 Oct 2016 14:52

Tgt Ion:	225	Resp:	633
Ion Ratio	Lower	Upper	
225	100		
223	64.3	50.6	76.0
227	62.9	51.4	77.0





#11

2-Methylnaphthalene

Concen: 0.38 ng

RT: 12.65 min Scan# 816

Delta R.T. -0.00 min

Lab File: BE092481.D

Acq: 31 Oct 2016 14:52

Instrument :

BNA_E





ClientSampleId :

SSTDCCC0.4

Tgt Ion:	142	Resp:	2544
Ion Ratio	Lower	Upper	
142	100		
141	85.9	73.7	110.5
115	36.8	34.0	51.0

Manual Integrations
APPROVED

umangi
11/1/2016 4:15:34 PM



#12

Acenaphthene-d10

Concen: 5.00 ng




RT: 14.82 min Scan# 980


Delta R.T. -0.00 min

Lab File: BE092481.D

Acq: 31 Oct 2016 14:52

Tgt Ion:	164	Resp:	34510
Ion Ratio	Lower	Upper	
164	100		
162	100.3	71.4	107.0
160	44.2	27.4	41.2#









#13
 2,4,6-Tribromophenol
 Concen: 0.37 ng
 RT: 16.32 min Scan# 1089
 Delta R.T. -0.00 min
 Lab File: BE092481.D
 Acq: 31 Oct 2016 14:52

Instrument :
 BNA_E
 ClientSampleId :
 SSTDCCC0.4

Tgt Ion: 330 Resp: 229
 Ion Ratio Lower Upper
 330 100
 332 97.4 75.4 113.0
 141 40.2 31.0 46.6




Manual Integrations
 APPROVED




umangi
 11/1/2016 4:15:34 PM



#14
 2-Fluorobiphenyl
 Concen: 0.41 ng
 RT: 13.44 min Scan# 885
 Delta R.T. -0.00 min
 Lab File: BE092481.D
 Acq: 31 Oct 2016 14:52

Tgt Ion: 172 Resp: 3409
 Ion Ratio Lower Upper
 172 100
 171 37.1 30.1 45.1
 170 25.3 21.8 32.6









#15
Acenaphthylene
Concen: 0.38 ng
RT: 14.53 min Scan# 963
Delta R.T. -0.00 min
Lab File: BE092481.D
Acq: 31 Oct 2016 14:52

Tgt Ion	Ratio	Lower	Upper
152	100		
151	4.9	3.9	5.9
153	13.0	10.4	15.6

Instrument :
BNA_E
ClientSampled :
SSTDCCC0.4


Manual Integrations
APPROVED


umangi
11/1/2016 4:15:34 PM



#16
Acenaphthene
Concen: 0.40 ng
RT: 14.88 min Scan# 984
Delta R.T. -0.00 min
Lab File: BE092481.D
Acq: 31 Oct 2016 14:52

Tgt Ion	Ratio	Lower	Upper
154	100		
153	433.3	350.8	526.2
152	228.5	171.1	256.7









#17
Fluorene
 Concen: 0.39 ng
 RT: 15.87 min Scan# 1050
 Delta R.T. -0.00 min
 Lab File: BE092481.D
 Acq: 31 Oct 2016 14:52

Instrument :
 BNA_E
 ClientSampleId :
 SSTDCCC0.4

Tgt Ion	Ratio	Lower	Upper
166	100		
165	99.0	78.2	117.4
167	13.4	11.0	16.4




Manual Integrations
 APPROVED


umangi
 11/1/2016 4:15:34 PM



#18
Phenanthrene-d10
 Concen: 5.00 ng
 RT: 17.58 min Scan# 1154
 Delta R.T. 0.00 min
 Lab File: BE092481.D
 Acq: 31 Oct 2016 14:52

Tgt Ion	Ratio	Lower	Upper
188	100		
94	3.5	3.2	4.8
80	3.1	2.6	3.8









#19
Hexachlorobenzene
Concen: 0.42 ng
RT: 16.89 min Scan# 1124
Delta R.T. 0.00 min
Lab File: BE092481.D
Acq: 31 Oct 2016 14:52

Instrument :
BNA_E
ClientSampled :
SSTDCCC0.4

Tgt Ion	Ratio	Resp	Lower	Upper
284	100	1222		
142	0.0	29.1	43.7#	
249	30.9	27.9	41.9	




Manual Integrations
APPROVED


umangi
11/1/2016 4:15:34 PM



#20
Pentachlorophenol
Concen: 0.44 ng
RT: 17.26 min Scan# 1140
Delta R.T. 0.00 min
Lab File: BE092481.D
Acq: 31 Oct 2016 14:52

Tgt Ion	Ratio	Resp	Lower	Upper
266	100	156		
268	80.0	62.5	93.7	
264	82.5	57.2	85.8	









#21
Phenanthrene
Concen: 0.39 ng
RT: 17.60 min Scan# 1155
Delta R.T. 0.00 min
Lab File: BE092481.D
Acq: 31 Oct 2016 14:52

Instrument :
BNA_E
ClientSampleId :
SSTDCCC0.4

Tgt Ion	Ratio	Lower	Upper
178	100		
176	19.8	15.8	23.8
179	16.0	16.0	24.0




Manual Integrations
APPROVED


umangi
11/1/2016 4:15:34 PM



#22
Anthracene
Concen: 0.37 ng
RT: 17.72 min Scan# 1160
Delta R.T. 0.00 min
Lab File: BE092481.D
Acq: 31 Oct 2016 14:52

Tgt Ion	Ratio	Lower	Upper
178	100		
176	19.0	15.0	22.4
179	16.1	12.2	18.2





#23

Fluoranthene

Concen: 0.38 ng

RT: 19.61 min Scan# 1266

Delta R.T. 0.00 min

Lab File: BE092481.D

Acq: 31 Oct 2016 14:52

Instrument :

BNA_E


ClientSampleId :

SSTDCCC0.4




Tgt Ion:	202	Resp:	25601
Ion Ratio	Lower	Upper	
202	100		
101	2.9	2.2	3.4
203	17.4	13.7	20.5

Manual Integrations
APPROVED

umangi
11/1/2016 4:15:34 PM



Abundance Ion 202.00 (201.70 to 202.70): E
15000
Ion 101.00 (100.70 to 101.70): E
Ion 203.00 (202.70 to 203.70): E



#24

Chrysene-d12

Concen: 5.00 ng

RT: 21.75 min Scan# 1375




Delta R.T. 0.00 min


Lab File: BE092481.D

Acq: 31 Oct 2016 14:52

Tgt Ion:	240	Resp:	80473
Ion Ratio	Lower	Upper	
240	100		
120	2.3	2.6	4.0#
236	25.4	24.6	37.0

Abundance Ion 240.00 (239.70 to 240.70): E
60000
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E






#25
 Pyrene
 Concen: 0.37 ng
 RT: 19.97 min Scan# 1287
 Delta R.T. -0.02 min
 Lab File: BE092481.D
 Acq: 31 Oct 2016 14:52

Instrument :
 BNA_E
 ClientSampleId :
 SSTDCCC0.4




Tgt Ion	Ratio	Lower	Upper
202	100		
200	5.4	4.2	6.4
203	17.7	13.9	20.9

Manual Integrations
 APPROVED

umangi
 11/1/2016 4:15:34 PM






Abundance Ion 202.00 (201.70 to 202.70): E
 Ion 200.00 (199.70 to 200.70): E
 Ion 203.00 (202.70 to 203.70): E




#26
 Terphenyl-d14
 Concen: 0.39 ng
 RT: 20.19 min Scan# 1300
 Delta R.T. 0.00 min
 Lab File: BE092481.D
 Acq: 31 Oct 2016 14:52

Tgt Ion	Ratio	Lower	Upper
244	100		
212	10.1	6.7	10.1#
122	9.3	3.6	5.4#

Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E









#27
Benzo(a)anthracene
Concen: 0.36 ng m
RT: 21.72 min Scan# 1374
Delta R.T. 0.00 min
Lab File: BE092481.D
Acq: 31 Oct 2016 14:52

Instrument :
BNA_E
ClientSampleId :
SSTDCCC0.4

Tgt Ion	Ratio	Lower	Upper
228	100		
226	24.8	23.6	35.4
229	19.6	13.3	19.9




Manual Integrations
APPROVED


umangi
11/1/2016 4:15:34 PM



#28
Chrysene
Concen: 0.40 ng m
RT: 21.77 min Scan# 1376
Delta R.T. 0.00 min
Lab File: BE092481.D
Acq: 31 Oct 2016 14:52

Tgt Ion	Ratio	Lower	Upper
228	100		
226	36.2	36.3	54.5#
229	15.3	10.6	16.0





#29

Bis(2-ethylhexyl)phthalate

Concen: 0.40 ng

RT: 21.63 min Scan# 1370

Delta R.T. 0.00 min

Lab File: BE092481.D

Acq: 31 Oct 2016 14:52

Instrument :

BNA_E


ClientSampleId :

SSTDCCC0.4




Tgt Ion:	149	Resp:	1655
Ion Ratio	Lower	Upper	
149	100		
167	23.9	16.0	24.0
279	0.0	16.0	24.0#

Manual Integrations
APPROVED

umangi
11/1/2016 4:15:34 PM



Abundance Ion 149.00 (148.70 to 149.70): E
Ion 167.00 (166.70 to 167.70): E
Ion 279.00 (278.70 to 279.70): E



#30

Indeno(1,2,3-cd)pyrene

Concen: 0.35 ng

RT: 26.62 min Scan# 1717




Delta R.T. -0.00 min


Lab File: BE092481.D

Acq: 31 Oct 2016 14:52

Tgt Ion:	276	Resp:	24066
Ion Ratio	Lower	Upper	
276	100		
138	27.2	20.3	30.5
277	24.8	19.7	29.5

Abundance Ion 276.00 (275.70 to 276.70): E
Ion 138.00 (137.70 to 138.70): E
Ion 277.00 (276.70 to 277.70): E









#31
 Perylene-d12
 Concen: 5.00 ng
 RT: 24.11 min Scan# 1546
 Delta R.T. -0.00 min
 Lab File: BE092481.D
 Acq: 31 Oct 2016 14:52

Instrument :
 BNA_E
 ClientSampleId :
 SSTDCCC0.4

Tgt Ion	Ratio	Lower	Upper
264	100		
260	25.7	20.1	30.1
265	21.3	17.9	26.9




Manual Integrations
 APPROVED


umangi
 11/1/2016 4:15:34 PM



#32
 Benzo(b)fluoranthene
 Concen: 0.34 ng
 RT: 23.38 min Scan# 1483
 Delta R.T. -0.00 min
 Lab File: BE092481.D
 Acq: 31 Oct 2016 14:52

Tgt Ion	Ratio	Lower	Upper
252	100		
253	23.7	18.7	28.1
125	12.3	10.5	15.7





#33

Benzo(k)fluoranthene

Concen: 0.40 ng

RT: 23.43 min Scan# 1487

Delta R.T. -0.00 min

Lab File: BE092481.D

Acq: 31 Oct 2016 14:52

Instrument :

BNA_E





ClientSampleId :

SSTDCCC0.4

Tgt Ion:	252	Resp:	6426
Ion Ratio	Lower	Upper	
252	100		
253	23.1	20.3	30.5
125	12.8	9.6	14.4

Manual Integrations
APPROVED

umangi
11/1/2016 4:15:34 PM



#34

Benzo(a)pyrene

Concen: 0.34 ng




RT: 24.01 min Scan# 1537


Delta R.T. -0.00 min

Lab File: BE092481.D

Acq: 31 Oct 2016 14:52

Tgt Ion:	252	Resp:	5040
Ion Ratio	Lower	Upper	
252	100		
253	25.4	19.0	28.6
125	14.0	11.8	17.8









#35
Dibenzo(a,h)anthracene
Concen: 0.34 ng
RT: 26.65 min Scan# 1719
Delta R.T. -0.00 min
Lab File: BE092481.D
Acq: 31 Oct 2016 14:52

Instrument :
BNA_E
ClientSampleId :
SSTDCCC0.4

Tgt Ion	Ratio	Lower	Upper
278	100		
139	20.8	13.8	20.8#
279	27.4	21.4	32.2

Manual Integrations
APPROVED

umangi
11/1/2016 4:15:34 PM



#36
Benzo(g,h,i)perylene
Concen: 0.36 ng
RT: 27.40 min Scan# 1763
Delta R.T. -0.00 min
Lab File: BE092481.D
Acq: 31 Oct 2016 14:52

Tgt Ion	Ratio	Lower	Upper
276	100		
277	26.5	19.8	29.8
138	25.6	19.8	29.6

