

Data Path : Z:\svoasrv\HPCHEM1\BNA_E\Data\BE110124\
Data File : BE101448.D
Acq On : 1 Nov 2024 14:33
Operator : RC/JU
Sample : P4663-06
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
RES-BUILDING-PAD-NO-3

Quant Time: Nov 01 16:12:52 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_E\Methods\8270-BE102824.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Oct 29 01:26:30 2024
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.575	152	69420	20.000	ng	0.00
21) Naphthalene-d8	10.337	136	296978	20.000	ng	0.00
39) Acenaphthene-d10	14.179	164	197789	20.000	ng	0.00
64) Phenanthrene-d10	16.917	188	455282	20.000	ng	0.00
76) Chrysene-d12	21.083	240	540190	20.000	ng	0.00
86) Perylene-d12	23.374	264	717080	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.325	112	421241	106.352	ng	0.00
7) Phenol-d6	6.952	99	547227	99.639	ng	0.00
23) Nitrobenzene-d5	8.780	82	314844	66.588	ng	0.00
42) 2,4,6-Tribromophenol	15.689	330	354276	102.197	ng	0.00
45) 2-Fluorobiphenyl	12.804	172	805201	68.944	ng	0.00
79) Terphenyl-d14	19.514	244	1684321	71.763	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_E\Data\BE110124\
Data File : BE101448.D
Acq On : 1 Nov 2024 14:33
Operator : RC/JU
Sample : P4663-06
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
RES-BUILDING-PAD-NO-3


Quant Time: Nov 01 16:12:52 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_E\Methods\8270-BE102824.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Oct 29 01:26:30 2024
Response via : Initial Calibration




Data Path : Z:\svoasrv\HPCHEM1\BNA_E\Data\BE110124\
Data File : BE101448.D
Acq On : 1 Nov 2024 14:33
Operator : RC/JU
Sample : P4663-06
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
RES-BUILDING-PAD-NO-3

Quant Time: Nov 01 16:12:52 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_E\Methods\8270-BE102824.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Oct 29 01:26:30 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.575 min Scan# 848
Delta R.T. 0.005 min
Lab File: BE101448.D
Acq: 1 Nov 2024 14:33




Instrument :
BNA_E
ClientSampleId :
RES-BUILDING-PAD-NO-3


Tgt Ion:152 Resp: 69420
Ion Ratio Lower Upper
152 100
150 149.5 124.2 186.4
115 53.9 45.3 67.9



#5
2-Fluorophenol
Concen: 106.352 ng
RT: 5.325 min Scan# 466
Delta R.T. 0.005 min
Lab File: BE101448.D
Acq: 1 Nov 2024 14:33

Tgt Ion:112 Resp: 421241
Ion Ratio Lower Upper
112 100
64 52.5 43.7 65.5
63 27.1 21.4 32.2





#7

Phenol-d6

Concen: 99.639 ng

RT: 6.952 min Scan# 742

Delta R.T. 0.005 min

Lab File: BE101448.D

Acq: 1 Nov 2024 14:33

Instrument :

BNA_E

ClientSampleId :

RES-BUILDING-PAD-NO-3





Tgt Ion: 99 Resp: 547227

Ion Ratio Lower Upper

99 100

42 16.1 12.3 18.5

71 29.8 23.8 35.8



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.337 min Scan# 1319

Delta R.T. -0.001 min

Lab File: BE101448.D

Acq: 1 Nov 2024 14:33

Tgt Ion:136 Resp: 296978




Ion Ratio Lower Upper


136 100

137 11.1 9.0 13.6

54 7.3 5.9 8.9

68 6.4 4.8 7.2









#23
Nitrobenzene-d5
Concen: 66.588 ng
RT: 8.780 min Scan# 1055
Delta R.T. -0.007 min
Lab File: BE101448.D
Acq: 1 Nov 2024 14:33




Instrument :
BNA_E
ClientSampleId :
RES-BUILDING-PAD-NO-3


Tgt Ion: 82 Resp: 314844
Ion Ratio Lower Upper
82 100
128 46.6 38.9 58.3
54 46.5 36.2 54.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.179 min Scan# 1973
Delta R.T. -0.001 min
Lab File: BE101448.D
Acq: 1 Nov 2024 14:33

Tgt Ion: 164 Resp: 197789
Ion Ratio Lower Upper
164 100
162 102.1 81.3 121.9
160 45.4 36.4 54.6





#42

2,4,6-Tribromophenol

Concen: 102.197 ng

RT: 15.689 min Scan# 21

Delta R.T. -0.001 min

Lab File: BE101448.D


Acq: 1 Nov 2024 14:33

Instrument :

BNA_E

ClientSampleId :

RES-BUILDING-PAD-NO-3






Tgt Ion:330 Resp: 354276

Ion Ratio Lower Upper

330 100

332 97.7 78.2 117.2

141 21.9 18.3 27.5



#45

2-Fluorobiphenyl

Concen: 68.944 ng

RT: 12.804 min Scan# 1739

Delta R.T. -0.001 min

Lab File: BE101448.D

Acq: 1 Nov 2024 14:33




Tgt Ion:172 Resp: 805201


Ion Ratio Lower Upper

172 100

171 35.0 29.2 43.8

170 23.6 19.8 29.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 16.917 min Scan# 2439
Delta R.T. -0.001 min
Lab File: BE101448.D
Acq: 1 Nov 2024 14:33




Instrument :
BNA_E
ClientSampleId :
RES-BUILDING-PAD-NO-3


Tgt Ion:188 Resp: 455282
Ion Ratio Lower Upper
188 100
94 9.3 7.8 11.8
80 10.0 8.6 12.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.083 min Scan# 3148
Delta R.T. 0.005 min
Lab File: BE101448.D
Acq: 1 Nov 2024 14:33

Tgt Ion:240 Resp: 540190
Ion Ratio Lower Upper
240 100
120 10.2 9.0 13.4
236 26.5 21.4 32.0





#79

Terphenyl-d14

Concen: 71.763 ng

RT: 19.514 min Scan# 2

Delta R.T. -0.001 min

Lab File: BE101448.D

Acq: 1 Nov 2024 14:33

Instrument :

BNA_E

ClientSampleId :

RES-BUILDING-PAD-NO-3





Tgt Ion:244 Resp: 1684321

Ion Ratio Lower Upper

244 100

212 6.6 7.2 10.8#

122 10.0 10.4 15.6#



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.374 min Scan# 3538

Delta R.T. 0.011 min

Lab File: BE101448.D

Acq: 1 Nov 2024 14:33

Tgt Ion:264 Resp: 717080

Ion Ratio Lower Upper

264 100

260 24.2 19.8 29.8

265 22.7 17.6 26.4

