

Data Path : Z:\svoasrv\HPCHEM1\BNA_E\Data\BE110724\
 Data File : BE101524.D
 Acq On : 7 Nov 2024 10:50
 Operator : RC/JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 SSTDCCC040

Quant Time: Nov 07 10:32:05 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_E\Methods\8270-BE110624.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 07 00:01:20 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.566	152	81801	20.000	ng	0.00
21) Naphthalene-d8	10.333	136	348577	20.000	ng	0.00
39) Acenaphthene-d10	14.182	164	227580	20.000	ng	0.00
64) Phenanthrene-d10	16.920	188	516759	20.000	ng	0.00
76) Chrysene-d12	21.080	240	572036	20.000	ng	0.00
86) Perylene-d12	23.371	264	735595	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.322	112	375153	81.091	ng	0.00
7) Phenol-d6	6.955	99	509653	80.349	ng	0.00
23) Nitrobenzene-d5	8.782	82	464266	84.129	ng	0.00
42) 2,4,6-Tribromophenol	15.692	330	339620	79.307	ng	0.00
45) 2-Fluorobiphenyl	12.801	172	1159321	83.177	ng	0.00
79) Terphenyl-d14	19.511	244	2081948	80.564	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.195	88	69095	40.134	ng	99
3) Pyridine	3.618	79	153833	31.950	ng	99
4) n-Nitrosodimethylamine	3.547	42	80376	42.156	ng	96
6) Aniline	7.002	93	172546	36.244	ng	96
8) 2-Chlorophenol	7.213	128	217876	39.751	ng	100
9) Benzaldehyde	6.773	77	106997	34.485	ng	99
10) Phenol	6.978	94	277006	40.120	ng	97
11) bis(2-Chloroethyl)ether	7.031	93	199529	34.909	ng	98
12) 1,3-Dichlorobenzene	7.454	146	235610	39.375	ng	99
13) 1,4-Dichlorobenzene	7.601	146	239349	39.492	ng	99
14) 1,2-Dichlorobenzene	7.930	146	233707	39.283	ng	100
15) Benzyl Alcohol	7.907	79	156081	42.125	ng	99
16) 2,2'-oxybis(1-Chloropr...	8.071	45	263950	39.012	ng	99
17) 2-Methylphenol	8.154	107	177105	39.621	ng	99
18) Hexachloroethane	8.618	117	82082	40.103	ng	99
19) n-Nitroso-di-n-propyla...	8.371	70	162532	38.862	ng	98
20) 3+4-Methylphenols	8.494	107	244323	39.419	ng	99
22) Acetophenone	8.418	105	323034	40.921	ng	# 99
24) Nitrobenzene	8.817	77	240632	41.923	ng	98
25) Isophorone	9.270	82	433801	40.393	ng	98
26) 2-Nitrophenol	9.505	139	129827	42.502	ng	99
27) 2,4-Dimethylphenol	9.628	122	145501	41.167	ng	98
28) bis(2-Chloroethoxy)met...	9.763	93	266719	40.572	ng	99
29) 2,4-Dichlorophenol	10.063	162	202647	40.389	ng	99
30) 1,2,4-Trichlorobenzene	10.181	180	222666	39.754	ng	99
31) Naphthalene	10.380	128	698238	39.678	ng	100
32) Benzoic acid	9.922	122	130367	40.689	ng	98
33) 4-Chloroaniline	10.610	127	247332	39.968	ng	99
34) Hexachlorobutadiene	10.627	225	136957	39.671	ng	99
35) Caprolactam	11.409	113	72104	39.134	ng	98
36) 4-Chloro-3-methylphenol	11.796	107	213990	39.056	ng	98
37) 2-Methylnaphthalene	11.973	142	488675	39.097	ng	99
38) 1-Methylnaphthalene	12.202	142	481200	38.605	ng	100
40) 1,2,4,5-Tetrachloroben...	12.331	216	245079	40.846	ng	100
41) Hexachlorocyclopentadiene	12.313	237	80596	46.030	ng	96
43) 2,4,6-Trichlorophenol	12.654	196	172042	41.751	ng	98

Data Path : Z:\svoasrv\HPCHEM1\BNA_E\Data\BE110724\
 Data File : BE101524.D
 Acq On : 7 Nov 2024 10:50
 Operator : RC/JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 SSTDCCC040

Quant Time: Nov 07 10:32:05 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_E\Methods\8270-BE110624.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 07 00:01:20 2024
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.766	196	190877	41.579	ng	99
46) 1,1'-Biphenyl	13.007	154	642609	40.935	ng	99
47) 2-Chloronaphthalene	13.054	162	508711	41.086	ng	99
48) 2-Nitroaniline	13.383	65	144217	44.003	ng	93
49) Acenaphthylene	13.912	152	746231	40.444	ng	99
50) Dimethylphthalate	13.682	163	642985	39.676	ng	100
51) 2,6-Dinitrotoluene	13.823	165	151934	40.620	ng	99
52) Acenaphthene	14.246	154	473755	40.236	ng	98
53) 3-Nitroaniline	14.235	138	152026	41.866	ng	100
54) 2,4-Dinitrophenol	14.376	184	89598	40.876	ng	96
55) Dibenzofuran	14.587	168	753762	39.754	ng	99
56) 4-Nitrophenol	14.664	139	124734	41.599	ng	93
57) 2,4-Dinitrotoluene	14.611	165	214216	40.765	ng	98
58) Fluorene	15.222	166	635193	40.142	ng	100
59) 2,3,4,6-Tetrachlorophenol	14.857	232	167824	39.508	ng	99
60) Diethylphthalate	15.010	149	671812	39.316	ng	99
61) 4-Chlorophenyl-phenyle...	15.210	204	316730	39.417	ng	98
62) 4-Nitroaniline	15.422	138	164484	42.043	ng	96
63) Azobenzene	15.504	77	563139	40.396	ng	98
65) 4,6-Dinitro-2-methylph...	15.357	198	129267	42.141	ng	96
66) n-Nitrosodiphenylamine	15.463	169	543689	39.645	ng	99
67) 4-Bromophenyl-phenylether	16.091	248	219763	38.558	ng	100
68) Hexachlorobenzene	16.209	284	292554	39.002	ng	99
69) Atrazine	16.397	200	175838	43.429	ng	98
70) Pentachlorophenol	16.614	266	167763	41.220	ng	98
71) Phenanthrene	16.961	178	996463	39.647	ng	100
72) Anthracene	17.049	178	993500	40.028	ng	100
73) Carbazole	17.378	167	994425	39.952	ng	99
74) Di-n-butylphthalate	17.819	149	1232498	40.097	ng	100
75) Fluoranthene	18.964	202	1263889	39.221	ng	100
77) Benzidine	19.217	184	430165	35.007	ng	100
78) Pyrene	19.335	202	1332578	40.942	ng	100
80) Butylbenzylphthalate	20.181	149	596038	40.749	ng	98
81) Benzo(a)anthracene	21.062	228	1364403	40.161	ng	100
82) 3,3'-Dichlorobenzidine	21.033	252	535975	40.077	ng	99
83) Chrysene	21.121	228	1277435	39.559	ng	99
84) Bis(2-ethylhexyl)phtha...	20.880	149	870625	39.369	ng	100
85) Di-n-octyl phthalate	21.726	149	1487872	39.770	ng	100
87) Indeno(1,2,3-cd)pyrene	25.721	276	2020291	39.966	ng	100
88) Benzo(b)fluoranthene	22.660	252	1605150	39.773	ng	100
89) Benzo(k)fluoranthene	22.707	252	1528681	41.726	ng	100
90) Benzo(a)pyrene	23.265	252	1388576	39.853	ng	100
91) Dibenzo(a,h)anthracene	25.709	278	1686880	40.069	ng	99
92) Benzo(g,h,i)perylene	26.473	276	1693934	39.605	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_E\Data\BE110724\
 Data File : BE101524.D
 Acq On : 7 Nov 2024 10:50
 Operator : RC/JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 SSTDCCC040


Quant Time: Nov 07 10:32:05 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_E\Methods\8270-BE110624.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 07 00:01:20 2024
 Response via : Initial Calibration




Data Path : Z:\svoasrv\HPCHEM1\BNA_E\Data\BE110724\
Data File : BE101524.D
Acq On : 7 Nov 2024 10:50
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
SSTDCCC040

Quant Time: Nov 07 10:32:05 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_E\Methods\8270-BE110624.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 07 00:01:20 2024
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.566 min Scan# 84
 Delta R.T. 0.003 min
 Lab File: BE101524.D
 Acq: 7 Nov 2024 10:50




Instrument :
 BNA_E
 ClientSampleId :
 SSTDCCC040


Tgt Ion:152 Resp: 81801
 Ion Ratio Lower Upper
 152 100
 150 152.8 126.3 189.5
 115 56.1 45.0 67.4



#2
 1,4-Dioxane
 Concen: 40.134 ng
 RT: 3.195 min Scan# 103
 Delta R.T. 0.003 min
 Lab File: BE101524.D
 Acq: 7 Nov 2024 10:50

Tgt Ion: 88 Resp: 69095
 Ion Ratio Lower Upper
 88 100
 58 71.0 56.5 84.7
 43 26.6 20.8 31.2









#3
Pyridine
Concen: 31.950 ng
RT: 3.618 min Scan# 175
Delta R.T. -0.003 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50




Instrument :
BNA_E
ClientSampleId :
SSTDCCC040


Tgt Ion: 79 Resp: 153833
Ion Ratio Lower Upper
79 100
52 65.2 51.1 76.7
51 32.4 26.2 39.2



#4
n-Nitrosodimethylamine
Concen: 42.156 ng
RT: 3.547 min Scan# 163
Delta R.T. 0.003 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Tgt Ion: 42 Resp: 80376
Ion Ratio Lower Upper
42 100
74 144.4 120.1 180.1
44 7.1 5.8 8.6









#5
2-Fluorophenol
Concen: 81.091 ng
RT: 5.322 min Scan# 465
Delta R.T. 0.009 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50




Instrument :
BNA_E
ClientSampleId :
SSTDCCC040


Tgt Ion:112 Resp: 375153
Ion Ratio Lower Upper
112 100
64 53.2 43.2 64.8
63 26.7 21.8 32.6



#6
Aniline
Concen: 36.244 ng
RT: 7.002 min Scan# 751
Delta R.T. 0.003 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Tgt Ion: 93 Resp: 172546
Ion Ratio Lower Upper
93 100
66 44.2 33.4 50.0
65 25.1 18.5 27.7





#7

Phenol-d6

Concen: 80.349 ng

RT: 6.955 min Scan# 742

Delta R.T. 0.009 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50

Instrument :

BNA_E

ClientSampleId :

SSTDCCC040





Tgt Ion: 99 Resp: 509653

Ion Ratio Lower Upper

99 100

42 15.8 12.5 18.7

71 30.2 24.2 36.2



#8

2-Chlorophenol

Concen: 39.751 ng

RT: 7.213 min Scan# 787

Delta R.T. 0.009 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50




Tgt Ion:128 Resp: 217876


Ion Ratio Lower Upper

128 100

130 31.8 12.1 52.1

64 41.7 22.0 62.0









#9
Benzaldehyde
Concen: 34.485 ng
RT: 6.773 min Scan# 712
Delta R.T. 0.003 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50




Instrument :
BNA_E
ClientSampleId :
SSTDCCC040


Tgt Ion: 77 Resp: 106997
Ion Ratio Lower Upper
77 100
105 101.2 83.0 123.0
106 98.6 78.8 118.8



#10
Phenol
Concen: 40.120 ng
RT: 6.978 min Scan# 747
Delta R.T. 0.009 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Tgt Ion: 94 Resp: 277006
Ion Ratio Lower Upper
94 100
65 28.0 6.7 46.7
66 37.3 15.0 55.0









#11
bis(2-Chloroethyl)ether
Concen: 34.909 ng
RT: 7.031 min Scan# 71
Delta R.T. 0.003 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50




Instrument :
BNA_E
ClientSampleId :
SSTDCCC040


Tgt Ion: 93 Resp: 199529
Ion Ratio Lower Upper
93 100
63 64.4 46.5 86.5
95 28.3 9.1 49.1



#12
1,3-Dichlorobenzene
Concen: 39.375 ng
RT: 7.454 min Scan# 828
Delta R.T. 0.003 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Tgt Ion:146 Resp: 235610
Ion Ratio Lower Upper
146 100
148 64.0 51.4 77.2
75 25.9 21.1 31.7





#13

1,4-Dichlorobenzene

Concen: 39.492 ng

RT: 7.601 min Scan# 8

Delta R.T. 0.003 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50

Instrument :

BNA_E

ClientSampleId :

SSTDCCC040





Tgt Ion:146 Resp: 239349

Ion Ratio Lower Upper

146 100

148 64.1 51.0 76.6

111 38.5 30.2 45.4



#14

1,2-Dichlorobenzene

Concen: 39.283 ng

RT: 7.930 min Scan# 909

Delta R.T. 0.003 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50




Tgt Ion:146 Resp: 233707


Ion Ratio Lower Upper

146 100

148 63.5 51.2 76.8

111 40.3 32.2 48.4









#15
Benzyl Alcohol
Concen: 42.125 ng
RT: 7.907 min Scan# 904
Delta R.T. 0.009 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50




Instrument :
BNA_E
ClientSampleId :
SSTDCCC040


Tgt Ion: 79 Resp: 156081
Ion Ratio Lower Upper
79 100
108 80.4 63.8 95.8
77 68.4 53.4 80.0



#16
2,2'-oxybis(1-Chloropropane)
Concen: 39.012 ng
RT: 8.071 min Scan# 933
Delta R.T. 0.003 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Tgt Ion: 45 Resp: 263950
Ion Ratio Lower Upper
45 100
77 15.8 0.0 36.2
79 13.1 0.0 33.8









#17
2-Methylphenol
Concen: 39.621 ng
RT: 8.154 min Scan# 947
Delta R.T. 0.003 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50




Instrument :
BNA_E
ClientSampleId :
SSTDCCC040


Tgt Ion:	107	Resp:	177105
Ion	Ratio	Lower	Upper
107	100		
108	112.6	90.2	135.4
77	43.1	35.1	52.7
79	41.9	34.0	51.0



#18
Hexachloroethane
Concen: 40.103 ng
RT: 8.618 min Scan# 1026
Delta R.T. 0.003 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Tgt Ion:	117	Resp:	82082
Ion	Ratio	Lower	Upper
117	100		
119	96.2	76.6	114.8
201	109.5	86.1	129.1









#19
n-Nitroso-di-n-propylamine
Concen: 38.862 ng
RT: 8.371 min Scan# 91
Delta R.T. 0.009 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50




Instrument :
BNA_E
ClientSampleId :
SSTDCCC040


Tgt Ion: 70 Resp: 162532
Ion Ratio Lower Upper
70 100
42 55.0 42.7 64.1
101 9.9 8.2 12.2
130 23.7 18.0 27.0



#20
3+4-Methylphenols
Concen: 39.419 ng
RT: 8.494 min Scan# 1005
Delta R.T. 0.009 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Tgt Ion:107 Resp: 244323
Ion Ratio Lower Upper
107 100
108 88.7 68.2 108.2
77 31.1 10.4 50.4
79 27.3 5.1 45.1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.333 min Scan# 11
Delta R.T. 0.003 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50




Instrument :
BNA_E
ClientSampleId :
SSTDCCC040


Tgt Ion:	136	Resp:	348577
Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.6	13.0
54	7.5	5.6	8.4
68	6.4	4.8	7.2



#22
Acetophenone
Concen: 40.921 ng
RT: 8.418 min Scan# 992
Delta R.T. 0.003 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Tgt Ion:	105	Resp:	323034
Ion	Ratio	Lower	Upper
105	100		
71	0.1	0.1	0.1#
51	23.8	18.7	28.1
120	21.3	17.8	26.6









#23
Nitrobenzene-d5
Concen: 84.129 ng
RT: 8.782 min Scan# 1053
Delta R.T. 0.009 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50




Instrument :
BNA_E
ClientSampleId :
SSTDCCC040


Tgt Ion: 82 Resp: 464266
Ion Ratio Lower Upper
82 100
128 48.4 38.6 58.0
54 44.9 36.3 54.5



#24
Nitrobenzene
Concen: 41.923 ng
RT: 8.817 min Scan# 1060
Delta R.T. 0.003 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Tgt Ion: 77 Resp: 240632
Ion Ratio Lower Upper
77 100
123 49.8 41.2 61.8
65 12.5 10.3 15.5









#25
Isophorone
Concen: 40.393 ng
RT: 9.270 min Scan# 1137
Delta R.T. 0.003 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50




Instrument :
BNA_E
ClientSampleId :
SSTDCCC040


Tgt Ion: 82 Resp: 433801
Ion Ratio Lower Upper
82 100
95 6.7 5.5 8.3
138 18.7 15.8 23.6



#26
2-Nitrophenol
Concen: 42.502 ng
RT: 9.505 min Scan# 1177
Delta R.T. 0.003 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Tgt Ion: 139 Resp: 129827
Ion Ratio Lower Upper
139 100
109 25.4 20.2 30.4
65 43.7 34.0 51.0









#27
2,4-Dimethylphenol
Concen: 41.167 ng
RT: 9.628 min Scan# 1197
Delta R.T. 0.009 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50




Instrument :
BNA_E
ClientSampleId :
SSTDCCC040


Tgt Ion:122 Resp: 145501
Ion Ratio Lower Upper
122 100
107 110.3 89.8 134.6
121 59.0 48.0 72.0



#28
bis(2-Chloroethoxy)methane
Concen: 40.572 ng
RT: 9.763 min Scan# 1221
Delta R.T. 0.003 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Tgt Ion: 93 Resp: 266719
Ion Ratio Lower Upper
93 100
95 31.6 25.9 38.9
123 10.9 9.2 13.8





#29

2,4-Dichlorophenol

Concen: 40.389 ng

RT: 10.063 min Scan# 1271

Delta R.T. 0.009 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50

Instrument :

BNA_E

ClientSampleId :

SSTDCCC040





Tgt Ion:162 Resp: 202647

Ion Ratio Lower Upper

162 100

164 65.1 45.7 85.7

98 33.6 14.0 54.0



#30

1,2,4-Trichlorobenzene

Concen: 39.754 ng

RT: 10.181 min Scan# 1292

Delta R.T. 0.003 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50




Tgt Ion:180 Resp: 222666


Ion Ratio Lower Upper

180 100

182 93.6 76.2 114.2

145 29.4 23.2 34.8









#31
Naphthalene
Concen: 39.678 ng
RT: 10.380 min Scan# 11
Delta R.T. 0.003 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50




Instrument :
BNA_E
ClientSampleId :
SSTDCCC040


Tgt Ion:128 Resp: 698238
Ion Ratio Lower Upper
128 100
129 11.0 8.9 13.3
127 13.2 10.3 15.5



#32
Benzoic acid
Concen: 40.689 ng
RT: 9.922 min Scan# 1248
Delta R.T. 0.026 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Tgt Ion:122 Resp: 130367
Ion Ratio Lower Upper
122 100
105 122.3 100.6 140.6
77 86.6 68.6 108.6





#33

4-Chloroaniline

Concen: 39.968 ng

RT: 10.610 min Scan# 1365

Delta R.T. 0.009 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50

Instrument :

BNA_E

ClientSampleId :

SSTDCCC040

Tgt Ion:127 Resp: 247332





Ion Ratio Lower Upper

127 100

129 32.7 25.8 38.8

65 27.1 22.6 33.8

92 17.6 13.9 20.9



#34

Hexachlorobutadiene

Concen: 39.671 ng

RT: 10.627 min Scan# 1368

Delta R.T. 0.003 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50




Tgt Ion:225 Resp: 136957


Ion Ratio Lower Upper

225 100

223 62.3 51.0 76.6

227 64.2 51.0 76.6





#35

Caprolactam

Concen: 39.134 ng

RT: 11.409 min Scan# 1501

Delta R.T. 0.014 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50

Instrument :

BNA_E

ClientSampleId :

SSTDCCC040





Tgt Ion:113 Resp: 72104

Ion Ratio Lower Upper

113 100

55 157.3 134.3 174.3

56 114.7 92.6 132.6



#36

4-Chloro-3-methylphenol

Concen: 39.056 ng

RT: 11.796 min Scan# 1567

Delta R.T. 0.009 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50




Tgt Ion:107 Resp: 213990


Ion Ratio Lower Upper

107 100

144 27.2 22.4 33.6

142 86.8 68.2 102.2









#37
2-Methylnaphthalene
Concen: 39.097 ng
RT: 11.973 min Scan# 1597
Delta R.T. 0.003 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50




Instrument :
BNA_E
ClientSampleId :
SSTDCCC040


Tgt Ion:142 Resp: 488675
Ion Ratio Lower Upper
142 100
141 89.9 71.3 106.9
115 32.3 25.0 37.4



#38
1-Methylnaphthalene
Concen: 38.605 ng
RT: 12.202 min Scan# 1636
Delta R.T. 0.003 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Tgt Ion:142 Resp: 481200
Ion Ratio Lower Upper
142 100
141 93.3 74.7 112.1
116 3.5 2.9 4.3









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.182 min Scan# 1972
Delta R.T. 0.009 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50




Instrument :
BNA_E
ClientSampleId :
SSTDCCC040


Tgt Ion:164 Resp: 227580
Ion Ratio Lower Upper
164 100
162 102.8 83.7 125.5
160 45.1 37.1 55.7



#40
1,2,4,5-Tetrachlorobenzene
Concen: 40.846 ng
RT: 12.331 min Scan# 1658
Delta R.T. 0.003 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Tgt Ion:216 Resp: 245079
Ion Ratio Lower Upper
216 100
214 78.6 62.6 93.8
179 20.3 16.4 24.6
108 16.3 12.7 19.1









#41
Hexachlorocyclopentadiene
Concen: 46.030 ng
RT: 12.313 min Scan# 1
Delta R.T. 0.003 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50




Instrument :
BNA_E
ClientSampleId :
SSTDCCC040


Tgt Ion:237 Resp: 80596
Ion Ratio Lower Upper
237 100
235 60.2 43.5 83.5
272 14.6 0.0 35.6



#42
2,4,6-Tribromophenol
Concen: 79.307 ng
RT: 15.692 min Scan# 2230
Delta R.T. 0.009 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Tgt Ion:330 Resp: 339620
Ion Ratio Lower Upper
330 100
332 96.7 77.7 116.5
141 21.7 17.0 25.4









#43
2,4,6-Trichlorophenol
Concen: 41.751 ng
RT: 12.654 min Scan# 1713
Delta R.T. 0.009 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50




Instrument :
BNA_E
ClientSampleId :
SSTDCCC040


Tgt Ion:196 Resp: 172042
Ion Ratio Lower Upper
196 100
198 94.2 77.7 116.5
200 31.3 25.3 37.9



#44
2,4,5-Trichlorophenol
Concen: 41.579 ng
RT: 12.766 min Scan# 1732
Delta R.T. 0.009 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Tgt Ion:196 Resp: 190877
Ion Ratio Lower Upper
196 100
198 95.1 77.3 115.9
97 42.5 33.4 50.0
132 25.9 20.3 30.5





#45

2-Fluorobiphenyl

Concen: 83.177 ng

RT: 12.801 min Scan# 11

Delta R.T. 0.003 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50

Instrument :

BNA_E

ClientSampleId :

SSTDCCC040





Tgt Ion:172 Resp: 1159321

Ion Ratio Lower Upper

172 100

171 35.4 28.6 43.0

170 23.8 18.9 28.3



#46

1,1'-Biphenyl

Concen: 40.935 ng

RT: 13.007 min Scan# 1773

Delta R.T. 0.009 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50




Tgt Ion:154 Resp: 642609


Ion Ratio Lower Upper

154 100

153 40.5 19.7 59.7

76 12.7 0.0 33.0





#47

2-Chloronaphthalene

Concen: 41.086 ng

RT: 13.054 min Scan# 1780

Delta R.T. 0.009 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50

Instrument :

BNA_E

ClientSampleId :

SSTDCCC040





Tgt Ion:162 Resp: 508711

Ion Ratio Lower Upper

162 100

127 37.3 30.2 45.4

164 32.7 26.4 39.6



#48

2-Nitroaniline

Concen: 44.003 ng

RT: 13.383 min Scan# 1837

Delta R.T. 0.003 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50




Tgt Ion: 65 Resp: 144217


Ion Ratio Lower Upper

65 100

92 71.1 58.9 88.3

138 118.6 103.0 154.6





#49

Acenaphthylene

Concen: 40.444 ng

RT: 13.912 min Scan# 1927

Delta R.T. 0.003 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50

Instrument :

BNA_E

ClientSampleId :

SSTDCCC040





Tgt Ion:152 Resp: 746231

Ion Ratio Lower Upper

152 100

151 20.0 15.6 23.4

153 13.2 10.3 15.5



#50

Dimethylphthalate

Concen: 39.676 ng

RT: 13.682 min Scan# 1888

Delta R.T. 0.003 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50




Tgt Ion:163 Resp: 642985


Ion Ratio Lower Upper

163 100

194 3.8 2.9 4.3

164 10.1 8.2 12.2









#51
2,6-Dinitrotoluene
Concen: 40.620 ng
RT: 13.823 min Scan# 1912
Delta R.T. 0.008 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50




Instrument :
BNA_E
ClientSampleId :
SSTDCCC040


Tgt Ion:165 Resp: 151934
Ion Ratio Lower Upper
165 100
63 45.5 37.2 55.8
89 48.2 38.4 57.6



#52
Acenaphthene
Concen: 40.236 ng
RT: 14.246 min Scan# 1984
Delta R.T. 0.009 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Tgt Ion:154 Resp: 473755
Ion Ratio Lower Upper
154 100
153 113.3 92.3 138.5
152 53.9 43.6 65.4









#53
3-Nitroaniline
Concen: 41.866 ng
RT: 14.235 min Scan# 1981
Delta R.T. 0.009 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50




Instrument :
BNA_E
ClientSampleId :
SSTDCCC040


Tgt Ion:138 Resp: 152026
Ion Ratio Lower Upper
138 100
108 9.1 7.2 10.8
92 103.6 83.0 124.4



#54
2,4-Dinitrophenol
Concen: 40.876 ng
RT: 14.376 min Scan# 2006
Delta R.T. 0.009 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Tgt Ion:184 Resp: 89598
Ion Ratio Lower Upper
184 100
63 54.0 41.0 61.4
154 57.1 43.2 64.8









#55
Dibenzenofuran
Concen: 39.754 ng
RT: 14.587 min Scan# 2042
Delta R.T. 0.009 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50




Instrument :
BNA_E
ClientSampleId :
SSTDCCC040


Tgt Ion:168 Resp: 753762
Ion Ratio Lower Upper
168 100
139 36.0 29.1 43.7
169 13.6 10.6 16.0



#56
4-Nitrophenol
Concen: 41.599 ng
RT: 14.664 min Scan# 2055
Delta R.T. 0.009 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Tgt Ion:139 Resp: 124734
Ion Ratio Lower Upper
139 100
109 64.5 40.7 80.7
65 84.9 58.0 98.0









#57
2,4-Dinitrotoluene
Concen: 40.765 ng
RT: 14.611 min Scan# 2046
Delta R.T. 0.009 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50




Instrument :
BNA_E
ClientSampleId :
SSTDCCC040


Tgt Ion:	165	Resp:	214216
Ion Ratio	Lower	Upper	
165	100		
63	35.8	27.8	41.8
89	63.8	49.5	74.3
182	2.4	1.9	2.9



#58
Fluorene
Concen: 40.142 ng
RT: 15.222 min Scan# 2150
Delta R.T. 0.003 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Tgt Ion:	166	Resp:	635193
Ion Ratio	Lower	Upper	
166	100		
165	98.9	79.0	118.4
167	13.6	10.6	16.0









#59
2,3,4,6-Tetrachlorophenol
Concen: 39.508 ng
RT: 14.857 min Scan# 2088
Delta R.T. 0.009 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50




Instrument :
BNA_E
ClientSampleId :
SSTDCCC040


Tgt Ion:232 Resp: 167824
Ion Ratio Lower Upper
232 100
131 41.1 32.2 48.4
130 2.0 1.5 2.3
166 28.8 23.2 34.8



#60
Diethylphthalate
Concen: 39.316 ng
RT: 15.010 min Scan# 2114
Delta R.T. 0.009 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Tgt Ion:149 Resp: 671812
Ion Ratio Lower Upper
149 100
177 22.8 17.9 26.9
150 12.4 10.0 15.0









#61
4-Chlorophenyl-phenylether
Concen: 39.417 ng
RT: 15.210 min Scan# 2147
Delta R.T. 0.009 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50




Instrument :
BNA_E
ClientSampleId :
SSTDCCC040


Tgt Ion:204 Resp: 316730
Ion Ratio Lower Upper
204 100
206 32.3 26.7 40.1
141 54.0 44.8 67.2



#62
4-Nitroaniline
Concen: 42.043 ng
RT: 15.422 min Scan# 2184
Delta R.T. 0.009 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Tgt Ion:138 Resp: 164484
Ion Ratio Lower Upper
138 100
92 47.6 25.7 65.7
108 68.2 44.4 84.4









#63
Azobenzene
Concen: 40.396 ng
RT: 15.504 min Scan# 2198
Delta R.T. 0.003 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Instrument :
BNA_E
ClientSampleId :
SSTDCCC040

Tgt Ion: 77 Resp: 563139




Ion	Ratio	Lower	Upper
77	100		
182	26.7	9.1	49.1
105	22.3	3.2	43.2
51	26.9	6.7	46.7




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 16.920 min Scan# 2439
Delta R.T. 0.009 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Tgt Ion: 188 Resp: 516759

Ion	Ratio	Lower	Upper
188	100		
94	9.0	7.4	11.2
80	9.7	8.0	12.0









#65
4,6-Dinitro-2-methylphenol
Concen: 42.141 ng
RT: 15.357 min Scan# 2173
Delta R.T. 0.009 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50




Instrument :
BNA_E
ClientSampleId :
SSTDCCC040


Tgt Ion:198 Resp: 129267
Ion Ratio Lower Upper
198 100
51 38.5 15.3 55.3
105 40.4 18.5 58.5



#66
n-Nitrosodiphenylamine
Concen: 39.645 ng
RT: 15.463 min Scan# 2191
Delta R.T. 0.009 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Tgt Ion:169 Resp: 543689
Ion Ratio Lower Upper
169 100
168 68.3 55.5 83.3
167 37.1 30.4 45.6









#67
4-Bromophenyl-phenylether
Concen: 38.558 ng
RT: 16.091 min Scan# 2197
Delta R.T. 0.003 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50




Instrument :
BNA_E
ClientSampleId :
SSTDCCC040


Tgt Ion:248 Resp: 219763
Ion Ratio Lower Upper
248 100
250 97.4 78.0 117.0
141 63.3 50.0 75.0



#68
Hexachlorobenzene
Concen: 39.002 ng
RT: 16.209 min Scan# 2318
Delta R.T. 0.009 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Tgt Ion:284 Resp: 292554
Ion Ratio Lower Upper
284 100
142 25.0 19.4 29.2
249 28.0 22.4 33.6





#69

Atrazine

Concen: 43.429 ng

RT: 16.397 min Scan# 21

Delta R.T. 0.009 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50

Instrument :

BNA_E

ClientSampleId :

SSTDCCC040





Tgt Ion:200 Resp: 175838

Ion Ratio Lower Upper

200 100

173 25.9 7.4 47.4

215 48.2 28.9 68.9



#70

Pentachlorophenol

Concen: 41.220 ng

RT: 16.614 min Scan# 2387

Delta R.T. 0.009 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50




Tgt Ion:266 Resp: 167763


Ion Ratio Lower Upper

266 100

268 63.0 52.0 78.0

264 61.4 49.6 74.4





#71

Phenanthrene

Concen: 39.647 ng

RT: 16.961 min Scan# 2446

Delta R.T. 0.009 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50

Instrument :

BNA_E

ClientSampleId :

SSTDCCC040





Tgt Ion:178 Resp: 996463

Ion Ratio Lower Upper

178 100

176 19.8 15.8 23.8

179 15.4 12.6 19.0



#72

Anthracene

Concen: 40.028 ng

RT: 17.049 min Scan# 2461

Delta R.T. 0.009 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50




Tgt Ion:178 Resp: 993500


Ion Ratio Lower Upper

178 100

176 18.8 15.1 22.7

179 15.7 12.4 18.6









#73
 Carbazole
 Concen: 39.952 ng
 RT: 17.378 min Scan# 2516
 Delta R.T. 0.009 min
 Lab File: BE101524.D
 Acq: 7 Nov 2024 10:50




Instrument :
 BNA_E
 ClientSampleId :
 SSTDCCC040


Tgt Ion:167 Resp: 994425
 Ion Ratio Lower Upper
 167 100
 166 22.2 17.1 25.7
 139 12.9 10.2 15.2



#74
 Di-n-butylphthalate
 Concen: 40.097 ng
 RT: 17.819 min Scan# 2592
 Delta R.T. 0.003 min
 Lab File: BE101524.D
 Acq: 7 Nov 2024 10:50

Tgt Ion:149 Resp: 1232498
 Ion Ratio Lower Upper
 149 100
 150 9.5 7.5 11.3
 104 4.5 3.4 5.2





#75

Fluoranthene

Concen: 39.221 ng

RT: 18.964 min Scan# 21

Delta R.T. 0.009 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50

Instrument :

BNA_E

ClientSampleId :

SSTDCCC040





Tgt Ion:202 Resp: 1263889

Ion Ratio Lower Upper

202 100

101 11.7 0.0 31.7

203 17.9 0.0 37.8



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.080 min Scan# 3147

Delta R.T. 0.003 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50




Tgt Ion:240 Resp: 572036


Ion Ratio Lower Upper

240 100

120 10.8 8.2 12.4

236 26.4 21.4 32.2









#77
Benzidine
Concen: 35.007 ng
RT: 19.217 min Scan# 2830
Delta R.T. 0.003 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50




Instrument :
BNA_E
ClientSampleId :
SSTDCCC040


Tgt Ion:184 Resp: 430165
Ion Ratio Lower Upper
184 100
185 13.8 11.2 16.8
183 11.9 9.4 14.0



#78
Pyrene
Concen: 40.942 ng
RT: 19.335 min Scan# 2850
Delta R.T. 0.009 min
Lab File: BE101524.D
Acq: 7 Nov 2024 10:50

Tgt Ion:202 Resp: 1332578
Ion Ratio Lower Upper
202 100
200 21.9 17.2 25.8
203 17.8 14.2 21.4





#79

Terphenyl-d14

Concen: 80.564 ng

RT: 19.511 min Scan# 21

Delta R.T. 0.009 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50

Instrument :

BNA_E

ClientSampleId :

SSTDCCC040





Tgt Ion:244 Resp: 2081948

Ion Ratio Lower Upper

244 100

212 7.4 5.8 8.8

122 10.7 8.4 12.6



#80

Butylbenzylphthalate

Concen: 40.749 ng

RT: 20.181 min Scan# 2994

Delta R.T. 0.003 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50




Tgt Ion:149 Resp: 596038


Ion Ratio Lower Upper

149 100

91 63.5 49.2 73.8

206 22.0 17.4 26.2









#81
 Benzo(a)anthracene
 Concen: 40.161 ng
 RT: 21.062 min Scan# 3144
 Delta R.T. 0.009 min
 Lab File: BE101524.D
 Acq: 7 Nov 2024 10:50

Instrument :
 BNA_E
 ClientSampleId :
 SSTDCCC040

Tgt Ion:228 Resp: 1364403




Ion	Ratio	Lower	Upper
228	100		
226	28.0	22.4	33.6
229	20.3	16.1	24.1




#82
 3,3'-Dichlorobenzidine
 Concen: 40.077 ng
 RT: 21.033 min Scan# 3139
 Delta R.T. 0.003 min
 Lab File: BE101524.D
 Acq: 7 Nov 2024 10:50

Tgt Ion:252 Resp: 535975

Ion	Ratio	Lower	Upper
252	100		
254	65.0	52.9	79.3
126	10.0	7.8	11.6





#83

Chrysene

Concen: 39.559 ng

RT: 21.121 min Scan# 3153

Delta R.T. 0.009 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50

Instrument :

BNA_E

ClientSampleId :

SSTDCCC040





Tgt Ion:228 Resp: 1277435

Ion Ratio Lower Upper

228 100

226 31.1 25.1 37.7

229 20.2 16.4 24.6



#84

Bis(2-ethylhexyl)phthalate

Concen: 39.369 ng

RT: 20.880 min Scan# 3113

Delta R.T. 0.003 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50




Tgt Ion:149 Resp: 870625


Ion Ratio Lower Upper

149 100

167 27.4 21.8 32.6

279 4.9 3.8 5.6





#85

Di-n-octyl phthalate

Concen: 39.770 ng

RT: 21.726 min Scan# 31

Delta R.T. 0.003 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50

Instrument :

BNA_E

ClientSampleId :

SSTDCCC040





Tgt Ion:149 Resp: 1487872

Ion Ratio Lower Upper

149 100

167 1.6 1.3 1.9

43 7.8 6.2 9.2



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.371 min Scan# 3537

Delta R.T. 0.014 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50




Tgt Ion:264 Resp: 735595


Ion Ratio Lower Upper

264 100

260 24.3 19.4 29.2

265 22.0 17.4 26.2





#87

Indeno(1,2,3-cd)pyrene

Concen: 39.966 ng

RT: 25.721 min Scan# 3933

Delta R.T. 0.026 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50

Instrument :

BNA_E

ClientSampleId :

SSTDCCC040





Tgt Ion:276 Resp: 2020291

Ion Ratio Lower Upper

276 100

138 21.3 17.0 25.6

277 25.2 20.2 30.2



#88

Benzo(b)fluoranthene

Concen: 39.773 ng

RT: 22.660 min Scan# 3416

Delta R.T. 0.009 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50




Tgt Ion:252 Resp: 1605150


Ion Ratio Lower Upper

252 100

253 22.2 17.7 26.5

125 10.0 7.8 11.8





#89

Benzo(k)fluoranthene

Concen: 41.726 ng

RT: 22.707 min Scan# 34

Delta R.T. 0.009 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50

Instrument :

BNA_E

ClientSampleId :

SSTDCCC040





Tgt Ion:252 Resp: 1528681

Ion Ratio Lower Upper

252 100

253 22.6 17.9 26.9

125 9.6 7.7 11.5



#90

Benzo(a)pyrene

Concen: 39.853 ng

RT: 23.265 min Scan# 3519

Delta R.T. 0.014 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50




Tgt Ion:252 Resp: 1388576


Ion Ratio Lower Upper

252 100

253 22.3 17.6 26.4

125 10.8 8.6 13.0





#91

Dibenzo(a,h)anthracene

Concen: 40.069 ng

RT: 25.709 min Scan# 3931

Delta R.T. 0.026 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50

Instrument :

BNA_E

ClientSampleId :

SSTDCCC040





Tgt Ion:278 Resp: 1686880

Ion Ratio Lower Upper

278 100

139 13.7 11.2 16.8

279 23.6 19.1 28.7



#92

Benzo(g,h,i)perylene

Concen: 39.605 ng

RT: 26.473 min Scan# 4065

Delta R.T. 0.032 min

Lab File: BE101524.D

Acq: 7 Nov 2024 10:50

Tgt Ion:276 Resp: 1693934

Ion Ratio Lower Upper

276 100

277 24.3 19.5 29.3

138 18.2 15.3 22.9

