

Data Path : Z:\HPCHEM1\BNA E\DATA\BE111115\
 Data File : BE091123.D
 Acq On : 11 Nov 2015 22:07
 Operator : UM/NP
 Sample : G4308-24
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 D9KT3

Manual Integrations
 APPROVED

Mmdadoda
 11/16/2015 12:42:02 PM

Quant Time: Nov 13 15:53:44 2015
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM02.2-EPA-SIM-BE102715.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 13 13:56:00 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.90	152	3450	0.40	ng/ul	0.00
4) Naphthalene-d8	9.57	136	19004	0.40	ng/ul	0.00
8) Acenaphthene-d10	13.40	164	10749	0.40	ng/ul	0.00
12) Phenanthrene-d10	16.12	188	25941m	0.40	ng/ul	-0.01
18) Chrysene-d12	20.28	240	31923	0.40	ng/ul	0.00
22) Perylene-d12	22.19	264	29981m	0.40	ng/ul	0.00
System Monitoring Compounds						
2) 1,4-Dioxane-d8	2.95	96	4656	1.88	ng/uL	0.00
6) 2-Methylnaphthalene-d10	11.07	152	6730	0.26	ng/ul	0.00
16) Fluoranthene-d10	18.12	212	17747	0.24	ng/ul	0.00
Target Compounds						
5) Naphthalene	9.61	128	1735	0.04	ng/ul#	Ovalue 85

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA E\DATA\BE111115\
Data File : BE091123.D
Acq On : 11 Nov 2015 22:07
Operator : UM/NP
Sample : G4308-24
Misc :
ALS Vial : 10 Sample Multiplier: 1




Instrument :
BNA_E
ClientSampleId :
D9KT3

Manual Integrations
APPROVED

Mmdadoda
11/16/2015 12:42:02 PM

Quant Time: Nov 13 15:53:44 2015
Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM02.2-EPA-SIM-BE102715.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 13 13:56:00 2015
Response via : Initial Calibration





#5

Naphthalene

Concen: 0.04 ng/ul

RT: 9.61 min Scan# 1007

Delta R.T. -0.00 min

Lab File: BE091123.D

Acq: 11 Nov 2015 22:07

Instrument :

BNA_E

ClientSampleId :

D9KT3

Tot Ion	Ratio	Lower	Upper
128	100		
129	20.6	9.8	14.8#
127	17.5	10.7	16.1#

Manual Integrations
APPROVED

Mmdadoda
11/16/2015 12:42:02 PM

