

Data Path : Z:\svoasrv\HPCHEM1\BNA_E\Data\BE111224\
 Data File : BE101584.D
 Acq On : 12 Nov 2024 16:01
 Operator : RC/JU
 Sample : P4796-05
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 TP-3

Quant Time: Nov 12 16:57:27 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_E\Methods\8270-BE110624.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 07 00:01:20 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.555	152	36894	20.000	ng	0.00
21) Naphthalene-d8	10.322	136	168022	20.000	ng	0.00
39) Acenaphthene-d10	14.164	164	116991	20.000	ng	0.00
64) Phenanthrene-d10	16.902	188	272109	20.000	ng	0.00
76) Chrysene-d12	21.062	240	309711	20.000	ng	-0.01
86) Perylene-d12	23.342	264	410813	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.304	112	259020	124.138	ng	0.00
7) Phenol-d6	6.932	99	343219	119.972	ng	-0.01
23) Nitrobenzene-d5	8.765	82	202798	76.238	ng	0.00
42) 2,4,6-Tribromophenol	15.674	330	244676	111.145	ng	0.00
45) 2-Fluorobiphenyl	12.784	172	569284	79.453	ng	-0.01
79) Terphenyl-d14	19.493	244	1258841	89.972	ng	0.00
Target Compounds						
75) Fluoranthene	18.947	202	34148	2.012	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_E\Data\BE111224\
Data File : BE101584.D
Acq On : 12 Nov 2024 16:01
Operator : RC/JU
Sample : P4796-05
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
TP-3


Quant Time: Nov 12 16:57:27 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_E\Methods\8270-BE110624.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 07 00:01:20 2024
Response via : Initial Calibration




Data Path : Z:\svoasrv\HPCHEM1\BNA_E\Data\BE111224\
Data File : BE101584.D
Acq On : 12 Nov 2024 16:01
Operator : RC/JU
Sample : P4796-05
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
TP-3

Quant Time: Nov 12 16:57:27 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_E\Methods\8270-BE110624.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 07 00:01:20 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.555 min Scan# 84
Delta R.T. -0.008 min
Lab File: BE101584.D
Acq: 12 Nov 2024 16:01




Instrument :
BNA_E
ClientSampleId :
TP-3


Tgt Ion:152 Resp: 36894
Ion Ratio Lower Upper
152 100
150 159.8 126.3 189.5
115 58.8 45.0 67.4



#5
2-Fluorophenol
Concen: 124.138 ng
RT: 5.304 min Scan# 462
Delta R.T. -0.009 min
Lab File: BE101584.D
Acq: 12 Nov 2024 16:01

Tgt Ion:112 Resp: 259020
Ion Ratio Lower Upper
112 100
64 55.3 43.2 64.8
63 28.0 21.8 32.6









#7
Phenol-d6
Concen: 119.972 ng
RT: 6.932 min Scan# 71
Delta R.T. -0.015 min
Lab File: BE101584.D
Acq: 12 Nov 2024 16:01




Instrument :
BNA_E
ClientSampleId :
TP-3


Tgt Ion: 99 Resp: 343219
Ion Ratio Lower Upper
99 100
42 16.4 12.5 18.7
71 30.6 24.2 36.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.322 min Scan# 1316
Delta R.T. -0.009 min
Lab File: BE101584.D
Acq: 12 Nov 2024 16:01

Tgt Ion: 136 Resp: 168022
Ion Ratio Lower Upper
136 100
137 11.2 8.6 13.0
54 7.7 5.6 8.4
68 5.9 4.8 7.2









#23
Nitrobenzene-d5
Concen: 76.238 ng
RT: 8.765 min Scan# 1051
Delta R.T. -0.009 min
Lab File: BE101584.D
Acq: 12 Nov 2024 16:01




Instrument :
BNA_E
ClientSampleId :
TP-3


Tgt Ion: 82 Resp: 202798
Ion Ratio Lower Upper
82 100
128 47.1 38.6 58.0
54 46.1 36.3 54.5



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.164 min Scan# 1970
Delta R.T. -0.009 min
Lab File: BE101584.D
Acq: 12 Nov 2024 16:01

Tgt Ion: 164 Resp: 116991
Ion Ratio Lower Upper
164 100
162 102.5 83.7 125.5
160 45.1 37.1 55.7





#42

2,4,6-Tribromophenol

Concen: 111.145 ng

RT: 15.674 min Scan# 21

Delta R.T. -0.009 min

Lab File: BE101584.D

Acq: 12 Nov 2024 16:01

Instrument :

BNA_E

ClientSampleId :

TP-3





Tgt Ion:330 Resp: 244676

Ion Ratio Lower Upper

330 100

332 97.3 77.7 116.5

141 22.2 17.0 25.4



#45

2-Fluorobiphenyl

Concen: 79.453 ng

RT: 12.784 min Scan# 1735

Delta R.T. -0.015 min

Lab File: BE101584.D

Acq: 12 Nov 2024 16:01




Tgt Ion:172 Resp: 569284


Ion Ratio Lower Upper

172 100

171 35.9 28.6 43.0

170 23.8 18.9 28.3





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 16.902 min Scan# 2438

Delta R.T. -0.009 min

Lab File: BE101584.D

Acq: 12 Nov 2024 16:01

Instrument :

BNA_E

ClientSampleId :

TP-3





Tgt Ion:188 Resp: 272109

Ion Ratio Lower Upper

188 100

94 9.5 7.4 11.2

80 10.2 8.0 12.0



#75

Fluoranthene

Concen: 2.012 ng

RT: 18.947 min Scan# 2784

Delta R.T. -0.009 min

Lab File: BE101584.D

Acq: 12 Nov 2024 16:01




Tgt Ion:202 Resp: 34148


Ion Ratio Lower Upper

202 100

101 12.2 0.0 31.7

203 18.7 0.0 37.8









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.062 min Scan# 3144
Delta R.T. -0.015 min
Lab File: BE101584.D
Acq: 12 Nov 2024 16:01




Instrument :
BNA_E
ClientSampleId :
TP-3


Tgt Ion:240 Resp: 309711
Ion Ratio Lower Upper
240 100
120 10.6 8.2 12.4
236 26.6 21.4 32.2



#79
Terphenyl-d14
Concen: 89.972 ng
RT: 19.493 min Scan# 2877
Delta R.T. -0.009 min
Lab File: BE101584.D
Acq: 12 Nov 2024 16:01

Tgt Ion:244 Resp: 1258841
Ion Ratio Lower Upper
244 100
212 6.6 5.8 8.8
122 10.7 8.4 12.6





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.342 min Scan# 31
 Delta R.T. -0.015 min
 Lab File: BE101584.D
 Acq: 12 Nov 2024 16:01

Instrument :
 BNA_E
 ClientSampleId :
 TP-3

Tgt Ion:264 Resp: 410813

Ion	Ratio	Lower	Upper
264	100		
260	24.2	19.4	29.2
265	21.8	17.4	26.2

