

Data Path : Z:\HPCHEM1\BNA E\DATA\BE111315\
 Data File : BE091157.D
 Acq On : 14 Nov 2015 00:59
 Operator : UM/NP
 Sample : G4342-05
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 D9KP6

Manual Integrations
 APPROVED

mmdadoda
 11/16/2015 3:24:55 PM

Quant Time: Nov 16 10:57:32 2015
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM02.2-EPA-SIM-BE102715.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Nov 14 04:34:12 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.90	152	3894	0.40	ng/ul	-0.07
4) Naphthalene-d8	9.57	136	19383	0.40	ng/ul	-0.04
8) Acenaphthene-d10	13.38	164	11644	0.40	ng/ul	-0.02
12) Phenanthrene-d10	16.10	188	28608	0.40	ng/ul	-0.01
18) Chrysene-d12	20.24	240	45669	0.40	ng/ul	0.00
22) Perylene-d12	22.13	264	40970m	0.40	ng/ul	-0.01
System Monitoring Compounds						
2) 1,4-Dioxane-d8	3.10	96	12428	4.44	ng/uL	-0.06
6) 2-Methylnaphthalene-d10	11.10	152	3368	0.13	ng/ul	-0.02
16) Fluoranthene-d10	18.09	212	10446	0.13	ng/ul	0.00
Target Compounds						
5) Naphthalene	9.61	128	1891	0.04	ng/ul#	Ovalue 81

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA E\DATA\BE111315\
Data File : BE091157.D
Acq On : 14 Nov 2015 00:59
Operator : UM/NP
Sample : G4342-05
Misc :
ALS Vial : 7 Sample Multiplier: 1




Instrument :
BNA_E
ClientSampleId :
D9KP6

Manual Integrations
APPROVED

mmdadoda
11/16/2015 3:24:55 PM

Quant Time: Nov 16 10:57:32 2015
Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM02.2-EPA-SIM-BE102715.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Nov 14 04:34:12 2015
Response via : Initial Calibration





#5

Naphthalene

Concen: 0.04 ng/ul

RT: 9.61 min Scan# 1081

Delta R.T. -0.04 min

Lab File: BE091157.D

Acq: 14 Nov 2015 00:59

Instrument :

BNA_E

ClientSampleId :

D9KP6

Tot Ion:128 Resp: 1891

Ion Ratio Lower Upper

128 100

129 22.1 9.8 14.8#

127 18.5 10.7 16.1#

Manual Integrations
APPROVED

mmdadoda
11/16/2015 3:24:55 PM

