

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE111715\
 Data File : BE091201.D
 Acq On : 17 Nov 2015 13:04
 Operator : UM/NP
 Sample : G4309-18
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 D9KT1

Manual Integrations
 APPROVED

Mmdadoda
 11/19/2015 6:41:34 PM

Quant Time: Nov 19 11:50:28 2015
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM02.2-EPA-SIM-BE102715.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 18 03:27:44 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.88	152	3429	0.40	ng/ul	-0.03
4) Naphthalene-d8	9.55	136	17322	0.40	ng/ul	-0.03
8) Acenaphthene-d10	13.36	164	11322	0.40	ng/ul	0.00
12) Phenanthrene-d10	16.09	188	30344m	0.40	ng/ul	0.00
18) Chrysene-d12	20.23	240	59644	0.40	ng/ul	0.00
22) Perylene-d12	22.11	264	48335m	0.40	ng/ul	0.00
System Monitoring Compounds						
2) 1,4-Dioxane-d8	2.99	96	19215	7.79	ng/uL	-0.03
6) 2-Methylnaphthalene-d10	11.07	152	6355	0.27	ng/ul	0.00
16) Fluoranthene-d10	18.07	212	21930	0.26	ng/ul	0.00
Target Compounds						
14) Phenanthrene	16.11	178	10692m	0.03	ng/ul	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA_E\DATA\BE111715\
Data File : BE091201.D
Acq On : 17 Nov 2015 13:04
Operator : UM/NP
Sample : G4309-18
Misc :
ALS Vial : 24 Sample Multiplier: 1




Instrument :
BNA_E
ClientSampleId :
D9KT1

Manual Integrations
APPROVED

Mmdadoda
11/19/2015 6:41:34 PM

Quant Time: Nov 19 11:50:28 2015
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM02.2-EPA-SIM-BE102715.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 18 03:27:44 2015
Response via : Initial Calibration





#14

Phenanthrene

Concen: 0.03 ng/ul m

RT: 16.11 min Scan# 2120

Delta R.T. -0.01 min

Lab File: BE091201.D

Acq: 17 Nov 2015 13:04

Instrument :

BNA_E

ClientSampleId :

D9KT1

Tgt Ion:178 Resp: 10692

Ion Ratio Lower Upper

178 100

176 25.9 16.2 24.4#

179 21.2 12.8 19.2#

Manual Integrations
APPROVED

Mmdadoda
11/19/2015 6:41:34 PM

