

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE111815\
 Data File : BE091223.D
 Acq On : 18 Nov 2015 12:15
 Operator : UM/NP
 Sample : G4309-26
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 D9KN6

Quant Time: Nov 19 04:27:57 2015
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM02.2-EPA-SIM-BE102715.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 19 04:25:56 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.88	152	3430	0.40	ng/ul	-0.02
4) Naphthalene-d8	9.55	136	17365	0.40	ng/ul	-0.02
8) Acenaphthene-d10	13.36	164	9181	0.40	ng/ul	0.00
12) Phenanthrene-d10	16.17	188	1472959	0.40	ng/ul	0.08
18) Chrysene-d12	20.23	240	48422	0.40	ng/ul	0.00
22) Perylene-d12	21.99	264	1956542	0.40	ng/ul	-0.12

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
2) 1,4-Dioxane-d8	2.97	96	20608	8.35	ng/uL	-0.02
6) 2-Methylnaphthalene-d10	11.07	152	5819	0.25	ng/ul	0.00
16) Fluoranthene-d10	18.07	212	18153	0.00	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
3) 1,4-Dioxane	3.08	88	33	0.01	ng/ul#	24
5) Naphthalene	9.59	128	698	0.02	ng/ul#	55
7) 2-Methylnaphthalene	11.05	142	11	0.00	ng/ul	87
9) Acenaphthylene	13.08	152	151	0.00	ng/ul#	1
10) Acenaphthene	13.43	153	57	0.00	ng/ul#	74
11) Fluorene	14.41	166	88	0.00	ng/ul#	81
13) Pentachlorophenol	15.94	266	8	0.00	ng/ul#	16
14) Phenanthrene	16.17	178	3367	0.00	ng/ul#	1
15) Anthracene	16.17	178	3379	0.00	ng/ul#	1
17) Fluoranthene	18.19	202	29	0.00	ng/ul#	1
19) Pyrene	18.45	202	12932	0.02	ng/ul#	1
20) Benzo(a)anthracene	20.20	228	63	0.00	ng/ul#	14
21) Chrysene	20.27	228	125	0.00	ng/ul#	40
23) Benzo(b)fluoranthene	21.43	252	19	0.00	ng/ul#	1
24) Benzo(k)fluoranthene	21.46	252	26	0.00	ng/ul#	1
25) Benzo(a)pyrene	21.98	252	7435	0.00	ng/ul#	68
26) Indeno(1,2,3-cd)pyrene	23.57	276	14	0.00	ng/ul#	1
27) Dibenzo(a,h)anthracene	23.53	278	23	0.00	ng/ul#	1
28) Benzo(g,h,i)perylene	24.13	276	38	0.00	ng/ul#	1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE111815\
Data File : BE091223.D
Acq On : 18 Nov 2015 12:15
Operator : UM/NP
Sample : G4309-26
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
D9KN6

Quant Time: Nov 19 04:27:57 2015
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM02.2-EPA-SIM-BE102715.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 19 04:25:56 2015
Response via : Initial Calibration





#3

1,4-Dioxane

Concen: 0.01 ng/ul

RT: 3.08 min Scan# 144

Delta R.T. 0.05 min

Lab File: BE091223.D

Acq: 18 Nov 2015 12:15

Instrument :

BNA_E

ClientSampleId :

D9KN6


Tgt Ion: 88 Resp: 33

Ion Ratio Lower Upper




88 100

58 0.0 55.4 83.2#

43 0.0 24.2 36.2#



Abundance Ion 88.00 (87.70 to 88.70): BE0
Ion 58.00 (57.70 to 58.70): BE0
Ion 43.00 (42.70 to 43.70): BE0



#5

Naphthalene

Concen: 0.02 ng/ul

RT: 9.59 min Scan# 1078

Delta R.T. -0.02 min

Lab File: BE091223.D

Acq: 18 Nov 2015 12:15


Tgt Ion: 128 Resp: 698

Ion Ratio Lower Upper



128 100


129 38.3 9.8 14.8#

127 23.2 10.7 16.1#



Abundance Ion 128.00 (127.70 to 128.70): E
Ion 129.00 (128.70 to 129.70): E
Ion 127.00 (126.70 to 127.70): E





#7

2-Methylnaphthalene

Concen: 0.00 ng/ul

RT: 11.05 min Scan# 1373

Delta R.T. -0.09 min

Lab File: BE091223.D

Acq: 18 Nov 2015 12:15

Instrument :

BNA_E

ClientSampleId :





D9KN6

Tgt Ion:142 Resp: 11

Ion Ratio Lower Upper

142 100

141 100.0 70.3 105.5



#9

Acenaphthylene

Concen: 0.00 ng/ul

RT: 13.08 min Scan# 1775

Delta R.T. -0.05 min

Lab File: BE091223.D

Acq: 18 Nov 2015 12:15




Tgt Ion:152 Resp: 151


Ion Ratio Lower Upper

152 100

151 60.2 16.8 25.2#

153 180.5 11.3 16.9#





#10

Acenaphthene

Concen: 0.00 ng/ul

RT: 13.43 min Scan# 1822

Delta R.T. -0.00 min

Lab File: BE091223.D

Acq: 18 Nov 2015 12:15

Instrument :

BNA_E

ClientSampleId :

D9KN6


Tgt Ion:153 Resp: 57

Ion Ratio Lower Upper

153 100

152 98.7 42.3 63.5#




154 81.3 64.7 97.1



Abundance Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E

Ion 154.00 (153.70 to 154.70): E



#11

Fluorene

Concen: 0.00 ng/ul

RT: 14.41 min Scan# 1952

Delta R.T. -0.01 min

Lab File: BE091223.D

Acq: 18 Nov 2015 12:15


Tgt Ion:166 Resp: 88

Ion Ratio Lower Upper

166 100

165 104.5 87.6 131.4



167 68.2 11.1 16.7#




Abundance Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E









#13
 Pentachlorophenol
 Concen: 0.00 ng/ul
 RT: 15.94 min Scan# 2106
 Delta R.T. 0.08 min
 Lab File: BE091223.D
 Acq: 18 Nov 2015 12:15




Instrument :
 BNA_E
 ClientSampleId :
 D9KN6


Tgt Ion: 266 Resp: 8
 Ion Ratio Lower Upper
 266 100
 264 0.0 53.5 80.3#
 268 0.0 54.2 81.2#



#14
 Phenanthrene
 Concen: 0.00 ng/ul
 RT: 16.17 min Scan# 2125
 Delta R.T. 0.05 min
 Lab File: BE091223.D
 Acq: 18 Nov 2015 12:15

Tgt Ion: 178 Resp: 3367
 Ion Ratio Lower Upper
 178 100
 176 22.8 16.2 24.4
 179 302.4 12.8 19.2#





#15

Anthracene

Concen: 0.00 ng/ul

RT: 16.17 min Scan# 2125

Delta R.T. -0.04 min

Lab File: BE091223.D

Acq: 18 Nov 2015 12:15

Instrument :

BNA_E

ClientSampleId :

D9KN6


Tgt Ion:178 Resp: 3379

Ion Ratio Lower Upper

178 100

176 22.8 15.8 23.8




179 302.4 13.3 19.9#



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E



#17

Fluoranthene

Concen: 0.00 ng/ul

RT: 18.19 min Scan# 2371

Delta R.T. 0.09 min

Lab File: BE091223.D

Acq: 18 Nov 2015 12:15


Tgt Ion:202 Resp: 29

Ion Ratio Lower Upper

202 100

101 28.7 0.0 33.1



203 114.7 0.0 37.2#




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E





#19

Pyrene

Concen: 0.02 ng/ul

RT: 18.45 min Scan# 2412

Delta R.T. -0.03 min

Lab File: BE091223.D

Acq: 18 Nov 2015 12:15

Instrument :

BNA_E

ClientSampleId :

D9KN6


Tgt Ion:202 Resp: 12932

Ion Ratio Lower Upper

202 100

200 1.7 18.0 27.0#




203 201.5 13.8 20.6#



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 200.00 (199.70 to 200.70): E

Ion 203.00 (202.70 to 203.70): E



#20

Benzo(a)anthracene

Concen: 0.00 ng/ul

RT: 20.20 min Scan# 2755

Delta R.T. 0.00 min

Lab File: BE091223.D

Acq: 18 Nov 2015 12:15


Tgt Ion:228 Resp: 63

Ion Ratio Lower Upper

228 100

226 65.1 23.0 34.4#



229 69.8 15.2 22.8#




Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E





#21

Chrysene

Concen: 0.00 ng/ul

RT: 20.27 min Scan# 2769

Delta R.T. 0.00 min

Lab File: BE091223.D

Acq: 18 Nov 2015 12:15

Instrument :

BNA_E

ClientSampleId :

D9KN6


Tgt Ion:228 Resp: 125

Ion Ratio Lower Upper

228 100

226 62.0 25.7 38.5#




229 51.3 15.2 22.8#



Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E



#23

Benzo(b)fluoranthene

Concen: 0.00 ng/ul

RT: 21.43 min Scan# 3022

Delta R.T. -0.12 min

Lab File: BE091223.D

Acq: 18 Nov 2015 12:15


Tgt Ion:252 Resp: 19

Ion Ratio Lower Upper

252 100

253 123.4 0.0 48.0#



125 110.1 0.0 36.6#




Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E





#24

Benzo(k)fluoranthene

Concen: 0.00 ng/ul

RT: 21.46 min Scan# 3028

Delta R.T. -0.12 min

Lab File: BE091223.D

Acq: 18 Nov 2015 12:15

Instrument :

BNA_E

ClientSampleId :

D9KN6


Tgt Ion:252 Resp: 26

Ion Ratio Lower Upper

252 100

253 137.2 20.8 31.2#




125 112.8 12.2 18.4#



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#25

Benzo(a)pyrene

Concen: 0.00 ng/ul

RT: 21.98 min Scan# 3143

Delta R.T. -0.03 min

Lab File: BE091223.D

Acq: 18 Nov 2015 12:15


Tgt Ion:252 Resp: 7435

Ion Ratio Lower Upper

252 100

253 32.1 21.8 32.8



125 47.6 14.5 21.7#




Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E





#26

Indeno(1,2,3-cd)pyrene

Concen: 0.00 ng/ul

RT: 23.57 min Scan# 3451

Delta R.T. -0.13 min

Lab File: BE091223.D

Acq: 18 Nov 2015 12:15

Instrument :

BNA_E

ClientSampleId :

D9KN6


Tgt Ion:276 Resp: 14

Ion Ratio Lower Upper

276 100

138 571.4 27.5 41.3#


277 335.7 19.3 28.9#





Abundance Ion 276.00 (275.70 to 276.70): E

Ion 138.00 (137.70 to 138.70): E

Ion 277.00 (276.70 to 277.70): E



Time-->



#27

Dibenzo(a,h)anthracene

Concen: 0.00 ng/ul

RT: 23.53 min Scan# 3445

Delta R.T. -0.12 min

Lab File: BE091223.D

Acq: 18 Nov 2015 12:15


Tgt Ion:278 Resp: 23

Ion Ratio Lower Upper

278 100

139 0.0 21.7 32.5#


279 124.2 21.9 32.9#




Abundance Ion 278.00 (277.70 to 278.70): E


Ion 139.00 (138.70 to 139.70): E

Ion 279.00 (278.70 to 279.70): E



Time-->





#28

Benzo(g,h,i)perylene

Concen: 0.00 ng/u1

RT: 24.13 min Scan# 3537

Delta R.T. -0.12 min

Lab File: BE091223.D


Acq: 18 Nov 2015 12:15

Instrument :

BNA_E

ClientSampleId :

D9KN6




Tgt Ion: 276 Resp: 38

Ion Ratio Lower Upper

276 100

277 108.0 21.3 31.9#

138 309.7 25.5 38.3#



Abundance Ion 276.00 (275.70 to 276.70): E

Ion 277.00 (276.70 to 277.70): E

Ion 138.00 (137.70 to 138.70): E

