

Data Path : Z:\HPCHEM1\BNA E\DATA\BE111815\
 Data File : BE091240.D
 Acq On : 18 Nov 2015 22:35
 Operator : UM/NP
 Sample : G4310-04
 Misc :
 ALS Vial : 46 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 D9KL9

Manual Integrations
 APPROVED

Mmdadoda
 11/19/2015 7:02:53 PM

Quant Time: Nov 19 18:36:03 2015
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM02.2-EPA-SIM-BE102715.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 19 06:02:12 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.88	152	4923	0.40	ng/ul	-0.03
4) Naphthalene-d8	9.54	136	29263	0.40	ng/ul	-0.03
8) Acenaphthene-d10	13.36	164	21312	0.40	ng/ul	0.00
12) Phenanthrene-d10	16.08	188	52504m	0.40	ng/ul	-0.01
18) Chrysene-d12	20.23	240	74968	0.40	ng/ul	0.00
22) Perylene-d12	22.11	264	62404m	0.40	ng/ul	0.00
System Monitoring Compounds						
2) 1,4-Dioxane-d8	2.95	96	27632	7.80	ng/uL	-0.04
6) 2-Methylnaphthalene-d10	11.06	152	10962	0.27	ng/ul	-0.01
16) Fluoranthene-d10	18.07	212	29597	0.20	ng/ul	0.00
Target Compounds						
14) Phenanthrene	16.11	178	20005m	0.03	ng/ul	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA E\DATA\BE111815\
Data File : BE091240.D
Acq On : 18 Nov 2015 22:35
Operator : UM/NP
Sample : G4310-04
Misc :
ALS Vial : 46 Sample Multiplier: 1




Instrument :
BNA_E
ClientSampleId :
D9KL9

Manual Integrations
APPROVED

Mmdadoda
11/19/2015 7:02:53 PM

Quant Time: Nov 19 18:36:03 2015
Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM02.2-EPA-SIM-BE102715.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 19 06:02:12 2015
Response via : Initial Calibration





#14

Phenanthrene

Concen: 0.03 ng/ul m

RT: 16.11 min Scan# 2120

Delta R.T. -0.01 min

Lab File: BE091240.D

Acq: 18 Nov 2015 22:35

Instrument :

BNA_E

ClientSampleId :

D9KL9

Tot Ion:178 Resp: 20005

Ion Ratio Lower Upper

178 100

176 31.1 16.2 24.4#

179 33.5 12.8 19.2#

Manual Integrations
APPROVED

Mmdadoda
11/19/2015 7:02:53 PM

