

Data Path : Z:\HPCHEM1\BNA E\DATA\BE112217\
 Data File : BE094853.D
 Acq On : 23 Nov 2017 3:45
 Operator : SJ/JU
 Sample : I6496-14
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 C0AA4

Manual Integrations
 APPROVED

Sohil
 11/27/2017 3:26:09 PM

Quant Time: Nov 23 22:35:45 2017
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE111417.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 23 02:50:08 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.89	152	746	0.40	ng/ul	-0.05
2) Naphthalene-d8	10.67	136	5245	0.40	ng/ul	-0.03
6) Acenaphthene-d10	14.50	164	3482	0.40	ng/ul	-0.02
10) Phenanthrene-d10	17.24	188	8211	0.40	ng/ul	-0.02
16) Chrysene-d12	21.42	240	8276	0.40	ng/ul	-0.01
20) Perylene-d12	23.95	264	8967	0.40	ng/ul	-0.02
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.27	152	1427	0.17	ng/ul	-0.03
14) Fluoranthene-d10	19.27	212	4498	0.16	ng/ul	-0.01
Target Compounds				Ovalue		
12) Phenanthrene	17.27	178	1028m	0.047	ng/ul	
17) Pyrene	19.66	202	1386	0.054	ng/ul#	93
18) Benzo(a)anthracene	21.40	228	898	0.036	ng/ul#	76
19) Chrysene	21.45	228	1026	0.041	ng/ul#	72
21) Benzo(b)fluoranthene	23.18	252	1096m	0.041	ng/ul	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA E\DATA\BE112217\
Data File : BE094853.D
Acq On : 23 Nov 2017 3:45
Operator : SJ/JU
Sample : I6496-14
Misc :
ALS Vial : 29 Sample Multiplier: 1


Instrument :
BNA_E
ClientSampleId :
C0AA4

Manual Integrations
APPROVED

Sohil
11/27/2017 3:26:09 PM

Quant Time: Nov 23 22:35:45 2017
Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE111417.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 23 02:50:08 2017
Response via : Initial Calibration





#12

Phenanthrene

Concen: 0.047 ng/ul m

RT: 17.27 min Scan# 2430

Delta R.T. -0.02 min

Lab File: BE094853.D

Acq: 23 Nov 2017 3:45

Instrument :

BNA_E

ClientSampled :

C0AA4

Tot Ion:178 Resp: 1028

Ion Ratio Lower Upper

178 100


179 23.6 18.4 27.6

176 24.2 13.6 20.4#

Manual Integrations
APPROVED

Sohil




11/27/2017 3:26:09 PM



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 179.00 (178.70 to 179.70): E

Ion 176.00 (175.70 to 176.70): E



#17

Pyrene

Concen: 0.054 ng/ul

RT: 19.66 min Scan# 2830

Delta R.T. -0.02 min

Lab File: BE094853.D

Acq: 23 Nov 2017 3:45


Tgt Ion:202 Resp: 1386

Ion Ratio Lower Upper

202 100

101 28.6 18.2 27.4#



100 19.7 15.6 23.4




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): E









#18
Benzo(a)anthracene
Concen: 0.036 ng/ul
RT: 21.40 min Scan# 3208
Delta R.T. -0.01 min
Lab File: BE094853.D
Acq: 23 Nov 2017 3:45

Instrument :
BNA_E
ClientSampled :
C0AA4

Tot Ion	Ratio	Lower	Upper
228	100		
229	38.1	22.8	34.2#
226	36.4	17.0	25.6#




Manual Integrations
APPROVED




Sohil
11/27/2017 3:26:09 PM



#19
Chrysene
Concen: 0.041 ng/ul
RT: 21.45 min Scan# 3220
Delta R.T. -0.01 min
Lab File: BE094853.D
Acq: 23 Nov 2017 3:45

Tgt Ion	Ratio	Lower	Upper
228	100		
226	39.9	23.4	35.0#
229	40.0	17.7	26.5#





#21

Benzo(b)fluoranthene

Concen: 0.041 ng/ul m

RT: 23.18 min Scan# 3595

Delta R.T. -0.01 min

Lab File: BE094853.D

Acq: 23 Nov 2017 3:45

Instrument :

BNA_E

ClientSampleId :

C0AA4

Tot Ion	Ratio	Lower	Upper
252	100		
253	52.0	0.0	64.2
125	90.6	0.0	35.0

Manual Integrations
APPROVED

Sohil
11/27/2017 3:26:09 PM

