

Data Path : Z:\HPCHEM1\BNA E\DATA\BE112315\  
 Data File : BE091311.D  
 Acq On : 23 Nov 2015 22:00  
 Operator : UM/NP  
 Sample : G4346-02RX  
 Misc :  
 ALS Vial : 16 Sample Multiplier: 1

Instrument :  
 BNA\_E  
 ClientSampleId :  
 A4J70RX

Manual Integrations  
 APPROVED

Mmdadoda  
 11/24/2015 1:06:53 PM

Quant Time: Nov 24 03:17:56 2015  
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM02.2-EPA-SIM-BE102715.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Tue Nov 24 02:51:08 2015  
 Response via : Initial Calibration

| Internal Standards          | R.T.  | QIon | Response | Conc   | Units  | Dev(Min) |
|-----------------------------|-------|------|----------|--------|--------|----------|
| 1) 1,4-Dichlorobenzene-d4   | 6.87  | 152  | 2327     | 0.40   | ng/ul  | -0.03    |
| 4) Naphthalene-d8           | 9.55  | 136  | 11506    | 0.40   | ng/ul  | -0.02    |
| 8) Acenaphthene-d10         | 13.36 | 164  | 6212     | 0.40   | ng/ul  | -0.01    |
| 12) Phenanthrene-d10        | 16.08 | 188  | 15830    | 0.40   | ng/ul  | -0.01    |
| 18) Chrysene-d12            | 20.22 | 240  | 18633    | 0.40   | ng/ul  | 0.00     |
| 22) Perylene-d12            | 22.10 | 264  | 20077    | 0.40   | ng/ul  | 0.00     |
| System Monitoring Compounds |       |      |          |        |        |          |
| 2) 1,4-Dioxane-d8           | 2.94  | 96   | 8416     | 5.03   | ng/uL  | -0.01    |
| 6) 2-Methylnaphthalene-d10  | 11.06 | 152  | 2087     | 0.13   | ng/ul  | 0.00     |
| 16) Fluoranthene-d10        | 18.06 | 212  | 5310     | 0.12   | ng/ul  | 0.00     |
| Target Compounds            |       |      |          | Ovalue |        |          |
| 5) Naphthalene              | 9.59  | 128  | 1635     | 0.06   | ng/ul# | 83       |
| 7) 2-Methylnaphthalene      | 11.12 | 142  | 690      | 0.04   | ng/ul  | 97       |
| 9) Acenaphthylene           | 13.10 | 152  | 11493    | 0.37   | ng/ul  | 99       |
| 10) Acenaphthene            | 13.42 | 153  | 823      | 0.04   | ng/ul# | 88       |
| 14) Phenanthrene            | 16.11 | 178  | 183986   | 1.01   | ng/ul  | 99       |
| 15) Anthracene              | 16.20 | 178  | 47428m   | 0.29   | ng/ul  |          |
| 17) Fluoranthene            | 18.09 | 202  | 424455   | 1.98   | ng/ul  | 89       |
| 19) Pyrene                  | 18.47 | 202  | 492860   | 2.33   | ng/ul# | 80       |
| 20) Benzo(a)anthracene      | 20.19 | 228  | 48529m   | 1.01   | ng/ul  |          |
| 21) Chrysene                | 20.26 | 228  | 74495    | 1.35   | ng/ul  | 96       |
| 23) Benzo(b)fluoranthene    | 21.55 | 252  | 50706    | 0.81   | ng/ul  | 96       |
| 24) Benzo(k)fluoranthene    | 21.58 | 252  | 52847    | 0.82   | ng/ul  | 96       |
| 25) Benzo(a)pyrene          | 22.01 | 252  | 55853    | 0.97   | ng/ul  | 94       |
| 26) Indeno(1,2,3-cd)pyrene  | 23.70 | 276  | 141686   | 0.58   | ng/ul# | 91       |
| 28) Benzo(a,h,i)perylene    | 24.25 | 276  | 153423   | 0.60   | ng/ul  | 97       |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE112315\  
Data File : BE091311.D  
Acq On : 23 Nov 2015 22:00  
Operator : UM/NP  
Sample : G4346-02RX  
Misc :  
ALS Vial : 16 Sample Multiplier: 1

Instrument :  
BNA\_E  
ClientSampleId :  
A4J70RX

Manual Integrations  
APPROVED

Mmdadoda  
11/24/2015 1:06:53 PM

Quant Time: Nov 24 03:17:56 2015  
Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM02.2-EPA-SIM-BE102715.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Tue Nov 24 02:51:08 2015  
Response via : Initial Calibration

