

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA E\DATA\BE120517\
 Data File : BE094922.D
 Acq On : 5 Dec 2017 19:40
 Operator : SJ/JU
 Sample : I6698-03
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 FT-MW08I-20171129

Quant Time: Dec 06 04:38:00 2017
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE113017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 01 13:33:28 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.49	152	9118	0.40	ng	0.00
7) Naphthalene-d8	11.33	136	21022	0.40	ng	0.00
13) Acenaphthene-d10	15.08	164	13204	0.40	ng	0.00
19) Phenanthrene-d10	17.77	188	28788	0.40	ng	0.00
27) Chrysene-d12	21.89	240	29947	0.40	ng	0.00
34) Perylene-d12	24.57	264	23031	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.96	112	2107	0.15	ng	0.00
5) Phenol-d6	7.59	99	2123	0.10	ng	0.00
8) Nitrobenzene-d5	9.66	82	4478	0.36	ng	0.00
11) 2-Methylnaphthalene-d10	12.87	152	14296	0.43	ng	0.00
14) 2,4,6-Tribromophenol	16.53	330	1240	0.45	ng	0.00
15) 2-Fluorobiphenyl	13.71	172	24855	0.44	ng	0.00
25) Fluoranthene-d10	19.76	212	154972	0.39	ng	0.00
29) Terphenyl-d14	20.33	244	30645	0.55	ng	0.00
Target Compounds						
32) Bis(2-ethylhexyl)phthalate	21.76	149	19518	0.128	ng	Qvalue # 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA E\DATA\BE120517\
Data File : BE094922.D
Acq On : 5 Dec 2017 19:40
Operator : SJ/JU
Sample : I6698-03
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
FT-MW08I-20171129

Quant Time: Dec 06 04:38:00 2017
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE113017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 01 13:33:28 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 8.49 min Scan# 447

Delta R.T. -0.00 min

Lab File: BE094922.D

Acq: 5 Dec 2017 19:40

Instrument :

BNA_E

ClientSampleId :

FT-MW08I-20171129


Tot Ion:152 Resp: 9118

Ion Ratio Lower Upper

152 100

150 140.6 117.2 175.8




115 61.7 57.0 85.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 0.146 ng

RT: 5.96 min Scan# 246

Delta R.T. -0.00 min

Lab File: BE094922.D

Acq: 5 Dec 2017 19:40


Tgt Ion:112 Resp: 2107

Ion Ratio Lower Upper

112 100

64 81.5 60.1 90.1



63 155.9 116.8 175.2




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.099 ng

RT: 7.59 min Scan# 376

Delta R.T. -0.00 min

Lab File: BE094922.D

Acq: 5 Dec 2017 19:40

Instrument :

BNA_E

ClientSampleId :

FT-MW08I-20171129


Tot Ion: 99 Resp: 2123

Ion Ratio Lower Upper

99 100

42 31.0 20.2 30.2#




71 44.3 28.4 42.6#



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 11.33 min Scan# 613

Delta R.T. -0.00 min

Lab File: BE094922.D

Acq: 5 Dec 2017 19:40

Tgt Ion: 136 Resp: 21022


Ion Ratio Lower Upper

136 100

137 11.0 9.5 14.3

54 54.4 29.1 43.7#

68 11.7 6.2 9.2#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0









#8
 Nitrobenzene-d5
 Concen: 0.360 ng
 RT: 9.66 min Scan# 514
 Delta R.T. -0.00 min
 Lab File: BE094922.D
 Acq: 5 Dec 2017 19:40

Instrument :
 BNA_E
 ClientSampleId :
 FT-MW08I-20171129

Tot Ion: 82 Resp: 4478
 Ion Ratio Lower Upper
 82 100
 128 122.3 150.0 225.0#
 54 207.5 154.2 231.4




Abundance Ion 82.00 (81.70 to 82.70): BE0
 Ion 128.00 (127.70 to 128.70): BE0
 Ion 54.00 (53.70 to 54.70): BE0






#11
 2-Methylnaphthalene-d10
 Concen: 0.426 ng
 RT: 12.87 min Scan# 846
 Delta R.T. 0.00 min
 Lab File: BE094922.D
 Acq: 5 Dec 2017 19:40

Tgt Ion: 152 Resp: 14296
 Ion Ratio Lower Upper
 152 100
 151 20.5 15.4 23.0



Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 151.00 (150.70 to 151.70): E





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 15.08 min Scan# 1005

Delta R.T. 0.00 min

Lab File: BE094922.D

Acq: 5 Dec 2017 19:40

Instrument :

BNA_E

ClientSampleId :

FT-MW08I-20171129


Tot Ion:164 Resp: 13204

Ion Ratio Lower Upper

164 100

162 104.0 83.1 124.7




160 58.4 37.1 55.7#



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.451 ng

RT: 16.53 min Scan# 1100

Delta R.T. 0.00 min

Lab File: BE094922.D

Acq: 5 Dec 2017 19:40


Tgt Ion:330 Resp: 1240

Ion Ratio Lower Upper

330 100

332 97.4 152.7 229.1#



141 95.7 33.7 50.5#




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E





#15

2-Fluorobiphenyl

Concen: 0.440 ng

RT: 13.71 min Scan# 913

Delta R.T. 0.00 min

Lab File: BE094922.D

Acq: 5 Dec 2017 19:40

Instrument :


BNA_E

ClientSampleId :

FT-MW08I-20171129

Tot Ion:172 Resp: 24855




Ion	Ratio	Lower	Upper
172	100		
171	34.2	29.9	44.9
170	21.9	21.8	32.8



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E



#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.77 min Scan# 1183


Delta R.T. 0.00 min

Lab File: BE094922.D

Acq: 5 Dec 2017 19:40

Tgt Ion:188 Resp: 28788



Ion	Ratio	Lower	Upper
188	100		
94	0.0	3.9	5.9#
80	27.8	3.6	5.4#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0





#25

Fluoranthene-d10

Concen: 0.394 ng

RT: 19.76 min Scan# 1432

Delta R.T. 0.00 min

Lab File: BE094922.D

Acq: 5 Dec 2017 19:40

Instrument :

BNA_E

ClientSampleId :

FT-MW08I-20171129


Tot Ion:212 Resp: 154972

Ion Ratio Lower Upper

212 100

106 3.6 2.8 4.2




104 2.0 1.6 2.4



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.89 min Scan# 1583

Delta R.T. 0.00 min

Lab File: BE094922.D

Acq: 5 Dec 2017 19:40


Tgt Ion:240 Resp: 29947

Ion Ratio Lower Upper

240 100

120 10.2 5.5 8.3#



236 28.5 20.7 31.1




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.554 ng

RT: 20.33 min Scan# 1483

Delta R.T. 0.00 min

Lab File: BE094922.D

Acq: 5 Dec 2017 19:40

Instrument :

BNA_E

ClientSampleId :

FT-MW08I-20171129


Tot Ion:244 Resp: 30645

Ion Ratio Lower Upper

244 100

212 8.1 25.4 38.0#




122 8.2 8.1 12.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.128 ng

RT: 21.76 min Scan# 1575

Delta R.T. 0.00 min

Lab File: BE094922.D

Acq: 5 Dec 2017 19:40


Tgt Ion:149 Resp: 19518

Ion Ratio Lower Upper

149 100

167 8.4 5.4 8.0#



279 1.2 0.7 1.1#






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34

Pervlene-d12

Concen: 0.400 ng

RT: 24.57 min Scan# 2149

Delta R.T. 0.00 min

Lab File: BE094922.D

Acq: 5 Dec 2017 19:40

Instrument :

BNA_E

ClientSampleId :

FT-MW08I-20171129

Tot Ion:264 Resp: 23031

Ion Ratio Lower Upper

264 100

260 25.0 20.5 30.7

265 29.9 22.8 34.2

