

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA E\DATA\BE120517\
 Data File : BE094944.D
 Acq On : 6 Dec 2017 8:41
 Operator : SJ/JU
 Sample : I6707-04
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 FT-MW10I-20171130

Quant Time: Dec 06 17:40:27 2017
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE113017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 01 13:33:28 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.47	152	8229	0.40	ng	-0.01
7) Naphthalene-d8	11.33	136	17315	0.40	ng	0.00
13) Acenaphthene-d10	15.06	164	10654	0.40	ng	-0.02
19) Phenanthrene-d10	17.77	188	25782	0.40	ng	0.00
27) Chrysene-d12	21.87	240	27633	0.40	ng	-0.01
34) Perylene-d12	24.55	264	23196	0.40	ng	-0.02
System Monitoring Compounds						
4) 2-Fluorophenol	5.95	112	2260	0.17	ng	0.00
5) Phenol-d6	7.59	99	1921	0.10	ng	0.00
8) Nitrobenzene-d5	9.65	82	5993	0.58	ng	-0.02
11) 2-Methylnaphthalene-d10	12.86	152	11375	0.41	ng	0.00
14) 2,4,6-Tribromophenol	16.53	330	1285	0.55	ng	0.00
15) 2-Fluorobiphenyl	13.71	172	19188	0.42	ng	0.00
25) Fluoranthene-d10	19.75	212	138684	0.39	ng	0.00
29) Terphenyl-d14	20.31	244	27392	0.54	ng	-0.01
Target Compounds						Qvalue
32) Bis(2-ethylhexyl)phthalate	21.75	149	9882	0.070	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA E\DATA\BE120517\
Data File : BE094944.D
Acq On : 6 Dec 2017 8:41
Operator : SJ/JU
Sample : I6707-04
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
FT-MW10I-20171130

Quant Time: Dec 06 17:40:27 2017
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE113017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 01 13:33:28 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 8.47 min Scan# 446

Delta R.T. -0.01 min

Lab File: BE094944.D

Acq: 6 Dec 2017 8:41

Instrument :

BNA_E

ClientSampleId :

FT-MW10I-20171130


Tot Ion:152 Resp: 8229

Ion Ratio Lower Upper

152 100

150 150.5 117.2 175.8




115 70.8 57.0 85.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 0.174 ng

RT: 5.95 min Scan# 246

Delta R.T. -0.00 min

Lab File: BE094944.D

Acq: 6 Dec 2017 8:41


Tgt Ion:112 Resp: 2260

Ion Ratio Lower Upper

112 100

64 75.4 60.1 90.1



63 161.8 116.8 175.2




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.100 ng

RT: 7.59 min Scan# 376

Delta R.T. -0.00 min

Lab File: BE094944.D

Acq: 6 Dec 2017 8:41

Instrument :

BNA_E

ClientSampleId :

FT-MW101-20171130


Tot Ion: 99 Resp: 1921

Ion Ratio Lower Upper

99 100

42 33.9 20.2 30.2#




71 46.2 28.4 42.6#



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 11.33 min Scan# 613

Delta R.T. 0.00 min

Lab File: BE094944.D

Acq: 6 Dec 2017 8:41

Tgt Ion: 136 Resp: 17315


Ion Ratio Lower Upper

136 100

137 11.8 9.5 14.3

54 30.1 29.1 43.7

68 6.8 6.2 9.2






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0





#8

Nitrobenzene-d5

Concen: 0.585 ng

RT: 9.65 min Scan# 513

Delta R.T. -0.02 min

Lab File: BE094944.D

Acq: 6 Dec 2017 8:41

Instrument :

BNA_E

ClientSampleId :

FT-MW10I-20171130


Tot Ion: 82 Resp: 5993

Ion Ratio Lower Upper

82 100

128 80.2 150.0 225.0#




54 276.0 154.2 231.4#



Abundance Ion 82.00 (81.70 to 82.70): BE094890.D (-504) (-)

Ion 128.00 (127.70 to 128.70): BE094890.D (-504) (-)

Ion 54.00 (53.70 to 54.70): BE094890.D (-504) (-)



#11

2-Methylnaphthalene-d10

Concen: 0.412 ng

RT: 12.86 min Scan# 845

Delta R.T. -0.01 min

Lab File: BE094944.D


Acq: 6 Dec 2017 8:41

Tgt Ion: 152 Resp: 11375

Ion Ratio Lower Upper



152 100


151 19.1 15.4 23.0



Abundance Ion 152.00 (151.70 to 152.70): BE094890.D (-837) (-)

Ion 151.00 (150.70 to 151.70): BE094890.D (-837) (-)





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 15.06 min Scan# 1004

Delta R.T. -0.02 min

Lab File: BE094944.D

Acq: 6 Dec 2017 8:41

Instrument :

BNA_E

ClientSampleId :

FT-MW10I-20171130


Tot Ion:164 Resp: 10654

Ion Ratio Lower Upper

164 100

162 108.5 83.1 124.7




160 47.1 37.1 55.7



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.548 ng

RT: 16.53 min Scan# 1100

Delta R.T. -0.00 min

Lab File: BE094944.D

Acq: 6 Dec 2017 8:41


Tgt Ion:330 Resp: 1285

Ion Ratio Lower Upper

330 100

332 97.7 152.7 229.1#



141 52.8 33.7 50.5#




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.421 ng
RT: 13.71 min Scan# 913
Delta R.T. -0.00 min
Lab File: BE094944.D
Acq: 6 Dec 2017 8:41




Instrument :
BNA_E
ClientSampleId :
FT-MW10I-20171130


Tot Ion:172 Resp: 19188
Ion Ratio Lower Upper
172 100
171 33.2 29.9 44.9
170 20.0 21.8 32.8#



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.77 min Scan# 1183
Delta R.T. -0.00 min
Lab File: BE094944.D
Acq: 6 Dec 2017 8:41

Tgt Ion:188 Resp: 25782
Ion Ratio Lower Upper
188 100
94 0.0 3.9 5.9#
80 10.2 3.6 5.4#





#25

Fluoranthene-d10

Concen: 0.394 ng

RT: 19.75 min Scan# 1431

Delta R.T. -0.01 min

Lab File: BE094944.D

Acq: 6 Dec 2017 8:41

Instrument :

BNA_E

ClientSampleId :

FT-MW10I-20171130


Tot Ion:212 Resp: 138684

Ion Ratio Lower Upper

212 100

106 3.4 2.8 4.2




104 1.9 1.6 2.4



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.87 min Scan# 1582

Delta R.T. -0.01 min

Lab File: BE094944.D

Acq: 6 Dec 2017 8:41


Tgt Ion:240 Resp: 27633

Ion Ratio Lower Upper

240 100

120 10.3 5.5 8.3#



236 28.1 20.7 31.1




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.537 ng

RT: 20.31 min Scan# 1482

Delta R.T. -0.01 min

Lab File: BE094944.D

Acq: 6 Dec 2017 8:41

Instrument :

BNA_E

ClientSampleId :

FT-MW10I-20171130


Tot Ion:244 Resp: 27392

Ion Ratio Lower Upper

244 100

212 9.1 25.4 38.0#




122 7.9 8.1 12.1#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.070 ng

RT: 21.75 min Scan# 1574

Delta R.T. -0.01 min

Lab File: BE094944.D

Acq: 6 Dec 2017 8:41


Tgt Ion:149 Resp: 9882

Ion Ratio Lower Upper

149 100

167 7.7 5.4 8.0



279 0.9 0.7 1.1






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34

Pervlene-d12

Concen: 0.400 ng

RT: 24.55 min Scan# 2144

Delta R.T. -0.02 min

Lab File: BE094944.D

Acq: 6 Dec 2017 8:41

Instrument :

BNA_E

ClientSampleId :

FT-MW10I-20171130

Tot Ion: 264 Resp: 23196

Ion Ratio Lower Upper

264 100

260 25.3 20.5 30.7

265 31.7 22.8 34.2

