

Data Path : Z:\HPCHEM1\BNA E\DATA\BE120916\
 Data File : BE092594.D
 Acq On : 9 Dec 2016 15:27
 Operator : UM/SJ
 Sample : H5923-01
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 MW-1

Quant Time: Dec 09 23:26:03 2016
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE111616.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 16 15:43:18 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.14	152	9250	5.00	ng	-0.02
7) Naphthalene-d8	10.93	136	40733	5.00	ng	0.00
12) Acenaphthene-d10	14.80	164	27296	5.00	ng	0.00
18) Phenanthrene-d10	17.56	188	55993	5.00	ng	0.00
24) Chrysene-d12	21.72	240	83747	5.00	ng	0.00
31) Perylene-d12	24.08	264	76639	5.00	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.65	112	8260	5.29	ng	-0.02
5) Phenol-d6	7.34	99	5945	2.36	ng	-0.02
8) Nitrobenzene-d5	9.32	82	12747	4.82	ng	-0.05
13) 2,4,6-Tribromophenol	16.30	330	6274	10.25	ng	-0.01
14) 2-Fluorobiphenyl	13.42	172	33640	5.05	ng	-0.01
26) Terphenyl-d14	20.16	244	52613	5.49	ng	-0.02
Target Compounds						
29) Bis(2-ethylhexyl)phthalate	21.61	149	557	0.22	ng	Qvalue # 76


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE120916\
Data File : BE092594.D
Acq On : 9 Dec 2016 15:27
Operator : UM/SJ
Sample : H5923-01
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
MW-1

Quant Time: Dec 09 23:26:03 2016
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE111616.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 16 15:43:18 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 8.14 min Scan# 575

Delta R.T. -0.02 min

Lab File: BE092594.D

Acq: 9 Dec 2016 15:27

Instrument :

BNA_E

ClientSampleId :

MW-1


Tot Ion:152 Resp: 9250

Ion Ratio Lower Upper

152 100

150 177.2 106.0 159.0#




115 81.7 31.2 46.8#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 5.29 ng

RT: 5.65 min Scan# 360

Delta R.T. -0.02 min

Lab File: BE092594.D

Acq: 9 Dec 2016 15:27


Tgt Ion:112 Resp: 8260

Ion Ratio Lower Upper

112 100

64 68.4 53.5 80.3



63 36.5 27.9 41.9




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 2.36 ng

RT: 7.34 min Scan# 540

Delta R.T. -0.02 min

Lab File: BE092594.D

Acq: 9 Dec 2016 15:27

Instrument :

BNA_E

ClientSampleId :

MW-1


Tot Ion: 99 Resp: 5945

Ion Ratio Lower Upper

99 100

42 0.0 16.0 24.0#




71 0.0 30.6 45.8#



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 5.00 ng

RT: 10.93 min Scan# 707

Delta R.T. -0.00 min

Lab File: BE092594.D

Acq: 9 Dec 2016 15:27

Tgt Ion: 136 Resp: 40733


Ion Ratio Lower Upper

136 100

137 11.1 8.2 12.4

54 8.2 9.6 14.4#

68 5.8 6.7 10.1#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0





#8

Nitrobenzene-d5

Concen: 4.82 ng

RT: 9.32 min Scan# 626

Delta R.T. -0.05 min

Lab File: BE092594.D

Acq: 9 Dec 2016 15:27

Instrument :

BNA_E

ClientSampleId :

MW-1


Tot Ion: 82 Resp: 12747

Ion Ratio Lower Upper

82 100

128 13.0 39.0 58.4#




54 80.7 44.8 67.2#



Abundance Ion 82.00 (81.70 to 82.70): BE092580.D (-625) (-)

Ion 128.00 (127.70 to 128.70): BE092580.D (-625) (-)

Ion 54.00 (53.70 to 54.70): BE092580.D (-625) (-)



#12

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.80 min Scan# 979

Delta R.T. 0.00 min

Lab File: BE092594.D

Acq: 9 Dec 2016 15:27


Tgt Ion: 164 Resp: 27296

Ion Ratio Lower Upper

164 100

162 99.2 71.4 107.0



160 43.3 27.4 41.2#




Abundance Ion 164.00 (163.70 to 164.70): BE092580.D (-975) (-)

Ion 162.00 (161.70 to 162.70): BE092580.D (-975) (-)

Ion 160.00 (159.70 to 160.70): BE092580.D (-975) (-)









#13
 2,4,6-Tribromophenol
 Concen: 10.25 ng
 RT: 16.30 min Scan# 1087
 Delta R.T. -0.01 min
 Lab File: BE092594.D
 Acq: 9 Dec 2016 15:27




Instrument :
 BNA_E
 ClientSampleId :
 MW-1


Tot Ion:330 Resp: 6274
 Ion Ratio Lower Upper
 330 100
 332 95.8 75.4 113.0
 141 43.5 31.0 46.6



#14
 2-Fluorobiphenyl
 Concen: 5.05 ng
 RT: 13.42 min Scan# 883
 Delta R.T. -0.01 min
 Lab File: BE092594.D
 Acq: 9 Dec 2016 15:27

Tgt Ion:172 Resp: 33640
 Ion Ratio Lower Upper
 172 100
 171 33.1 30.1 45.1
 170 21.8 21.8 32.6





#18

Phenanthrene-d10

Concen: 5.00 ng

RT: 17.56 min Scan# 1153

Delta R.T. -0.00 min

Lab File: BE092594.D

Acq: 9 Dec 2016 15:27

Instrument :

BNA_E

ClientSampleId :

MW-1


Tot Ion:188 Resp: 55993

Ion Ratio Lower Upper

188 100

94 4.4 3.2 4.8




80 4.0 2.6 3.8#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#24

Chrysene-d12

Concen: 5.00 ng

RT: 21.72 min Scan# 1374

Delta R.T. 0.00 min

Lab File: BE092594.D

Acq: 9 Dec 2016 15:27


Tgt Ion:240 Resp: 83747

Ion Ratio Lower Upper

240 100

120 2.0 2.6 4.0#



236 25.6 24.6 37.0




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#26
 Terphenyl-d14
 Concen: 5.49 ng
 RT: 20.16 min Scan# 1298
 Delta R.T. -0.02 min
 Lab File: BE092594.D
 Acq: 9 Dec 2016 15:27




Instrument :
 BNA_E
 ClientSampled :
 MW-1


Tot Ion:244 Resp: 52613
 Ion Ratio Lower Upper
 244 100
 212 7.7 6.7 10.1
 122 3.3 3.6 5.4#



#29
 Bis(2-ethylhexyl)phthalate
 Concen: 0.22 ng
 RT: 21.61 min Scan# 1369
 Delta R.T. -0.02 min
 Lab File: BE092594.D
 Acq: 9 Dec 2016 15:27

Tgt Ion:149 Resp: 557
 Ion Ratio Lower Upper
 149 100
 167 22.3 16.0 24.0
 279 0.0 16.0 24.0#





#31
Pervlene-d12
Concen: 5.00 ng
RT: 24.08 min Scan# 1543
Delta R.T. -0.01 min
Lab File: BE092594.D
Acq: 9 Dec 2016 15:27

Instrument :
BNA_E
ClientSampleId :
MW-1

Tot Ion: 264 Resp: 76639
Ion Ratio Lower Upper
264 100
260 25.1 20.1 30.1
265 21.5 17.9 26.9

