

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE121019\
 Data File : BE100814.D
 Acq On : 10 Dec 2019 17:04
 Operator : JU
 Sample : K6184-08
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 RE123D2-20191203

Quant Time: Dec 10 17:46:58 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE120419.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 04 17:18:11 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.76	152	5234	0.40	ng	0.00
7) Naphthalene-d8	10.54	136	24325	0.40	ng	0.00
13) Acenaphthene-d10	14.40	164	14001	0.40	ng	0.00
19) Phenanthrene-d10	17.12	188	32859	0.40	ng	-0.01
27) Chrysene-d12	21.31	240	27559	0.40	ng	0.00
34) Perylene-d12	23.75	264	35106	0.40	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.38	112	2617	0.21	ng	0.00
5) Phenol-d6	6.93	99	2398	0.13	ng	0.00
8) Nitrobenzene-d5	8.90	82	6353	0.55	ng	0.00
11) 2-Methylnaphthalene-d10	12.14	152	15000	0.43	ng	0.00
14) 2,4,6-Tribromophenol	15.88	330	1190	0.76	ng	0.00
15) 2-Fluorobiphenyl	13.02	172	21196	0.38	ng	-0.01
25) Fluoranthene-d10	19.16	212	149972	0.39	ng	0.00
29) Terphenyl-d14	19.76	244	32028	0.49	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.34	88	4699	0.492	ng	Qvalue # 74
32) Bis(2-ethylhexyl)phthalate	21.25	149	10201	0.145	ng	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE121019\
Data File : BE100814.D
Acq On : 10 Dec 2019 17:04
Operator : JU
Sample : K6184-08
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
RE123D2-20191203

Quant Time: Dec 10 17:46:58 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE120419.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 04 17:18:11 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.76 min Scan# 425
Delta R.T. -0.01 min
Lab File: BE100814.D
Acq: 10 Dec 2019 17:04

Instrument :
BNA_E
ClientSampleId :
RE123D2-20191203

Tot Ion:152 Resp: 5234
Ion Ratio Lower Upper
152 100
150 160.8 120.6 181.0
115 72.0 47.4 71.2#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#2

1,4-Dioxane
Concen: 0.492 ng
RT: 3.34 min Scan# 41
Delta R.T. -0.01 min
Lab File: BE100814.D
Acq: 10 Dec 2019 17:04

Tgt Ion: 88 Resp: 4699
Ion Ratio Lower Upper
88 100
58 82.3 52.5 78.7#
43 48.2 23.0 34.6#



Abundance Ion 88.00 (87.70 to 88.70): BE1
Ion 58.00 (57.70 to 58.70): BE1
Ion 43.00 (42.70 to 43.70): BE1





#4

2-Fluorophenol

Concen: 0.211 ng

RT: 5.38 min Scan# 218

Delta R.T. 0.00 min

Lab File: BE100814.D

Acq: 10 Dec 2019 17:04

Instrument :

BNA_E

ClientSampleId :

RE123D2-20191203


Tot Ion:112 Resp: 2617

Ion Ratio Lower Upper

112 100

64 65.4 54.1 81.1



63 140.4 113.2 169.8



Abundance Ion 112.00 (111.70 to 112.70): BE1

Ion 64.00 (63.70 to 64.70): BE1

Ion 63.00 (62.70 to 63.70): BE1



#5

Phenol-d6

Concen: 0.128 ng

RT: 6.93 min Scan# 353

Delta R.T. 0.00 min

Lab File: BE100814.D

Acq: 10 Dec 2019 17:04


Tgt Ion: 99 Resp: 2398

Ion Ratio Lower Upper

99 100

42 38.7 19.1 28.7#



71 40.0 27.7 41.5




Abundance Ion 99.00 (98.70 to 99.70): BE1

Ion 42.00 (41.70 to 42.70): BE1

Ion 71.00 (70.70 to 71.70): BE1





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.54 min Scan# 644

Delta R.T. -0.00 min

Lab File: BE100814.D

Acq: 10 Dec 2019 17:04

Instrument :

BNA_E

ClientSampleId :

RE123D2-20191203

Tot Ion:136 Resp: 24325


Ion Ratio Lower Upper

136 100

137 10.7 9.4 14.0

54 34.9 31.1 46.7

68 7.6 6.6 10.0






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE1

Ion 68.00 (67.70 to 68.70): BE1



#8

Nitrobenzene-d5

Concen: 0.548 ng

RT: 8.90 min Scan# 518

Delta R.T. -0.00 min

Lab File: BE100814.D

Acq: 10 Dec 2019 17:04


Tgt Ion: 82 Resp: 6353

Ion Ratio Lower Upper

82 100

128 124.8 97.0 145.4



54 202.0 171.8 257.6




Abundance Ion 82.00 (81.70 to 82.70): BE1

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE1









#11
 2-Methylnaphthalene-d10
 Concen: 0.426 ng
 RT: 12.14 min Scan# 758
 Delta R.T. 0.00 min
 Lab File: BE100814.D
 Acq: 10 Dec 2019 17:04




Instrument :
 BNA_E
 ClientSampleId :
 RE123D2-20191203

Tot Ion:152 Resp: 15000
 Ion Ratio Lower Upper
 152 100
 151 19.5 15.8 23.8



#13
 Acenaphthene-d10
 Concen: 0.400 ng
 RT: 14.40 min Scan# 915
 Delta R.T. 0.00 min
 Lab File: BE100814.D
 Acq: 10 Dec 2019 17:04

Tgt Ion:164 Resp: 14001
 Ion Ratio Lower Upper
 164 100
 162 98.9 81.4 122.0
 160 44.9 39.4 59.0









#14
2,4,6-Tribromophenol
Concen: 0.764 ng
RT: 15.88 min Scan# 1019
Delta R.T. -0.00 min
Lab File: BE100814.D
Acq: 10 Dec 2019 17:04

Instrument :
BNA_E
ClientSampleId :
RE123D2-20191203

Tot Ion:330 Resp: 1190
Ion Ratio Lower Upper
330 100
332 101.0 69.4 104.2
141 47.8 51.1 76.7#




Abundance Ion 330.00 (329.70 to 330.70): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E






#15
2-Fluorobiphenyl
Concen: 0.382 ng
RT: 13.02 min Scan# 819
Delta R.T. -0.01 min
Lab File: BE100814.D
Acq: 10 Dec 2019 17:04

Tgt Ion:172 Resp: 21196
Ion Ratio Lower Upper
172 100
171 35.9 27.2 40.8
170 25.1 18.0 27.0



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.12 min Scan# 1112

Delta R.T. -0.01 min

Lab File: BE100814.D

Acq: 10 Dec 2019 17:04

Instrument :

BNA_E

ClientSampleId :

RE123D2-20191203


Tot Ion:188 Resp: 32859

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 12.9 5.2 7.8#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE1

Ion 80.00 (79.70 to 80.70): BE1



#25

Fluoranthene-d10

Concen: 0.386 ng

RT: 19.16 min Scan# 1373

Delta R.T. -0.01 min

Lab File: BE100814.D

Acq: 10 Dec 2019 17:04


Tgt Ion:212 Resp: 149972

Ion Ratio Lower Upper

212 100

106 3.3 2.6 3.8



104 1.8 1.4 2.2



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E









#27
Chrysene-d12
Concen: 0.400 ng
RT: 21.31 min Scan# 1625
Delta R.T. 0.00 min
Lab File: BE100814.D
Acq: 10 Dec 2019 17:04




Instrument :
BNA_E
ClientSampleId :
RE123D2-20191203


Tot Ion:240 Resp: 27559
Ion Ratio Lower Upper
240 100
120 7.1 10.2 15.2#
236 27.0 22.3 33.5



#29
Terphenyl-d14
Concen: 0.485 ng
RT: 19.76 min Scan# 1478
Delta R.T. -0.01 min
Lab File: BE100814.D
Acq: 10 Dec 2019 17:04

Tgt Ion:244 Resp: 32028
Ion Ratio Lower Upper
244 100
212 32.7 26.2 39.4
122 12.4 10.2 15.4









#32
 Bis(2-ethylhexyl)phthalate
 Concen: 0.145 ng
 RT: 21.25 min Scan# 1620
 Delta R.T. 0.00 min
 Lab File: BE100814.D
 Acq: 10 Dec 2019 17:04

Instrument :
 BNA_E
 ClientSampleId :
 RE123D2-20191203

Tot Ion:149 Resp: 10201
 Ion Ratio Lower Upper
 149 100
 167 7.4 5.0 7.6
 279 1.0 0.7 1.1




Abundance Ion 149.00 (148.70 to 149.70): E
 Ion 167.00 (166.70 to 167.70): E
 Ion 279.00 (278.70 to 279.70): E



#34
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.75 min Scan# 2166
 Delta R.T. -0.01 min
 Lab File: BE100814.D
 Acq: 10 Dec 2019 17:04

Tgt Ion:264 Resp: 35106
 Ion Ratio Lower Upper
 264 100
 260 23.6 19.4 29.2
 265 25.5 21.8 32.8



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

