

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE121019\
 Data File : BE100827.D
 Acq On : 11 Dec 2019 1:43
 Operator : JU
 Sample : K6184-18
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 RE109D2-20191204

Quant Time: Dec 11 05:42:35 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE120419.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 04 17:18:11 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.76	152	5305	0.40	ng	-0.01
7) Naphthalene-d8	10.54	136	24383	0.40	ng	0.00
13) Acenaphthene-d10	14.40	164	14373	0.40	ng	0.00
19) Phenanthrene-d10	17.12	188	33603	0.40	ng	-0.01
27) Chrysene-d12	21.31	240	28359	0.40	ng	0.00
34) Perylene-d12	23.75	264	36092	0.40	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.37	112	1927	0.15	ng	0.00
5) Phenol-d6	6.93	99	1850	0.10	ng	0.00
8) Nitrobenzene-d5	8.90	82	5352	0.46	ng	0.00
11) 2-Methylnaphthalene-d10	12.14	152	13069	0.37	ng	0.00
14) 2,4,6-Tribromophenol	15.88	330	753	0.47	ng	0.00
15) 2-Fluorobiphenyl	13.02	172	18412	0.32	ng	-0.01
25) Fluoranthene-d10	19.16	212	131627	0.33	ng	0.00
29) Terphenyl-d14	19.76	244	27134	0.40	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.34	88	27856	2.880	ng	# 88
6) bis(2-Chloroethyl)ether	7.19	93	424	0.023	ng	# 63
32) Bis(2-ethylhexyl)phthalate	21.23	149	7786	0.084	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE121019\
Data File : BE100827.D
Acq On : 11 Dec 2019 1:43
Operator : JU
Sample : K6184-18
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
RE109D2-20191204

Quant Time: Dec 11 05:42:35 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE120419.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 04 17:18:11 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.76 min Scan# 425
Delta R.T. -0.01 min
Lab File: BE100827.D
Acq: 11 Dec 2019 1:43

Instrument :
BNA_E
ClientSampleId :
RE109D2-20191204

Tot Ion:152 Resp: 5305
Ion Ratio Lower Upper
152 100
150 156.7 120.6 181.0
115 72.7 47.4 71.2#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#2


1,4-Dioxane
Concen: 2.880 ng
RT: 3.34 min Scan# 41
Delta R.T. -0.01 min
Lab File: BE100827.D
Acq: 11 Dec 2019 1:43

Tgt Ion: 88 Resp: 27856
Ion Ratio Lower Upper
88 100
58 73.9 52.5 78.7
43 36.3 23.0 34.6#



Abundance Ion 88.00 (87.70 to 88.70): BE1
Ion 58.00 (57.70 to 58.70): BE1
Ion 43.00 (42.70 to 43.70): BE1





#4

2-Fluorophenol

Concen: 0.153 ng

RT: 5.37 min Scan# 218

Delta R.T. -0.00 min

Lab File: BE100827.D

Acq: 11 Dec 2019 1:43

Instrument :

BNA_E

ClientSampleId :

RE109D2-20191204


Tot Ion:112 Resp: 1927

Ion Ratio Lower Upper

112 100

64 66.5 54.1 81.1




63 147.3 113.2 169.8



Abundance Ion 112.00 (111.70 to 112.70): BE1

Ion 64.00 (63.70 to 64.70): BE1

Ion 63.00 (62.70 to 63.70): BE1



#5

Phenol-d6

Concen: 0.097 ng

RT: 6.93 min Scan# 353

Delta R.T. -0.00 min

Lab File: BE100827.D

Acq: 11 Dec 2019 1:43


Tgt Ion: 99 Resp: 1850

Ion Ratio Lower Upper

99 100

42 34.2 19.1 28.7#



71 40.2 27.7 41.5




Abundance Ion 99.00 (98.70 to 99.70): BE1

Ion 42.00 (41.70 to 42.70): BE1

Ion 71.00 (70.70 to 71.70): BE1





#6

bis(2-Chloroethyl)ether

Concen: 0.023 ng

RT: 7.19 min Scan# 376

Delta R.T. -0.00 min

Lab File: BE100827.D

Acq: 11 Dec 2019 1:43

Instrument :

BNA_E

ClientSampleId :

RE109D2-20191204





Tot Ion: 93 Resp: 424

Ion Ratio Lower Upper

93 100

63 242.5 259.4 389.0#

95 37.3 26.2 39.2



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.54 min Scan# 644

Delta R.T. 0.00 min

Lab File: BE100827.D

Acq: 11 Dec 2019 1:43

Tgt Ion: 136 Resp: 24383




Ion Ratio Lower Upper


136 100

137 11.2 9.4 14.0

54 28.3 31.1 46.7#

68 6.5 6.6 10.0#





#8

Nitrobenzene-d5

Concen: 0.461 ng

RT: 8.90 min Scan# 518

Delta R.T. 0.00 min

Lab File: BE100827.D

Acq: 11 Dec 2019 1:43

Instrument :

BNA_E

ClientSampleId :

RE109D2-20191204


Tot Ion: 82 Resp: 5352

Ion Ratio Lower Upper

82 100

128 128.8 97.0 145.4




54 186.6 171.8 257.6



Abundance Ion 82.00 (81.70 to 82.70): BE1

Ion 128.00 (127.70 to 128.70): BE1

Ion 54.00 (53.70 to 54.70): BE1



#11

2-Methylnaphthalene-d10

Concen: 0.370 ng

RT: 12.14 min Scan# 758

Delta R.T. 0.00 min

Lab File: BE100827.D


Acq: 11 Dec 2019 1:43

Tgt Ion: 152 Resp: 13069

Ion Ratio Lower Upper



152 100


151 19.4 15.8 23.8



Abundance Ion 152.00 (151.70 to 152.70): BE1

Ion 151.00 (150.70 to 151.70): BE1









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.40 min Scan# 915
Delta R.T. 0.00 min
Lab File: BE100827.D
Acq: 11 Dec 2019 1:43

Instrument :
BNA_E
ClientSampleId :
RE109D2-20191204

Tot Ion:164 Resp: 14373
Ion Ratio Lower Upper
164 100
162 98.6 81.4 122.0
160 44.7 39.4 59.0




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#14
2,4,6-Tribromophenol
Concen: 0.471 ng
RT: 15.88 min Scan# 1019
Delta R.T. -0.00 min
Lab File: BE100827.D
Acq: 11 Dec 2019 1:43

Tgt Ion:330 Resp: 753
Ion Ratio Lower Upper
330 100
332 97.7 69.4 104.2
141 54.8 51.1 76.7



Abundance Ion 330.00 (329.70 to 330.70): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.323 ng
RT: 13.02 min Scan# 819
Delta R.T. -0.01 min
Lab File: BE100827.D
Acq: 11 Dec 2019 1:43

Instrument :
BNA_E
ClientSampleId :
RE109D2-20191204

Tot Ion:172 Resp: 18412
Ion Ratio Lower Upper
172 100
171 35.3 27.2 40.8
170 24.7 18.0 27.0




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.12 min Scan# 1112
Delta R.T. -0.01 min
Lab File: BE100827.D
Acq: 11 Dec 2019 1:43

Tgt Ion:188 Resp: 33603
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 11.3 5.2 7.8#



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BE1
Ion 80.00 (79.70 to 80.70): BE1





#25

Fluoranthene-d10

Concen: 0.331 ng

RT: 19.16 min Scan# 1373

Delta R.T. -0.01 min

Lab File: BE100827.D

Acq: 11 Dec 2019 1:43

Instrument :

BNA_E

ClientSampleId :

RE109D2-20191204


Tot Ion:212 Resp: 131627

Ion Ratio Lower Upper

212 100

106 3.3 2.6 3.8




104 1.8 1.4 2.2



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.31 min Scan# 1625

Delta R.T. 0.00 min

Lab File: BE100827.D

Acq: 11 Dec 2019 1:43


Tgt Ion:240 Resp: 28359

Ion Ratio Lower Upper

240 100

120 6.0 10.2 15.2#



236 26.9 22.3 33.5




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.399 ng

RT: 19.76 min Scan# 1478

Delta R.T. -0.01 min

Lab File: BE100827.D

Acq: 11 Dec 2019 1:43

Instrument :

BNA_E

ClientSampleId :

RE109D2-20191204


Tot Ion:244 Resp: 27134

Ion Ratio Lower Upper

244 100

212 31.5 26.2 39.4




122 12.1 10.2 15.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.084 ng

RT: 21.23 min Scan# 1619

Delta R.T. -0.01 min

Lab File: BE100827.D

Acq: 11 Dec 2019 1:43


Tgt Ion:149 Resp: 7786

Ion Ratio Lower Upper

149 100

167 6.5 5.0 7.6



279 0.8 0.7 1.1






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34

Pervlene-d12

Concen: 0.400 ng

RT: 23.75 min Scan# 2165

Delta R.T. -0.01 min

Lab File: BE100827.D

Acq: 11 Dec 2019 1:43

Instrument :

BNA_E

ClientSampleId :

RE109D2-20191204

Tot Ion: 264 Resp: 36092

Ion Ratio Lower Upper

264 100

260 23.3 19.4 29.2

265 24.8 21.8 32.8

