

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE121118\
 Data File : BE098342.D
 Acq On : 11 Dec 2018 20:48
 Operator : SJ/JU
 Sample : J6288-10
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 BPS1-TT-MW308I-20181206

Quant Time: Dec 12 02:02:28 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE121018.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Dec 10 14:59:55 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.86	152	1112	0.40	ng	0.00
7) Naphthalene-d8	10.67	136	4783	0.40	ng	0.00
13) Acenaphthene-d10	14.53	164	3172	0.40	ng	0.00
19) Phenanthrene-d10	17.28	188	8026	0.40	ng	0.00
27) Chrysene-d12	21.46	240	9834	0.40	ng	0.00
34) Perylene-d12	24.01	264	8948	0.40	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
4) 2-Fluorophenol	5.46	112	587	0.23	ng	0.01
5) Phenol-d6	7.04	99	375	0.10	ng	0.00
8) Nitrobenzene-d5	9.03	82	1846	0.42	ng	0.01
11) 2-Methylnaphthalene-d10	12.27	152	3326	0.43	ng	0.00
14) 2,4,6-Tribromophenol	16.02	330	642	0.55	ng	0.00
15) 2-Fluorobiphenyl	13.15	172	6520	0.49	ng	0.00
25) Fluoranthene-d10	19.31	212	48711	0.47	ng	0.00
29) Terphenyl-d14	19.90	244	16736	0.70	ng	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) 1,4-Dioxane	3.37	88	334	0.174	ng	# 62
32) Bis(2-ethylhexyl)phthalate	21.37	149	2648	0.047	ng	# 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE121118\
Data File : BE098342.D
Acq On : 11 Dec 2018 20:48
Operator : SJ/JU
Sample : J6288-10
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
BPS1-TT-MW308I-20181206

Quant Time: Dec 12 02:02:28 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE121018.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Dec 10 14:59:55 2018
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.86 min Scan# 434

Delta R.T. -0.00 min

Lab File: BE098342.D

Acq: 11 Dec 2018 20:48

Instrument :

BNA_E

ClientSampleId :

BPS1-TT-MW308I-20181206


Tot Ion:152 Resp: 1112

Ion Ratio Lower Upper

152 100

150 154.5 124.2 186.4




115 63.1 53.9 80.9



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 0.174 ng

RT: 3.37 min Scan# 44

Delta R.T. -0.00 min

Lab File: BE098342.D

Acq: 11 Dec 2018 20:48


Tgt Ion: 88 Resp: 334

Ion Ratio Lower Upper

88 100

58 105.4 75.0 112.6



43 108.4 38.3 57.5#




Abundance Ion 88.00 (87.70 to 88.70): BE0

Ion 58.00 (57.70 to 58.70): BE0

Ion 43.00 (42.70 to 43.70): BE0





#4

2-Fluorophenol

Concen: 0.226 ng

RT: 5.46 min Scan# 225

Delta R.T. 0.01 min

Lab File: BE098342.D

Acq: 11 Dec 2018 20:48

Instrument :

BNA_E

ClientSampleId :

BPS1-TT-MW308I-20181206


Tot Ion: 112 Resp: 587

Ion Ratio Lower Upper

112 100

64 62.9 59.8 89.8




63 155.9 133.7 200.5



Abundance Ion 112.00 (111.70 to 112.70): BE0

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0



#5

Phenol-d6

Concen: 0.102 ng

RT: 7.04 min Scan# 363

Delta R.T. -0.00 min

Lab File: BE098342.D

Acq: 11 Dec 2018 20:48


Tgt Ion: 99 Resp: 375

Ion Ratio Lower Upper

99 100

42 33.6 26.3 39.5



71 35.2 33.6 50.4




Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.67 min Scan# 654

Delta R.T. -0.00 min

Lab File: BE098342.D

Acq: 11 Dec 2018 20:48

Instrument :

BNA_E

ClientSampleId :

BPS1-TT-MW308I-20181206

Tot Ion:136 Resp: 4783


Ion Ratio Lower Upper

136 100

137 11.8 9.2 13.8

54 42.8 28.4 42.6#

68 7.4 5.4 8.0






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0



#8

Nitrobenzene-d5

Concen: 0.424 ng

RT: 9.03 min Scan# 528

Delta R.T. 0.01 min

Lab File: BE098342.D

Acq: 11 Dec 2018 20:48


Tgt Ion: 82 Resp: 1846

Ion Ratio Lower Upper

82 100

128 174.2 102.4 153.6#



54 268.4 221.8 332.8




Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE0





#11

2-Methylnaphthalene-d10

Concen: 0.428 ng

RT: 12.27 min Scan# 767

Delta R.T. -0.00 min

Lab File: BE098342.D

Acq: 11 Dec 2018 20:48

Instrument :

BNA_E

ClientSampleId :


BPS1-TT-MW308I-20181206

Tot Ion:152 Resp: 3326

Ion Ratio Lower Upper

152 100

151 18.8 16.2 24.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E

12.27

1500



1000

500

0

Time-->

12.20 12.40



#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.53 min Scan# 924

Delta R.T. -0.00 min

Lab File: BE098342.D

Acq: 11 Dec 2018 20:48


Tgt Ion:164 Resp: 3172

Ion Ratio Lower Upper

164 100

162 96.4 77.6 116.4

160 48.4 36.0 54.0



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E

2500

2000

1500


1000


500

0

Time-->

14.40 14.50 14.60 14.70







#14
2,4,6-Tribromophenol
Concen: 0.551 ng
RT: 16.02 min Scan# 1041
Delta R.T. -0.00 min
Lab File: BE098342.D
Acq: 11 Dec 2018 20:48

Instrument :
BNA_E
ClientSampleId :
BPS1-TT-MW308I-20181206



Tot Ion:330 Resp: 642
Ion Ratio Lower Upper
330 100
332 93.8 76.2 114.4
141 40.8 39.0 58.4



Abundance Ion 330.00 (329.70 to 330.70): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E




Time-->




#15
2-Fluorobiphenyl
Concen: 0.487 ng
RT: 13.15 min Scan# 828
Delta R.T. -0.00 min
Lab File: BE098342.D
Acq: 11 Dec 2018 20:48


Tgt Ion:172 Resp: 6520
Ion Ratio Lower Upper
172 100
171 33.1 27.5 41.3
170 23.2 19.6 29.4




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E



Time-->





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.28 min Scan# 1149

Delta R.T. -0.00 min

Lab File: BE098342.D

Acq: 11 Dec 2018 20:48

Instrument :

BNA_E

ClientSampleId :

BPS1-TT-MW308I-20181206


Tot Ion:188 Resp: 8026

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 9.2 7.2 10.8



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#25

Fluoranthene-d10

Concen: 0.473 ng

RT: 19.31 min Scan# 1433

Delta R.T. -0.00 min

Lab File: BE098342.D

Acq: 11 Dec 2018 20:48


Tgt Ion:212 Resp: 48711

Ion Ratio Lower Upper

212 100

106 2.6 2.2 3.2



104 1.5 1.3 1.9




Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E









#27
Chrysene-d12
Concen: 0.400 ng
RT: 21.46 min Scan# 1671
Delta R.T. -0.00 min
Lab File: BE098342.D
Acq: 11 Dec 2018 20:48

Instrument :
BNA_E
ClientSampleId :
BPS1-TT-MW308I-20181206

Tot Ion:240 Resp: 9834
Ion Ratio Lower Upper
240 100
120 9.4 9.5 14.3#
236 28.2 22.7 34.1




Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E






#29
Terphenyl-d14
Concen: 0.700 ng
RT: 19.90 min Scan# 1536
Delta R.T. -0.01 min
Lab File: BE098342.D
Acq: 11 Dec 2018 20:48

Tgt Ion:244 Resp: 16736
Ion Ratio Lower Upper
244 100
212 35.0 27.4 41.0
122 11.0 8.3 12.5



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E









#32
 Bis(2-ethylhexyl)phthalate
 Concen: 0.047 ng
 RT: 21.37 min Scan# 1663
 Delta R.T. -0.00 min
 Lab File: BE098342.D
 Acq: 11 Dec 2018 20:48

Instrument :
 BNA_E
 ClientSampleId :
 BPS1-TT-MW308I-20181206

Tot Ion:149 Resp: 2648
 Ion Ratio Lower Upper
 149 100
 167 8.1 5.7 8.5
 279 1.7 1.0 1.4#



#34
 Perylene-d12
 Concen: 0.400 ng
 RT: 24.01 min Scan# 2272
 Delta R.T. -0.00 min
 Lab File: BE098342.D
 Acq: 11 Dec 2018 20:48

Tgt Ion:264 Resp: 8948
 Ion Ratio Lower Upper
 264 100
 260 26.9 20.2 30.2
 265 28.9 25.2 37.8

