

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE121319\
 Data File : BE100906.D
 Acq On : 14 Dec 2019 3:47
 Operator : JU
 Sample : K6251-16
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :

Quant Time: Dec 14 04:30:04 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE120419.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 13 10:42:38 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.76	152	4571	0.40	ng	0.00
7) Naphthalene-d8	10.54	136	20849	0.40	ng	0.00
13) Acenaphthene-d10	14.38	164	12110	0.40	ng	0.00
19) Phenanthrene-d10	17.12	188	30575	0.40	ng	0.00
27) Chrysene-d12	21.31	240	27008	0.40	ng	0.00
34) Perylene-d12	23.75	264	30800	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.36	112	2083	0.19	ng	0.00
5) Phenol-d6	6.93	99	1917	0.12	ng	0.00
8) Nitrobenzene-d5	8.90	82	5240	0.53	ng	0.00
11) 2-Methylnaphthalene-d10	12.12	152	11993	0.40	ng	-0.01
14) 2,4,6-Tribromophenol	15.88	330	913	0.68	ng	0.00
15) 2-Fluorobiphenyl	13.02	172	16458	0.34	ng	0.00
25) Fluoranthene-d10	19.16	212	137715	0.38	ng	0.00
29) Terphenyl-d14	19.76	244	26203	0.41	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.34	88	2899	0.348	ng	# 56
32) Bis(2-ethylhexyl)phthalate	21.23	149	17967	0.314	ng	# 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE121319\
Data File : BE100906.D
Acq On : 14 Dec 2019 3:47
Operator : JU
Sample : K6251-16
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :

Quant Time: Dec 14 04:30:04 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE120419.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 13 10:42:38 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.76 min Scan# 425
Delta R.T. 0.00 min
Lab File: BE100906.D
Acq: 14 Dec 2019 3:47

Instrument :
BNA_E
ClientSampleId :

Tot Ion:152 Resp: 4571
Ion Ratio Lower Upper
152 100
150 154.5 125.5 188.3
115 66.4 55.7 83.5




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#2


1,4-Dioxane
Concen: 0.348 ng
RT: 3.34 min Scan# 41
Delta R.T. 0.00 min
Lab File: BE100906.D
Acq: 14 Dec 2019 3:47

Tgt Ion: 88 Resp: 2899
Ion Ratio Lower Upper
88 100
58 91.8 52.3 78.5#
43 66.3 23.5 35.3#



Abundance Ion 88.00 (87.70 to 88.70): BE1
Ion 58.00 (57.70 to 58.70): BE1
Ion 43.00 (42.70 to 43.70): BE1





#4

2-Fluorophenol

Concen: 0.192 ng

RT: 5.36 min Scan# 217

Delta R.T. -0.01 min

Lab File: BE100906.D

Acq: 14 Dec 2019 3:47

Instrument :

BNA_E

ClientSampleId :


Tot Ion: 112 Resp: 2083

Ion Ratio Lower Upper

112 100

64 70.2 54.5 81.7




63 144.3 116.1 174.1



Abundance Ion 112.00 (111.70 to 112.70): BE1

Ion 64.00 (63.70 to 64.70): BE1

Ion 63.00 (62.70 to 63.70): BE1



#5

Phenol-d6

Concen: 0.117 ng

RT: 6.93 min Scan# 353

Delta R.T. 0.00 min

Lab File: BE100906.D

Acq: 14 Dec 2019 3:47


Tgt Ion: 99 Resp: 1917

Ion Ratio Lower Upper

99 100

42 44.6 18.2 27.2#



71 39.1 29.1 43.7




Abundance Ion 99.00 (98.70 to 99.70): BE1

Ion 42.00 (41.70 to 42.70): BE1

Ion 71.00 (70.70 to 71.70): BE1





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.54 min Scan# 644

Delta R.T. -0.00 min

Lab File: BE100906.D

Acq: 14 Dec 2019 3:47

Instrument :

BNA_E

ClientSampleId :

Tot Ion:136 Resp: 20849


Ion Ratio Lower Upper

136 100

137 11.2 9.1 13.7

54 24.0 18.9 28.3

68 5.4 4.6 6.8






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE1

Ion 68.00 (67.70 to 68.70): BE1



#8

Nitrobenzene-d5

Concen: 0.528 ng

RT: 8.90 min Scan# 518

Delta R.T. -0.00 min

Lab File: BE100906.D

Acq: 14 Dec 2019 3:47


Tgt Ion: 82 Resp: 5240

Ion Ratio Lower Upper

82 100

128 143.2 113.5 170.3



54 183.8 138.9 208.3




Abundance Ion 82.00 (81.70 to 82.70): BE1

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE1









#11
 2-Methylnaphthalene-d10
 Concen: 0.397 ng
 RT: 12.12 min Scan# 757
 Delta R.T. -0.01 min
 Lab File: BE100906.D
 Acq: 14 Dec 2019 3:47




Instrument :
 BNA_E
 ClientSampleId :


Tot Ion:152 Resp: 11993
 Ion Ratio Lower Upper
 152 100
 151 19.0 15.1 22.7



#13
 Acenaphthene-d10
 Concen: 0.400 ng
 RT: 14.38 min Scan# 914
 Delta R.T. 0.00 min
 Lab File: BE100906.D
 Acq: 14 Dec 2019 3:47

Tgt Ion:164 Resp: 12110
 Ion Ratio Lower Upper
 164 100
 162 106.8 86.0 129.0
 160 52.8 42.3 63.5









#14
 2,4,6-Tribromophenol
 Concen: 0.678 ng
 RT: 15.88 min Scan# 1019
 Delta R.T. 0.00 min
 Lab File: BE100906.D
 Acq: 14 Dec 2019 3:47

Instrument :
 BNA_E
 ClientSampleId :

Tot Ion:330 Resp: 913
 Ion Ratio Lower Upper
 330 100
 332 98.1 74.1 111.1
 141 58.8 46.7 70.1




Abundance Ion 330.00 (329.70 to 330.70): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#15
 2-Fluorobiphenyl
 Concen: 0.343 ng
 RT: 13.02 min Scan# 819
 Delta R.T. 0.00 min
 Lab File: BE100906.D
 Acq: 14 Dec 2019 3:47

Tgt Ion:172 Resp: 16458
 Ion Ratio Lower Upper
 172 100
 171 34.7 28.2 42.4
 170 24.1 19.4 29.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.12 min Scan# 1112
Delta R.T. 0.00 min
Lab File: BE100906.D
Acq: 14 Dec 2019 3:47




Instrument :
BNA_E
ClientSampleId :


Tot Ion:188 Resp: 30575
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 9.8 7.9 11.9



#25
Fluoranthene-d10
Concen: 0.381 ng
RT: 19.16 min Scan# 1373
Delta R.T. 0.01 min
Lab File: BE100906.D
Acq: 14 Dec 2019 3:47

Tgt Ion:212 Resp: 137715
Ion Ratio Lower Upper
212 100
106 3.4 2.6 4.0
104 1.9 1.4 2.2









#27
Chrysene-d12
Concen: 0.400 ng
RT: 21.31 min Scan# 1625
Delta R.T. -0.00 min
Lab File: BE100906.D
Acq: 14 Dec 2019 3:47

Instrument :
BNA_E
ClientSampleId :

Tot Ion:240 Resp: 27008
Ion Ratio Lower Upper
240 100
120 5.8 4.0 6.0
236 26.6 21.6 32.4




Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E






#29
Terphenyl-d14
Concen: 0.405 ng
RT: 19.76 min Scan# 1478
Delta R.T. -0.00 min
Lab File: BE100906.D
Acq: 14 Dec 2019 3:47

Tgt Ion:244 Resp: 26203
Ion Ratio Lower Upper
244 100
212 32.2 25.2 37.8
122 11.2 8.9 13.3



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E





#32

Bis(2-ethylhexyl)phthalate

Concen: 0.314 ng

RT: 21.23 min Scan# 1619

Delta R.T. -0.00 min

Lab File: BE100906.D

Acq: 14 Dec 2019 3:47

Instrument :

BNA_E

ClientSampleId :


Tot Ion:149 Resp: 17967

Ion Ratio Lower Upper




149 100

167 7.2 5.0 7.4

279 1.1 0.6 1.0#



Abundance Ion 149.00 (148.70 to 149.70): E
Ion 167.00 (166.70 to 167.70): E
Ion 279.00 (278.70 to 279.70): E



#34

Perylene-d12

Concen: 0.400 ng

RT: 23.75 min Scan# 2165

Delta R.T. 0.00 min

Lab File: BE100906.D

Acq: 14 Dec 2019 3:47


Tgt Ion:264 Resp: 30800

Ion Ratio Lower Upper

264 100

260 23.9 19.4 29.0

265 24.0 20.1 30.1



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

