

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE121319\
 Data File : BE100908.D
 Acq On : 14 Dec 2019 5:02
 Operator : JU
 Sample : K6251-18
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :

Quant Time: Dec 14 05:44:29 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE120419.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 13 10:42:38 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.76	152	4129	0.40	ng	0.00
7) Naphthalene-d8	10.54	136	18681	0.40	ng	0.00
13) Acenaphthene-d10	14.38	164	10511	0.40	ng	0.00
19) Phenanthrene-d10	17.12	188	27436	0.40	ng	0.00
27) Chrysene-d12	21.31	240	27030	0.40	ng	0.00
34) Perylene-d12	23.74	264	30043	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.37	112	1848	0.19	ng	0.00
5) Phenol-d6	6.93	99	1797	0.12	ng	0.00
8) Nitrobenzene-d5	8.90	82	4810	0.54	ng	0.00
11) 2-Methylnaphthalene-d10	12.14	152	10871	0.40	ng	0.00
14) 2,4,6-Tribromophenol	15.88	330	816	0.70	ng	0.00
15) 2-Fluorobiphenyl	13.02	172	14864	0.36	ng	0.00
25) Fluoranthene-d10	19.16	212	138333	0.43	ng	0.00
29) Terphenyl-d14	19.76	244	26507	0.41	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.34	88	11140	1.480	ng	# 84
3) n-Nitrosodimethylamine	3.63	42	168	0.027	ng	# 1
32) Bis(2-ethylhexyl)phthalate	21.23	149	70230	1.117	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE121319\
Data File : BE100908.D
Acq On : 14 Dec 2019 5:02
Operator : JU
Sample : K6251-18
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :

Quant Time: Dec 14 05:44:29 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE120419.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 13 10:42:38 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.76 min Scan# 425
Delta R.T. 0.00 min
Lab File: BE100908.D
Acq: 14 Dec 2019 5:02

Instrument :
BNA_E
ClientSampleId :

Tot Ion:152 Resp: 4129
Ion Ratio Lower Upper
152 100
150 155.3 125.5 188.3
115 67.6 55.7 83.5




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#2


1,4-Dioxane
Concen: 1.480 ng
RT: 3.34 min Scan# 41
Delta R.T. 0.00 min
Lab File: BE100908.D
Acq: 14 Dec 2019 5:02

Tgt Ion: 88 Resp: 11140
Ion Ratio Lower Upper
88 100
58 76.4 52.3 78.5
43 40.7 23.5 35.3#



Abundance Ion 88.00 (87.70 to 88.70): BE1
Ion 58.00 (57.70 to 58.70): BE1
Ion 43.00 (42.70 to 43.70): BE1





#3

n-Nitrosodimethylamine

Concen: 0.027 ng

RT: 3.63 min Scan# 66

Delta R.T. -0.02 min

Lab File: BE100908.D

Acq: 14 Dec 2019 5:02

Instrument :

BNA_E

ClientSampleId :


Tot Ion: 42 Resp: 168

Ion Ratio Lower Upper




42 100

74 6.5 90.3 135.5#

44 56.0 9.0 13.4#



Abundance Ion 42.00 (41.70 to 42.70): BE1
Ion 74.00 (73.70 to 74.70): BE1
Ion 44.00 (43.70 to 44.70): BE1



#4

2-Fluorophenol

Concen: 0.189 ng

RT: 5.37 min Scan# 217

Delta R.T. -0.01 min

Lab File: BE100908.D

Acq: 14 Dec 2019 5:02


Tgt Ion: 112 Resp: 1848

Ion Ratio Lower Upper



112 100


64 66.1 54.5 81.7

63 143.9 116.1 174.1



Abundance Ion 112.00 (111.70 to 112.70): BE1
Ion 64.00 (63.70 to 64.70): BE1
Ion 63.00 (62.70 to 63.70): BE1





#5

Phenol-d6

Concen: 0.121 ng

RT: 6.93 min Scan# 353

Delta R.T. 0.00 min

Lab File: BE100908.D

Acq: 14 Dec 2019 5:02

Instrument :

BNA_E

ClientSampleId :


Tot Ion: 99 Resp: 1797

Ion Ratio Lower Upper

99 100

42 52.5 18.2 27.2#




71 0.0 29.1 43.7#



Abundance Ion 99.00 (98.70 to 99.70): BE1

Ion 42.00 (41.70 to 42.70): BE1

Ion 71.00 (70.70 to 71.70): BE1



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.54 min Scan# 644

Delta R.T. -0.00 min

Lab File: BE100908.D

Acq: 14 Dec 2019 5:02

Tgt Ion: 136 Resp: 18681


Ion Ratio Lower Upper

136 100

137 11.0 9.1 13.7

54 28.0 18.9 28.3

68 6.2 4.6 6.8






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE1

Ion 68.00 (67.70 to 68.70): BE1









#8
Nitrobenzene-d5
Concen: 0.541 ng
RT: 8.90 min Scan# 518
Delta R.T. -0.00 min
Lab File: BE100908.D
Acq: 14 Dec 2019 5:02

Instrument :
BNA_E
ClientSampleId :

Tot Ion	82	Resp	4810
Ion	Ratio	Lower	Upper
82	100		
128	137.5	113.5	170.3
54	190.4	138.9	208.3




Abundance Ion 82.00 (81.70 to 82.70): BE1
Ion 128.00 (127.70 to 128.70): BE1
Ion 54.00 (53.70 to 54.70): BE1






#11
2-Methylnaphthalene-d10
Concen: 0.402 ng
RT: 12.14 min Scan# 758
Delta R.T. -0.00 min
Lab File: BE100908.D
Acq: 14 Dec 2019 5:02

Tgt Ion	152	Resp	10871
Ion	Ratio	Lower	Upper
152	100		
151	19.3	15.1	22.7



Abundance Ion 152.00 (151.70 to 152.70): E
Ion 151.00 (150.70 to 151.70): E









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.38 min Scan# 914
Delta R.T. -0.00 min
Lab File: BE100908.D
Acq: 14 Dec 2019 5:02

Instrument :
BNA_E
ClientSampleId :

Tot Ion:164 Resp: 10511
Ion Ratio Lower Upper
164 100
162 106.2 86.0 129.0
160 50.6 42.3 63.5




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#14
2,4,6-Tribromophenol
Concen: 0.698 ng
RT: 15.88 min Scan# 1019
Delta R.T. 0.00 min
Lab File: BE100908.D
Acq: 14 Dec 2019 5:02

Tgt Ion:330 Resp: 816
Ion Ratio Lower Upper
330 100
332 102.7 74.1 111.1
141 60.0 46.7 70.1



Abundance Ion 330.00 (329.70 to 330.70): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.357 ng
RT: 13.02 min Scan# 819
Delta R.T. -0.00 min
Lab File: BE100908.D
Acq: 14 Dec 2019 5:02

Instrument :
BNA_E
ClientSampleId :

Tot Ion:172 Resp: 14864
Ion Ratio Lower Upper
172 100
171 34.1 28.2 42.4
170 23.3 19.4 29.0




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.12 min Scan# 1112
Delta R.T. 0.00 min
Lab File: BE100908.D
Acq: 14 Dec 2019 5:02

Tgt Ion:188 Resp: 27436
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 10.6 7.9 11.9



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BE1
Ion 80.00 (79.70 to 80.70): BE1





#25

Fluoranthene-d10

Concen: 0.427 ng

RT: 19.16 min Scan# 1373

Delta R.T. 0.01 min

Lab File: BE100908.D

Acq: 14 Dec 2019 5:02

Instrument :

BNA_E

ClientSampleId :


Tot Ion:212 Resp: 138333

Ion Ratio Lower Upper

212 100

106 3.4 2.6 4.0




104 1.9 1.4 2.2



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.31 min Scan# 1625

Delta R.T. 0.00 min

Lab File: BE100908.D

Acq: 14 Dec 2019 5:02


Tgt Ion:240 Resp: 27030

Ion Ratio Lower Upper

240 100

120 6.2 4.0 6.0#



236 26.9 21.6 32.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.409 ng

RT: 19.76 min Scan# 1478

Delta R.T. 0.00 min

Lab File: BE100908.D

Acq: 14 Dec 2019 5:02

Instrument :

BNA_E

ClientSampled :


Tot Ion:244 Resp: 26507

Ion Ratio Lower Upper

244 100

212 31.8 25.2 37.8




122 11.5 8.9 13.3



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 1.117 ng

RT: 21.23 min Scan# 1619

Delta R.T. 0.00 min

Lab File: BE100908.D

Acq: 14 Dec 2019 5:02


Tgt Ion:149 Resp: 70230

Ion Ratio Lower Upper

149 100

167 6.5 5.0 7.4



279 0.8 0.6 1.0






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34

Pervlene-d12

Concen: 0.400 ng

RT: 23.74 min Scan# 2165

Delta R.T. 0.00 min

Lab File: BE100908.D

Acq: 14 Dec 2019 5:02

Instrument :

BNA_E

ClientSampleId :

Tot Ion:264 Resp: 30043

Ion Ratio Lower Upper

264 100

260 24.4 19.4 29.0

265 25.3 20.1 30.1

