

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE121319\
 Data File : BE100910.D
 Acq On : 14 Dec 2019 6:16
 Operator : JU
 Sample : K6251-20
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 DUP05-20191207

Quant Time: Dec 16 00:33:55 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE120419.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 13 10:42:38 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.76	152	4331	0.40	ng	0.00
7) Naphthalene-d8	10.54	136	19834	0.40	ng	0.00
13) Acenaphthene-d10	14.38	164	11741	0.40	ng	0.00
19) Phenanthrene-d10	17.12	188	30919	0.40	ng	0.00
27) Chrysene-d12	21.31	240	29892	0.40	ng	0.00
34) Perylene-d12	23.74	264	34030	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.37	112	1846	0.18	ng	0.00
5) Phenol-d6	6.93	99	1793	0.12	ng	0.00
8) Nitrobenzene-d5	8.90	82	4722	0.50	ng	0.00
11) 2-Methylnaphthalene-d10	12.14	152	10858	0.38	ng	0.00
14) 2,4,6-Tribromophenol	15.86	330	952	0.73	ng	-0.01
15) 2-Fluorobiphenyl	13.02	172	14803	0.32	ng	0.00
25) Fluoranthene-d10	19.15	212	150967	0.41	ng	0.00
29) Terphenyl-d14	19.76	244	28529	0.40	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.34	88	43322	5.486	ng	90
32) Bis(2-ethylhexyl)phthalate	21.23	149	172135	2.003	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE121319\
Data File : BE100910.D
Acq On : 14 Dec 2019 6:16
Operator : JU
Sample : K6251-20
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
DUP05-20191207

Quant Time: Dec 16 00:33:55 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE120419.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 13 10:42:38 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.76 min Scan# 425
Delta R.T. 0.00 min
Lab File: BE100910.D
Acq: 14 Dec 2019 6:16

Instrument :
BNA_E
ClientSampleId :
DUP05-20191207

Tot Ion:152 Resp: 4331
Ion Ratio Lower Upper
152 100
150 150.1 125.5 188.3
115 66.1 55.7 83.5




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#2


1,4-Dioxane
Concen: 5.486 ng
RT: 3.34 min Scan# 41
Delta R.T. 0.00 min
Lab File: BE100910.D
Acq: 14 Dec 2019 6:16

Tgt Ion: 88 Resp: 43322
Ion Ratio Lower Upper
88 100
58 74.5 52.3 78.5
43 33.3 23.5 35.3



Abundance Ion 88.00 (87.70 to 88.70): BE1
Ion 58.00 (57.70 to 58.70): BE1
Ion 43.00 (42.70 to 43.70): BE1





#4

2-Fluorophenol

Concen: 0.180 ng

RT: 5.37 min Scan# 217

Delta R.T. -0.01 min

Lab File: BE100910.D

Acq: 14 Dec 2019 6:16

Instrument :

BNA_E

ClientSampleId :

DUP05-20191207


Tot Ion:112 Resp: 1846

Ion Ratio Lower Upper

112 100

64 70.6 54.5 81.7




63 141.5 116.1 174.1



Abundance Ion 112.00 (111.70 to 112.70): BE1

Ion 64.00 (63.70 to 64.70): BE1

Ion 63.00 (62.70 to 63.70): BE1



#5

Phenol-d6

Concen: 0.116 ng

RT: 6.93 min Scan# 353

Delta R.T. 0.00 min

Lab File: BE100910.D

Acq: 14 Dec 2019 6:16


Tgt Ion: 99 Resp: 1793

Ion Ratio Lower Upper

99 100

42 41.9 18.2 27.2#



71 37.6 29.1 43.7




Abundance Ion 99.00 (98.70 to 99.70): BE1

Ion 42.00 (41.70 to 42.70): BE1

Ion 71.00 (70.70 to 71.70): BE1





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.54 min Scan# 644

Delta R.T. -0.00 min

Lab File: BE100910.D

Acq: 14 Dec 2019 6:16

Instrument :

BNA_E

ClientSampleId :

DUP05-20191207

Tot Ion:136 Resp: 19834


Ion Ratio Lower Upper

136 100

137 11.4 9.1 13.7

54 26.1 18.9 28.3

68 5.6 4.6 6.8






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE1

Ion 68.00 (67.70 to 68.70): BE1



#8

Nitrobenzene-d5

Concen: 0.500 ng

RT: 8.90 min Scan# 518

Delta R.T. -0.00 min

Lab File: BE100910.D

Acq: 14 Dec 2019 6:16


Tgt Ion: 82 Resp: 4722

Ion Ratio Lower Upper

82 100

128 139.4 113.5 170.3



54 189.4 138.9 208.3




Abundance Ion 82.00 (81.70 to 82.70): BE1

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE1





#11

2-Methylnaphthalene-d10

Concen: 0.378 ng

RT: 12.14 min Scan# 758

Delta R.T. -0.00 min

Lab File: BE100910.D

Acq: 14 Dec 2019 6:16

Instrument :

BNA_E

ClientSampleId :


DUP05-20191207

Tot Ion:152 Resp: 10858

Ion Ratio Lower Upper

152 100

151 19.7 15.1 22.7



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E

12.14

6000



4000

2000

0

Time-->

12.00 12.20



#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.38 min Scan# 914

Delta R.T. -0.00 min

Lab File: BE100910.D

Acq: 14 Dec 2019 6:16


Tgt Ion:164 Resp: 11741

Ion Ratio Lower Upper

164 100

162 107.1 86.0 129.0

160 53.3 42.3 63.5



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E

14.38

8000

6000


4000


2000

0

Time-->

14.30 14.40 14.50









#14
 2,4,6-Tribromophenol
 Concen: 0.729 ng
 RT: 15.86 min Scan# 1018
 Delta R.T. -0.01 min
 Lab File: BE100910.D
 Acq: 14 Dec 2019 6:16

Instrument :
 BNA_E
 ClientSampleId :
 DUP05-20191207

Tot Ion:330 Resp: 952
 Ion Ratio Lower Upper
 330 100
 332 99.3 74.1 111.1
 141 53.5 46.7 70.1




Abundance Ion 330.00 (329.70 to 330.70): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#15
 2-Fluorobiphenyl
 Concen: 0.318 ng
 RT: 13.02 min Scan# 819
 Delta R.T. -0.00 min
 Lab File: BE100910.D
 Acq: 14 Dec 2019 6:16

Tgt Ion:172 Resp: 14803
 Ion Ratio Lower Upper
 172 100
 171 36.1 28.2 42.4
 170 24.4 19.4 29.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.12 min Scan# 1112

Delta R.T. 0.00 min

Lab File: BE100910.D

Acq: 14 Dec 2019 6:16

Instrument :

BNA_E

ClientSampleId :

DUP05-20191207





Tot Ion:188 Resp: 30919

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0

80 9.9 7.9 11.9



#25

Fluoranthene-d10

Concen: 0.413 ng

RT: 19.15 min Scan# 1372

Delta R.T. 0.00 min

Lab File: BE100910.D

Acq: 14 Dec 2019 6:16




Tgt Ion:212 Resp: 150967


Ion Ratio Lower Upper

212 100

106 3.4 2.6 4.0

104 1.8 1.4 2.2





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.31 min Scan# 1625

Delta R.T. 0.00 min

Lab File: BE100910.D

Acq: 14 Dec 2019 6:16

Instrument :

BNA_E

ClientSampleId :

DUP05-20191207


Tot Ion:240 Resp: 29892

Ion Ratio Lower Upper

240 100

120 6.5 4.0 6.0#




236 27.1 21.6 32.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29

Terphenyl-d14

Concen: 0.398 ng

RT: 19.76 min Scan# 1478

Delta R.T. 0.00 min

Lab File: BE100910.D

Acq: 14 Dec 2019 6:16


Tgt Ion:244 Resp: 28529

Ion Ratio Lower Upper

244 100

212 32.1 25.2 37.8



122 11.9 8.9 13.3




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#32
 Bis(2-ethylhexyl)phthalate
 Concen: 2.003 ng
 RT: 21.23 min Scan# 1619
 Delta R.T. 0.00 min
 Lab File: BE100910.D
 Acq: 14 Dec 2019 6:16

Instrument :
 BNA_E
 ClientSampleId :
 DUP05-20191207

Tot Ion	Ratio	Lower	Upper
149	100		
167	6.7	5.0	7.4
279	0.8	0.6	1.0




Abundance Ion 149.00 (148.70 to 149.70): E
 Ion 167.00 (166.70 to 167.70): E
 Ion 279.00 (278.70 to 279.70): E



#34
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.74 min Scan# 2165
 Delta R.T. 0.00 min
 Lab File: BE100910.D
 Acq: 14 Dec 2019 6:16

Tgt Ion	Ratio	Lower	Upper
264	100		
260	24.1	19.4	29.0
265	23.8	20.1	30.1



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

