

Data Path : Z:\SVOASRV\HPCHEM1\BNA_E\DATA\BE121418\
 Data File : BE098456.D
 Acq On : 15 Dec 2018 4:55
 Operator : SJ/JU
 Sample : J6358-03
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 BPS1-TT-MW308S-20181210

Quant Time: Dec 15 06:00:12 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_E\METHODS\8270-SIM-BE121018.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Dec 10 14:59:55 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.86	152	1029	0.40	ng	0.00
7) Naphthalene-d8	10.65	136	4076	0.40	ng	-0.01
13) Acenaphthene-d10	14.51	164	2548	0.40	ng	-0.01
19) Phenanthrene-d10	17.27	188	6144	0.40	ng	-0.01
27) Chrysene-d12	21.46	240	7677	0.40	ng	0.00
34) Perylene-d12	24.00	264	7343	0.40	ng	-0.02
System Monitoring Compounds						
4) 2-Fluorophenol	5.45	112	507	0.21	ng	0.00
5) Phenol-d6	7.04	99	456	0.13	ng	0.00
8) Nitrobenzene-d5	9.03	82	1486	0.40	ng	0.01
11) 2-Methylnaphthalene-d10	12.27	152	2533	0.38	ng	0.00
14) 2,4,6-Tribromophenol	16.02	330	599	0.64	ng	0.00
15) 2-Fluorobiphenyl	13.15	172	6160	0.57	ng	0.00
25) Fluoranthene-d10	19.30	212	35486	0.45	ng	0.00
29) Terphenyl-d14	19.90	244	7931	0.43	ng	-0.01
Target Compounds						
22) Pentachlorophenol	16.96	266	18	0.049	ng	# 76
32) Bis(2-ethylhexyl)phthalate	21.35	149	3433	0.077	ng	# 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_E\DATA\BE121418\
Data File : BE098456.D
Acq On : 15 Dec 2018 4:55
Operator : SJ/JU
Sample : J6358-03
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
BPS1-TT-MW308S-20181210

Quant Time: Dec 15 06:00:12 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_E\METHODS\8270-SIM-BE121018.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Dec 10 14:59:55 2018
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.86 min Scan# 434

Delta R.T. -0.00 min

Lab File: BE098456.D

Acq: 15 Dec 2018 4:55

Instrument :

BNA_E

ClientSampleId :

BPS1-TT-MW308S-20181210


Tgt Ion:152 Resp: 1029

Ion Ratio Lower Upper

152 100

150 137.5 124.2 186.4




115 61.1 53.9 80.9



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 0.211 ng

RT: 5.45 min Scan# 225

Delta R.T. 0.01 min

Lab File: BE098456.D

Acq: 15 Dec 2018 4:55


Tgt Ion:112 Resp: 507

Ion Ratio Lower Upper

112 100

64 79.1 59.8 89.8



63 165.7 133.7 200.5




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.134 ng

RT: 7.04 min Scan# 363

Delta R.T. -0.00 min

Lab File: BE098456.D

Acq: 15 Dec 2018 4:55

Instrument :

BNA_E

ClientSampleId :

BPS1-TT-MW308S-20181210


Tgt Ion: 99 Resp: 456

Ion Ratio Lower Upper

99 100

42 52.0 26.3 39.5#


71 41.0 33.6 50.4





Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



Time-->



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.65 min Scan# 653

Delta R.T. -0.01 min

Lab File: BE098456.D

Acq: 15 Dec 2018 4:55

Tgt Ion: 136 Resp: 4076


Ion Ratio Lower Upper

136 100

137 13.9 9.2 13.8#

54 64.4 28.4 42.6#

68 9.9 5.4 8.0#




Abundance Ion 136.00 (135.70 to 136.70): E


Ion 137.00 (136.70 to 137.70): E


Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0



Time-->





#8

Nitrobenzene-d5

Concen: 0.401 ng

RT: 9.03 min Scan# 528

Delta R.T. 0.01 min

Lab File: BE098456.D

Acq: 15 Dec 2018 4:55

Instrument :

BNA_E

ClientSampleId :

BPS1-TT-MW308S-20181210


Tgt Ion: 82 Resp: 1486

Ion Ratio Lower Upper

82 100

128 152.8 102.4 153.6




54 283.2 221.8 332.8



Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): BE0

Ion 54.00 (53.70 to 54.70): BE0



#11

2-Methylnaphthalene-d10

Concen: 0.382 ng

RT: 12.27 min Scan# 767

Delta R.T. 0.00 min

Lab File: BE098456.D


Acq: 15 Dec 2018 4:55

Tgt Ion: 152 Resp: 2533

Ion Ratio Lower Upper



152 100


151 19.7 16.2 24.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.51 min Scan# 923
Delta R.T. -0.01 min
Lab File: BE098456.D
Acq: 15 Dec 2018 4:55




Instrument :
BNA_E
ClientSampleId :
BPS1-TT-MW308S-20181210


Tgt Ion:164 Resp: 2548
Ion Ratio Lower Upper
164 100
162 100.4 77.6 116.4
160 52.9 36.0 54.0



#14
2,4,6-Tribromophenol
Concen: 0.640 ng
RT: 16.02 min Scan# 1041
Delta R.T. -0.00 min
Lab File: BE098456.D
Acq: 15 Dec 2018 4:55

Tgt Ion:330 Resp: 599
Ion Ratio Lower Upper
330 100
332 89.3 76.2 114.4
141 46.2 39.0 58.4









#15
2-Fluorobiphenyl
Concen: 0.573 ng
RT: 13.15 min Scan# 828
Delta R.T. 0.00 min
Lab File: BE098456.D
Acq: 15 Dec 2018 4:55

Instrument :
BNA_E
ClientSampleId :
BPS1-TT-MW308S-20181210

Tgt Ion:172 Resp: 6160
Ion Ratio Lower Upper
172 100
171 31.9 27.5 41.3
170 23.0 19.6 29.4




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.27 min Scan# 1148
Delta R.T. -0.01 min
Lab File: BE098456.D
Acq: 15 Dec 2018 4:55

Tgt Ion:188 Resp: 6144
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 11.2 7.2 10.8#



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BE0
Ion 80.00 (79.70 to 80.70): BE0









#22
 Pentachlorophenol
 Concen: 0.049 ng
 RT: 16.96 min Scan# 1122
 Delta R.T. 0.02 min
 Lab File: BE098456.D
 Acq: 15 Dec 2018 4:55




Instrument :
 BNA_E
 ClientSampleId :
 BPS1-TT-MW308S-20181210


Tgt Ion: 266 Resp: 18
 Ion Ratio Lower Upper
 266 100
 264 87.0 59.0 88.4
 268 96.3 55.1 82.7#



#25
 Fluoranthene-d10
 Concen: 0.450 ng
 RT: 19.30 min Scan# 1432
 Delta R.T. -0.00 min
 Lab File: BE098456.D
 Acq: 15 Dec 2018 4:55

Tgt Ion: 212 Resp: 35486
 Ion Ratio Lower Upper
 212 100
 106 2.5 2.2 3.2
 104 1.5 1.3 1.9





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.46 min Scan# 1671

Delta R.T. -0.00 min

Lab File: BE098456.D

Acq: 15 Dec 2018 4:55

Instrument :

BNA_E

ClientSampleId :

BPS1-TT-MW308S-20181210


Tgt Ion:240 Resp: 7677

Ion Ratio Lower Upper

240 100

120 7.3 9.5 14.3#




236 29.1 22.7 34.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29

Terphenyl-d14

Concen: 0.425 ng

RT: 19.90 min Scan# 1535

Delta R.T. -0.01 min

Lab File: BE098456.D

Acq: 15 Dec 2018 4:55


Tgt Ion:244 Resp: 7931

Ion Ratio Lower Upper

244 100

212 37.6 27.4 41.0



122 11.6 8.3 12.5




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#32
 Bis(2-ethylhexyl)phthalate
 Concen: 0.077 ng
 RT: 21.35 min Scan# 1662
 Delta R.T. -0.01 min
 Lab File: BE098456.D
 Acq: 15 Dec 2018 4:55

Instrument :
 BNA_E
 ClientSampleId :
 BPS1-TT-MW308S-20181210

Tgt Ion:149 Resp: 3433
 Ion Ratio Lower Upper
 149 100
 167 6.8 5.7 8.5
 279 1.6 1.0 1.4#



#34
 Perylene-d12
 Concen: 0.400 ng
 RT: 24.00 min Scan# 2268
 Delta R.T. -0.02 min
 Lab File: BE098456.D
 Acq: 15 Dec 2018 4:55

Tgt Ion:264 Resp: 7343
 Ion Ratio Lower Upper
 264 100
 260 25.7 20.2 30.2
 265 31.3 25.2 37.8

