

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE121418\
 Data File : BE098448.D
 Acq On : 14 Dec 2018 22:45
 Operator : SJ/JU
 Sample : J6343-16
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 BPS1-TT-MW312I-20181210

Quant Time: Dec 14 23:59:31 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE121018.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Dec 10 14:59:55 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.86	152	992	0.40	ng	0.00
7) Naphthalene-d8	10.65	136	4233	0.40	ng	-0.01
13) Acenaphthene-d10	14.51	164	2836	0.40	ng	-0.01
19) Phenanthrene-d10	17.27	188	6936	0.40	ng	-0.01
27) Chrysene-d12	21.45	240	8841	0.40	ng	-0.01
34) Perylene-d12	23.99	264	8578	0.40	ng	-0.02
System Monitoring Compounds						
4) 2-Fluorophenol	5.45	112	664	0.29	ng	0.00
5) Phenol-d6	7.04	99	542	0.16	ng	0.00
8) Nitrobenzene-d5	9.03	82	1749	0.45	ng	0.01
11) 2-Methylnaphthalene-d10	12.25	152	3046	0.44	ng	-0.01
14) 2,4,6-Tribromophenol	16.02	330	741	0.71	ng	0.00
15) 2-Fluorobiphenyl	13.15	172	5966	0.50	ng	0.00
25) Fluoranthene-d10	19.30	212	44510	0.50	ng	0.00
29) Terphenyl-d14	19.89	244	8838	0.41	ng	-0.01
Target Compounds						Qvalue
32) Bis(2-ethylhexyl)phthalate	21.35	149	3813	0.075	ng	# 94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE121418\
Data File : BE098448.D
Acq On : 14 Dec 2018 22:45
Operator : SJ/JU
Sample : J6343-16
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
BPS1-TT-MW312I-20181210

Quant Time: Dec 14 23:59:31 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE121018.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Dec 10 14:59:55 2018
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.86 min Scan# 434

Delta R.T. -0.00 min

Lab File: BE098448.D

Acq: 14 Dec 2018 22:45

Instrument :

BNA_E

ClientSampleId :

BPS1-TT-MW312I-20181210


Tot Ion:152 Resp: 992

Ion Ratio Lower Upper

152 100

150 155.3 124.2 186.4




115 69.4 53.9 80.9



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 0.286 ng

RT: 5.45 min Scan# 225

Delta R.T. 0.01 min

Lab File: BE098448.D

Acq: 14 Dec 2018 22:45


Tgt Ion:112 Resp: 664

Ion Ratio Lower Upper

112 100

64 78.3 59.8 89.8



63 187.7 133.7 200.5




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.165 ng

RT: 7.04 min Scan# 363

Delta R.T. -0.00 min

Lab File: BE098448.D

Acq: 14 Dec 2018 22:45

Instrument :

BNA_E

ClientSampleId :

BPS1-TT-MW312I-20181210


Tot Ion: 99 Resp: 542

Ion Ratio Lower Upper

99 100

42 47.0 26.3 39.5#


71 47.2 33.6 50.4





Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



Time--> 6.90 7.00 7.10 7.20



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.65 min Scan# 653

Delta R.T. -0.01 min

Lab File: BE098448.D

Acq: 14 Dec 2018 22:45

Tgt Ion: 136 Resp: 4233


Ion Ratio Lower Upper

136 100

137 13.3 9.2 13.8

54 54.8 28.4 42.6#

68 9.1 5.4 8.0#




Abundance Ion 136.00 (135.70 to 136.70): E


Ion 137.00 (136.70 to 137.70): E


Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0



Time--> 10.60 10.80





#8

Nitrobenzene-d5

Concen: 0.454 ng

RT: 9.03 min Scan# 528

Delta R.T. 0.01 min

Lab File: BE098448.D

Acq: 14 Dec 2018 22:45

Instrument :

BNA_E

ClientSampleId :

BPS1-TT-MW312I-20181210


Tot Ion: 82 Resp: 1749

Ion Ratio Lower Upper




82 100

128 174.3 102.4 153.6#

54 261.1 221.8 332.8



Abundance Ion 82.00 (81.70 to 82.70): BE0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BE0



#11

2-Methylnaphthalene-d10

Concen: 0.443 ng

RT: 12.25 min Scan# 766

Delta R.T. -0.01 min

Lab File: BE098448.D


Acq: 14 Dec 2018 22:45

Tgt Ion: 152 Resp: 3046



Ion Ratio Lower Upper


152 100

151 19.0 16.2 24.4



Abundance Ion 152.00 (151.70 to 152.70): E
Ion 151.00 (150.70 to 151.70): E









#13
 Acenaphthene-d10
 Concen: 0.400 ng
 RT: 14.51 min Scan# 923
 Delta R.T. -0.01 min
 Lab File: BE098448.D
 Acq: 14 Dec 2018 22:45

Instrument :
 BNA_E
 ClientSampleId :
 BPS1-TT-MW312I-20181210

Tot Ion:164 Resp: 2836
 Ion Ratio Lower Upper
 164 100
 162 97.3 77.6 116.4
 160 49.1 36.0 54.0




Abundance Ion 164.00 (163.70 to 164.70): E
 2000 Ion 162.00 (161.70 to 162.70): E
 1500 Ion 160.00 (159.70 to 160.70): E






#14
 2,4,6-Tribromophenol
 Concen: 0.712 ng
 RT: 16.02 min Scan# 1041
 Delta R.T. -0.00 min
 Lab File: BE098448.D
 Acq: 14 Dec 2018 22:45

Tgt Ion:330 Resp: 741
 Ion Ratio Lower Upper
 330 100
 332 95.8 76.2 114.4
 141 42.5 39.0 58.4



Abundance Ion 330.00 (329.70 to 330.70): E
 500 Ion 331.80 (331.50 to 332.50): E
 400 Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.499 ng
RT: 13.15 min Scan# 828
Delta R.T. -0.00 min
Lab File: BE098448.D
Acq: 14 Dec 2018 22:45

Instrument :
BNA_E
ClientSampleId :
BPS1-TT-MW312I-20181210

Tot Ion:172 Resp: 5966
Ion Ratio Lower Upper
172 100
171 32.3 27.5 41.3
170 21.3 19.6 29.4




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.27 min Scan# 1148
Delta R.T. -0.01 min
Lab File: BE098448.D
Acq: 14 Dec 2018 22:45

Tgt Ion:188 Resp: 6936
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 9.6 7.2 10.8



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BE0
Ion 80.00 (79.70 to 80.70): BE0





#25

Fluoranthene-d10

Concen: 0.500 ng

RT: 19.30 min Scan# 1432

Delta R.T. -0.01 min

Lab File: BE098448.D

Acq: 14 Dec 2018 22:45

Instrument :

BNA_E

ClientSampleId :

BPS1-TT-MW312I-20181210


Tot Ion:212 Resp: 44510

Ion Ratio Lower Upper

212 100

106 2.7 2.2 3.2




104 1.5 1.3 1.9



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.45 min Scan# 1670

Delta R.T. -0.01 min

Lab File: BE098448.D

Acq: 14 Dec 2018 22:45


Tgt Ion:240 Resp: 8841

Ion Ratio Lower Upper

240 100

120 14.6 9.5 14.3#



236 29.1 22.7 34.1




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.411 ng

RT: 19.89 min Scan# 1535

Delta R.T. -0.01 min

Lab File: BE098448.D

Acq: 14 Dec 2018 22:45

Instrument :

BNA_E

ClientSampleId :

BPS1-TT-MW312I-20181210


Tot Ion:244 Resp: 8838

Ion Ratio Lower Upper

244 100

212 38.3 27.4 41.0




122 11.1 8.3 12.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.075 ng

RT: 21.35 min Scan# 1662

Delta R.T. -0.01 min

Lab File: BE098448.D

Acq: 14 Dec 2018 22:45


Tgt Ion:149 Resp: 3813

Ion Ratio Lower Upper

149 100

167 9.3 5.7 8.5#



279 1.8 1.0 1.4#






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34
 Pervlene-d12
 Concen: 0.400 ng
 RT: 23.99 min Scan# 2268
 Delta R.T. -0.02 min
 Lab File: BE098448.D
 Acq: 14 Dec 2018 22:45

Instrument :
 BNA_E
 ClientSampleId :
 BPS1-TT-MW312I-20181210

Tot Ion:264 Resp: 8578
 Ion Ratio Lower Upper
 264 100
 260 27.6 20.2 30.2
 265 34.8 25.2 37.8

