

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE121817\
 Data File : BE095014.D
 Acq On : 18 Dec 2017 17:39
 Operator : SJ/JU
 Sample : I6900-01DL 5X
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 F9C00DL

Manual Integrations
 APPROVED

Sohil
 12/19/2017 4:59:30 PM

Quant Time: Dec 19 04:40:27 2017
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM-EPA-SIM-BE121817.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 19 04:08:16 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.46	152	4348	0.40	ng/ul	0.00
2) Naphthalene-d8	11.29	136	14297	0.40	ng/ul	0.00
6) Acenaphthene-d10	15.05	164	8451	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.75	188	18918	0.40	ng/ul	0.00
16) Chrysene-d12	21.84	240	18887	0.40	ng/ul	0.00
20) Perylene-d12	24.50	264	18679	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.84	152	1791	0.08	ng/ul	0.00
14) Fluoranthene-d10	19.73	212	4802	0.08	ng/ul	0.00
Target Compounds				Qvalue		
3) Naphthalene	11.34	128	824	0.022	ng/ul#	69
7) Acenaphthylene	14.78	152	1033	0.027	ng/ul#	88
8) Acenaphthene	15.11	153	8601	0.290	ng/ul	94
9) Fluorene	16.07	166	7179	0.218	ng/ul	90
12) Phenanthrene	17.78	178	15433m	0.310	ng/ul	
13) Anthracene	17.85	178	1070m	0.023	ng/ul	
15) Fluoranthene	19.76	202	12741	0.196	ng/ul	84
17) Pyrene	20.11	202	3011	0.046	ng/ul	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE121817\
Data File : BE095014.D
Acq On : 18 Dec 2017 17:39
Operator : SJ/JU
Sample : I6900-01DL 5X
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
F9C00DL

Manual Integrations
APPROVED

Sohil
12/19/2017 4:59:30 PM

Quant Time: Dec 19 04:40:27 2017
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM-EPA-SIM-BE121817.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Dec 19 04:08:16 2017
Response via : Initial Calibration

