

Data Path : Z:\HPCHEM1\BNA E\DATA\BE122716\
 Data File : BE092619.D
 Acq On : 27 Dec 2016 12:27
 Operator : UM/SJ
 Sample : PB95532BL
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 PB95532BL

Quant Time: Dec 28 01:35:20 2016
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE121916.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Dec 19 16:16:32 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.14	152	10629	5.00	ng	0.00
7) Naphthalene-d8	10.93	136	43073	5.00	ng	0.00
12) Acenaphthene-d10	14.80	164	25694	5.00	ng	0.00
18) Phenanthrene-d10	17.56	188	52059	5.00	ng	0.00
24) Chrysene-d12	21.72	240	66346	5.00	ng	0.00
31) Perylene-d12	24.08	264	65841	5.00	ng	0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.65	112	20417	9.89	ng	-0.04
5) Phenol-d6	7.31	99	26663	8.53	ng	-0.07
8) Nitrobenzene-d5	9.34	82	11458	3.89	ng	-0.02
13) 2,4,6-Tribromophenol	16.30	330	4329	5.88	ng	-0.01
14) 2-Fluorobiphenyl	13.42	172	27427	4.46	ng	-0.01
26) Terphenyl-d14	20.16	244	36731	4.51	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE122716\
Data File : BE092619.D
Acq On : 27 Dec 2016 12:27
Operator : UM/SJ
Sample : PB95532BL
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
PB95532BL

Quant Time: Dec 28 01:35:20 2016
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE121916.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Dec 19 16:16:32 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 8.14 min Scan# 575

Delta R.T. 0.00 min

Lab File: BE092619.D

Acq: 27 Dec 2016 12:27

Instrument :

BNA_E

ClientSampleId :

PB95532BL


Tot Ion:152 Resp: 10629

Ion Ratio Lower Upper

152 100

150 166.8 106.0 159.0#




115 68.0 31.2 46.8#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 9.89 ng

RT: 5.65 min Scan# 359

Delta R.T. -0.04 min

Lab File: BE092619.D

Acq: 27 Dec 2016 12:27


Tgt Ion:112 Resp: 20417

Ion Ratio Lower Upper

112 100

64 68.6 53.5 80.3



63 36.9 27.9 41.9




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 8.53 ng

RT: 7.31 min Scan# 539

Delta R.T. -0.07 min

Lab File: BE092619.D

Acq: 27 Dec 2016 12:27

Instrument :


BNA_E

ClientSampleId :

PB95532BL

Tot Ion: 99 Resp: 26663

Ion	Ratio	Lower	Upper
99	100		
42	24.1	16.0	24.0#
71	32.7	30.6	45.8






Abundance Ion 99.00 (98.70 to 99.70): BE092619.D (-529) (-)

Ion 42.00 (41.70 to 42.70): BE092619.D (-529) (-)

Ion 71.00 (70.70 to 71.70): BE092619.D (-529) (-)

Time-->



#7

Naphthalene-d8

Concen: 5.00 ng

RT: 10.93 min Scan# 707


Delta R.T. 0.00 min

Lab File: BE092619.D

Acq: 27 Dec 2016 12:27

Tgt Ion: 136 Resp: 43073

Ion	Ratio	Lower	Upper
136	100		
137	11.4	8.2	12.4
54	8.0	9.6	14.4#
68	5.6	6.7	10.1#





Abundance Ion 136.00 (135.70 to 136.70): BE092619.D (-691) (-)


Ion 137.00 (136.70 to 137.70): BE092619.D (-691) (-)

Ion 54.00 (53.70 to 54.70): BE092619.D (-691) (-)

Ion 68.00 (67.70 to 68.70): BE092619.D (-691) (-)

Time-->









#8
 Nitrobenzene-d5
 Concen: 3.89 ng
 RT: 9.34 min Scan# 627
 Delta R.T. -0.02 min
 Lab File: BE092619.D
 Acq: 27 Dec 2016 12:27




Instrument :
 BNA_E
 ClientSampleId :
 PB95532BL


Tot Ion: 82 Resp: 11458
 Ion Ratio Lower Upper
 82 100
 128 43.6 39.0 58.4
 54 50.6 44.8 67.2



#12
 Acenaphthene-d10
 Concen: 5.00 ng
 RT: 14.80 min Scan# 979
 Delta R.T. 0.00 min
 Lab File: BE092619.D
 Acq: 27 Dec 2016 12:27

Tgt Ion: 164 Resp: 25694
 Ion Ratio Lower Upper
 164 100
 162 100.4 71.4 107.0
 160 45.5 27.4 41.2#









#13
 2,4,6-Tribromophenol
 Concen: 5.88 ng
 RT: 16.30 min Scan# 1087
 Delta R.T. -0.01 min
 Lab File: BE092619.D
 Acq: 27 Dec 2016 12:27




Instrument :
 BNA_E
 ClientSampleId :
 PB95532BL


Tot Ion:330 Resp: 4329
 Ion Ratio Lower Upper
 330 100
 332 94.8 75.4 113.0
 141 44.4 31.0 46.6



#14
 2-Fluorobiphenyl
 Concen: 4.46 ng
 RT: 13.42 min Scan# 883
 Delta R.T. -0.01 min
 Lab File: BE092619.D
 Acq: 27 Dec 2016 12:27

Tgt Ion:172 Resp: 27427
 Ion Ratio Lower Upper
 172 100
 171 35.5 30.1 45.1
 170 24.8 21.8 32.6





#18

Phenanthrene-d10

Concen: 5.00 ng

RT: 17.56 min Scan# 1153

Delta R.T. -0.00 min

Lab File: BE092619.D

Acq: 27 Dec 2016 12:27

Instrument :

BNA_E

ClientSampleId :

PB95532BL


Tot Ion:188 Resp: 52059

Ion Ratio Lower Upper

188 100

94 6.4 3.2 4.8#




80 6.1 2.6 3.8#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#24

Chrysene-d12

Concen: 5.00 ng

RT: 21.72 min Scan# 1374

Delta R.T. -0.00 min

Lab File: BE092619.D

Acq: 27 Dec 2016 12:27


Tgt Ion:240 Resp: 66346

Ion Ratio Lower Upper

240 100

120 5.0 2.6 4.0#



236 29.2 24.6 37.0




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#26
 Terphenyl-d14
 Concen: 4.51 ng
 RT: 20.16 min Scan# 1298
 Delta R.T. -0.02 min
 Lab File: BE092619.D
 Acq: 27 Dec 2016 12:27

Instrument :
 BNA_E
 ClientSampleId :
 PB95532BL

Tot Ion:244 Resp: 36731
 Ion Ratio Lower Upper
 244 100
 212 8.8 6.7 10.1
 122 7.0 3.6 5.4#



#31
 Perylene-d12
 Concen: 5.00 ng
 RT: 24.08 min Scan# 1543
 Delta R.T. 0.01 min
 Lab File: BE092619.D
 Acq: 27 Dec 2016 12:27

Tgt Ion:264 Resp: 65841
 Ion Ratio Lower Upper
 264 100
 260 25.1 20.1 30.1
 265 21.6 17.9 26.9

