

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF010719\
 Data File : BF111890.D
 Acq On : 7 Jan 2019 21:30
 Operator : JU/SJ
 Sample : K1034-02 10X
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CONTROL-HOUSE-WALL-1-2

Quant Time: Jan 08 04:34:02 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF010719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jan 07 14:33:51 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.89	152	142486	20.00	ng	0.00
21) Naphthalene-d8	8.17	136	428504	20.00	ng	0.00
39) Acenaphthene-d10	9.93	164	174776	20.00	ng	0.00
64) Phenanthrene-d10	11.41	188	295247	20.00	ng	0.00
76) Chrysene-d12	14.05	240	325994	20.00	ng	0.00
87) Perylene-d12	15.53	264	416700	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.52	112	57084	6.85	ng	0.00
7) Phenol-d6	6.53	99	74974	6.98	ng	0.00
23) Nitrobenzene-d5	7.44	82	54625	6.81	ng	-0.02
42) 2,4,6-Tribromophenol	10.72	330	13682	6.02	ng	0.00
45) 2-Fluorobiphenyl	9.25	172	94166	7.86	ng	0.00
79) Terphenyl-d14	12.99	244	79865	4.65	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF010719\
Data File : BF111890.D
Acq On : 7 Jan 2019 21:30
Operator : JU/SJ
Sample : K1034-02 10X
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CONTROL-HOUSE-WALL-1-2

Quant Time: Jan 08 04:34:02 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF010719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jan 07 14:33:51 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.89 min Scan# 816
Delta R.T. -0.01 min
Lab File: BF111890.D
Acq: 7 Jan 2019 21:30

Instrument :
BNA_F
ClientSampleId :
CONTROL-HOUSE-WALL-1-2

Tot Ion:152 Resp: 142486
Ion Ratio Lower Upper
152 100
150 158.5 122.7 184.1
115 58.9 45.2 67.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 6.854 ng
RT: 5.52 min Scan# 583
Delta R.T. -0.01 min
Lab File: BF111890.D
Acq: 7 Jan 2019 21:30

Tgt Ion:112 Resp: 57084
Ion Ratio Lower Upper
112 100
64 66.3 48.3 72.5
63 34.9 26.1 39.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 6.984 ng

RT: 6.53 min Scan# 755

Delta R.T. -0.01 min

Lab File: BF111890.D

Acq: 7 Jan 2019 21:30

Instrument :

BNA_F

ClientSampleId :

CONTROL-HOUSE-WALL-1-2


Tot Ion: 99 Resp: 74974

Ion Ratio Lower Upper




99 100

42 21.0 17.9 26.9

71 34.7 28.7 43.1



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.17 min Scan# 1034

Delta R.T. -0.01 min

Lab File: BF111890.D

Acq: 7 Jan 2019 21:30

Tgt Ion: 136 Resp: 428504


Ion Ratio Lower Upper

136 100



137 10.7 9.1 13.7

54 8.9 7.2 10.8

68 5.0 4.4 6.6



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
Nitrobenzene-d5
Concen: 6.813 ng
RT: 7.44 min Scan# 910
Delta R.T. -0.02 min
Lab File: BF111890.D
Acq: 7 Jan 2019 21:30




Instrument :
BNA_F
ClientSampleId :
CONTROL-HOUSE-WALL-1-2


Tot Ion: 82 Resp: 54625
Ion Ratio Lower Upper
82 100
128 41.1 35.7 53.5
54 57.0 45.8 68.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.93 min Scan# 1333
Delta R.T. -0.01 min
Lab File: BF111890.D
Acq: 7 Jan 2019 21:30

Tgt Ion:164 Resp: 174776
Ion Ratio Lower Upper
164 100
162 103.6 82.2 123.2
160 45.8 35.5 53.3









#42
 2,4,6-Tribromophenol
 Concen: 6.019 ng
 RT: 10.72 min Scan# 1467
 Delta R.T. -0.01 min
 Lab File: BF111890.D
 Acq: 7 Jan 2019 21:30

Instrument :
 BNA_F
 ClientSampleId :
 CONTROL-HOUSE-WALL-1-2

Tot Ion	Ratio	Lower	Upper
330	100		
332	94.7	76.9	115.3
141	33.1	23.7	35.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 7.857 ng
 RT: 9.25 min Scan# 1217
 Delta R.T. -0.01 min
 Lab File: BF111890.D
 Acq: 7 Jan 2019 21:30

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.1	29.6	44.4
170	21.1	19.8	29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.41 min Scan# 1585
Delta R.T. -0.01 min
Lab File: BF111890.D
Acq: 7 Jan 2019 21:30




Instrument :
BNA_F
ClientSampleId :
CONTROL-HOUSE-WALL-1-2


Tot Ion:188 Resp: 295247
Ion Ratio Lower Upper
188 100
94 8.7 6.6 10.0
80 9.5 7.7 11.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.05 min Scan# 2034
Delta R.T. -0.01 min
Lab File: BF111890.D
Acq: 7 Jan 2019 21:30

Tgt Ion:240 Resp: 325994
Ion Ratio Lower Upper
240 100
120 9.1 8.2 12.2
236 25.7 20.2 30.4









#79
 Terphenyl-d14
 Concen: 4.650 ng
 RT: 12.99 min Scan# 1854
 Delta R.T. -0.01 min
 Lab File: BF111890.D
 Acq: 7 Jan 2019 21:30

Instrument :
 BNA_F
 ClientSampleId :
 CONTROL-HOUSE-WALL-1-2

Tot Ion	Ratio	Lower	Upper
244	100		
212	6.0	5.8	8.8
122	8.4	9.5	14.3#



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.53 min Scan# 2286
 Delta R.T. -0.00 min
 Lab File: BF111890.D
 Acq: 7 Jan 2019 21:30

Tgt Ion	Ratio	Lower	Upper
264	100		
260	23.0	19.2	28.8
265	22.3	17.1	25.7

