

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF010919\
 Data File : BF111945.D
 Acq On : 9 Jan 2019 12:33
 Operator : JU/SJ
 Sample : PB116192BL
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB116192BL

Quant Time: Jan 10 01:58:18 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF010719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jan 07 14:33:51 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.89	152	169781	20.00	ng	0.00
21) Naphthalene-d8	8.17	136	623302	20.00	ng	0.00
39) Acenaphthene-d10	9.92	164	319093	20.00	ng	-0.01
64) Phenanthrene-d10	11.41	188	519549	20.00	ng	0.00
76) Chrysene-d12	14.05	240	322483	20.00	ng	0.00
87) Perylene-d12	15.53	264	277626	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.53	112	1123233	113.18	ng	0.01
7) Phenol-d6	6.53	99	1403139	109.70	ng	0.00
23) Nitrobenzene-d5	7.45	82	929237	79.68	ng	-0.01
42) 2,4,6-Tribromophenol	10.72	330	399756	96.32	ng	0.00
45) 2-Fluorobiphenyl	9.25	172	1589362	72.63	ng	0.00
79) Terphenyl-d14	13.00	244	1368066	80.53	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF010919\
Data File : BF111945.D
Acq On : 9 Jan 2019 12:33
Operator : JU/SJ
Sample : PB116192BL
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB116192BL

Quant Time: Jan 10 01:58:18 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF010719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jan 07 14:33:51 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.89 min Scan# 816
Delta R.T. -0.01 min
Lab File: BF111945.D
Acq: 9 Jan 2019 12:33

Instrument :
BNA_F
ClientSampleId :
PB116192BL

Tot Ion:152 Resp: 169781
Ion Ratio Lower Upper
152 100
150 157.5 122.7 184.1
115 57.6 45.2 67.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 113.184 ng
RT: 5.53 min Scan# 586
Delta R.T. 0.01 min
Lab File: BF111945.D
Acq: 9 Jan 2019 12:33

Tgt Ion:112 Resp: 1123233
Ion Ratio Lower Upper
112 100
64 58.4 48.3 72.5
63 31.5 26.1 39.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 109.699 ng

RT: 6.53 min Scan# 755

Delta R.T. -0.01 min

Lab File: BF111945.D

Acq: 9 Jan 2019 12:33

Instrument :

BNA_F

ClientSampleId :

PB116192BL


Tot Ion: 99 Resp: 1403139

Ion Ratio Lower Upper

99 100

42 22.6 17.9 26.9




71 37.6 28.7 43.1



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.17 min Scan# 1034

Delta R.T. -0.01 min

Lab File: BF111945.D

Acq: 9 Jan 2019 12:33

Tgt Ion: 136 Resp: 623302


Ion Ratio Lower Upper

136 100

137 10.9 9.1 13.7

54 8.4 7.2 10.8

68 5.2 4.4 6.6






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 79.678 ng
 RT: 7.45 min Scan# 911
 Delta R.T. -0.01 min
 Lab File: BF111945.D
 Acq: 9 Jan 2019 12:33

Instrument :
 BNA_F
 ClientSampleID :
 PB116192BL

Tot Ion: 82 Resp: 929237
 Ion Ratio Lower Upper
 82 100
 128 45.1 35.7 53.5
 54 56.3 45.8 68.8




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF1






#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.92 min Scan# 1332
 Delta R.T. -0.01 min
 Lab File: BF111945.D
 Acq: 9 Jan 2019 12:33

Tgt Ion: 164 Resp: 319093
 Ion Ratio Lower Upper
 164 100
 162 101.5 82.2 123.2
 160 44.3 35.5 53.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#42
 2,4,6-Tribromophenol
 Concen: 96.317 ng
 RT: 10.72 min Scan# 1467
 Delta R.T. -0.01 min
 Lab File: BF111945.D
 Acq: 9 Jan 2019 12:33

Instrument :
 BNA_F
 ClientSampleId :
 PB116192BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.8	76.9	115.3
141	28.6	23.7	35.5






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 72.631 ng
 RT: 9.25 min Scan# 1217
 Delta R.T. -0.01 min
 Lab File: BF111945.D
 Acq: 9 Jan 2019 12:33

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.7	29.6	44.4
170	24.4	19.8	29.8






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.41 min Scan# 1585
Delta R.T. -0.01 min
Lab File: BF111945.D
Acq: 9 Jan 2019 12:33




Instrument :
BNA_F
ClientSampleId :
PB116192BL


Tot Ion:188 Resp: 519549
Ion Ratio Lower Upper
188 100
94 8.7 6.6 10.0
80 9.4 7.7 11.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.05 min Scan# 2034
Delta R.T. -0.01 min
Lab File: BF111945.D
Acq: 9 Jan 2019 12:33

Tgt Ion:240 Resp: 322483
Ion Ratio Lower Upper
240 100
120 9.4 8.2 12.2
236 25.4 20.2 30.4





#79

Terphenyl-d14

Concen: 80.528 ng

RT: 13.00 min Scan# 1855

Delta R.T. 0.00 min

Lab File: BF111945.D

Acq: 9 Jan 2019 12:33

Instrument :


BNA_F

ClientSampleId :

PB116192BL

Tot Ion:244 Resp: 1368066

Ion	Ratio	Lower	Upper
244	100		
212	6.9	5.8	8.8
122	10.1	9.5	14.3






Abundance

Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.53 min Scan# 2286


Delta R.T. 0.00 min

Lab File: BF111945.D

Acq: 9 Jan 2019 12:33

Tgt Ion:264 Resp: 277626

Ion	Ratio	Lower	Upper
264	100		
260	22.2	19.2	28.8
265	21.1	17.1	25.7



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

