

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF010919\
 Data File : BF111978.D
 Acq On : 10 Jan 2019 5:17
 Operator : JU/SJ
 Sample : K1082-18
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CP-1-6

Quant Time: Jan 10 07:26:06 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF010719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jan 07 14:33:51 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.89	152	106072	20.00	ng	0.00
21) Naphthalene-d8	8.17	136	358991	20.00	ng	0.00
39) Acenaphthene-d10	9.93	164	160877	20.00	ng	0.00
64) Phenanthrene-d10	11.41	188	295023	20.00	ng	0.00
76) Chrysene-d12	14.06	240	181345	20.00	ng	0.00
87) Perylene-d12	15.54	264	73563	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.52	112	408500	65.89	ng	0.00
7) Phenol-d6	6.52	99	568131	71.09	ng	-0.01
23) Nitrobenzene-d5	7.45	82	318948	47.48	ng	-0.01
42) 2,4,6-Tribromophenol	10.72	330	116559	55.70	ng	0.00
45) 2-Fluorobiphenyl	9.25	172	637218	57.76	ng	0.00
79) Terphenyl-d14	13.00	244	640110	67.00	ng	0.00
Target Compounds						
50) Dimethylphthalate	9.63	163	38988	3.226	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF010919\
Data File : BF111978.D
Acq On : 10 Jan 2019 5:17
Operator : JU/SJ
Sample : K1082-18
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CP-1-6

Quant Time: Jan 10 07:26:06 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF010719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jan 07 14:33:51 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.89 min Scan# 816
Delta R.T. -0.01 min
Lab File: BF111978.D
Acq: 10 Jan 2019 5:17

Instrument :
BNA_F
ClientSampleId :
CP-1-6

Tot Ion:152 Resp: 106072
Ion Ratio Lower Upper
152 100
150 155.2 122.7 184.1
115 58.3 45.2 67.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 65.886 ng
RT: 5.52 min Scan# 583
Delta R.T. -0.01 min
Lab File: BF111978.D
Acq: 10 Jan 2019 5:17

Tgt Ion:112 Resp: 408500
Ion Ratio Lower Upper
112 100
64 63.9 48.3 72.5
63 33.7 26.1 39.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 71.095 ng

RT: 6.52 min Scan# 754

Delta R.T. -0.01 min

Lab File: BF111978.D

Acq: 10 Jan 2019 5:17

Instrument :

BNA_F

ClientSampleId :

CP-1-6


Tot Ion: 99 Resp: 568131

Ion Ratio Lower Upper




99 100

42 23.0 17.9 26.9

71 37.4 28.7 43.1



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.17 min Scan# 1034

Delta R.T. -0.01 min

Lab File: BF111978.D

Acq: 10 Jan 2019 5:17

Tgt Ion: 136 Resp: 358991


Ion Ratio Lower Upper

136 100



137 10.9 9.1 13.7


54 8.6 7.2 10.8

68 5.4 4.4 6.6



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 47.484 ng
 RT: 7.45 min Scan# 911
 Delta R.T. -0.01 min
 Lab File: BF111978.D
 Acq: 10 Jan 2019 5:17




Instrument :
 BNA_F
 ClientSampled :
 CP-1-6


Tot Ion	82	Resp	318948
Ion Ratio	100	Lower	Upper
128	47.3	35.7	53.5
54	53.9	45.8	68.8



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.93 min Scan# 1333
 Delta R.T. -0.01 min
 Lab File: BF111978.D
 Acq: 10 Jan 2019 5:17

Tgt Ion	164	Resp	160877
Ion Ratio	100	Lower	Upper
162	102.2	82.2	123.2
160	45.5	35.5	53.3






#42
2,4,6-Tribromophenol
Concen: 55.703 ng
RT: 10.72 min Scan# 1467
Delta R.T. -0.01 min
Lab File: BF111978.D
Acq: 10 Jan 2019 5:17

Instrument :
BNA_F
ClientSampleId :
CP-1-6

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.4	76.9	115.3
141	29.5	23.7	35.5






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
2-Fluorobiphenyl
Concen: 57.758 ng
RT: 9.25 min Scan# 1217
Delta R.T. -0.01 min
Lab File: BF111978.D
Acq: 10 Jan 2019 5:17

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.4	29.6	44.4
170	23.2	19.8	29.8






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 3.226 ng

RT: 9.63 min Scan# 1283

Delta R.T. -0.02 min

Lab File: BF111978.D

Acq: 10 Jan 2019 5:17

Instrument :

BNA_F

ClientSampleId :

CP-1-6


Tot Ion:163 Resp: 38988

Ion Ratio Lower Upper




163 100

194 4.2 3.4 5.2

164 10.0 8.5 12.7



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.41 min Scan# 1585

Delta R.T. -0.01 min

Lab File: BF111978.D

Acq: 10 Jan 2019 5:17


Tgt Ion:188 Resp: 295023

Ion Ratio Lower Upper



188 100


94 9.1 6.6 10.0

80 9.9 7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1









#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.06 min Scan# 2035
Delta R.T. -0.00 min
Lab File: BF111978.D
Acq: 10 Jan 2019 5:17




Instrument :
BNA_F
ClientSampleID :
CP-1-6


Tot Ion	Ratio	Lower	Upper
240	100		
120	9.3	8.2	12.2
236	24.2	20.2	30.4



#79
Terphenyl-d14
Concen: 67.003 ng
RT: 13.00 min Scan# 1855
Delta R.T. -0.00 min
Lab File: BF111978.D
Acq: 10 Jan 2019 5:17

Tgt Ion	Ratio	Lower	Upper
244	100		
212	6.3	5.8	8.8
122	9.2	9.5	14.3#





#87
Pervlene-d12
Concen: 20.000 ng
RT: 15.54 min Scan# 2288
Delta R.T. 0.01 min
Lab File: BF111978.D
Acq: 10 Jan 2019 5:17

Instrument :
BNA_F
ClientSampleId :
CP-1-6

Tot Ion:	264	Resp:	73563
Ion	Ratio	Lower	Upper
264	100		
260	25.1	19.2	28.8
265	22.3	17.1	25.7

