

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF011019\
 Data File : BF111985.D
 Acq On : 10 Jan 2019 14:17
 Operator : JU/SJ
 Sample : K1082-09
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SP-1-5

Quant Time: Jan 11 01:06:01 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF010719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jan 07 14:33:51 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.87	152	115400	20.00	ng	-0.02
21) Naphthalene-d8	8.16	136	421161	20.00	ng	-0.02
39) Acenaphthene-d10	9.91	164	209351	20.00	ng	-0.02
64) Phenanthrene-d10	11.40	188	389309	20.00	ng	-0.02
76) Chrysene-d12	14.04	240	141730	20.00	ng	-0.02
87) Perylene-d12	15.52	264	187361	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.51	112	693226	102.77	ng	-0.01
7) Phenol-d6	6.52	99	971139	111.70	ng	-0.02
23) Nitrobenzene-d5	7.43	82	549823	69.77	ng	-0.02
42) 2,4,6-Tribromophenol	10.70	330	271450	99.69	ng	-0.02
45) 2-Fluorobiphenyl	9.23	172	1071961	74.67	ng	-0.02
79) Terphenyl-d14	12.99	244	588598	78.83	ng	-0.01
Target Compounds						
50) Dimethylphthalate	9.62	163	276572	17.586	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF011019\
Data File : BF111985.D
Acq On : 10 Jan 2019 14:17
Operator : JU/SJ
Sample : K1082-09
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SP-1-5

Quant Time: Jan 11 01:06:01 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF010719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jan 07 14:33:51 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.87 min Scan# 814
 Delta R.T. -0.02 min
 Lab File: BF111985.D
 Acq: 10 Jan 2019 14:17

Instrument :
 BNA_F
 ClientSampleId :
 SP-1-5

Tot Ion:152 Resp: 115400
 Ion Ratio Lower Upper
 152 100
 150 154.7 122.7 184.1
 115 57.7 45.2 67.8




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
 Concen: 102.771 ng
 RT: 5.51 min Scan# 582
 Delta R.T. -0.01 min
 Lab File: BF111985.D
 Acq: 10 Jan 2019 14:17

Tgt Ion:112 Resp: 693226
 Ion Ratio Lower Upper
 112 100
 64 63.0 48.3 72.5
 63 34.3 26.1 39.1



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF1
 Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 111.703 ng

RT: 6.52 min Scan# 753

Delta R.T. -0.02 min

Lab File: BF111985.D

Acq: 10 Jan 2019 14:17

Instrument :

BNA_F

ClientSampleId :

SP-1-5


Tot Ion: 99 Resp: 971139

Ion Ratio Lower Upper




99 100

42 22.0 17.9 26.9

71 36.0 28.7 43.1



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.16 min Scan# 1032

Delta R.T. -0.02 min

Lab File: BF111985.D

Acq: 10 Jan 2019 14:17

Tgt Ion: 136 Resp: 421161


Ion Ratio Lower Upper

136 100



137 10.6 9.1 13.7

54 8.1 7.2 10.8

68 5.1 4.4 6.6



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
Nitrobenzene-d5
Concen: 69.773 ng
RT: 7.43 min Scan# 909
Delta R.T. -0.02 min
Lab File: BF111985.D
Acq: 10 Jan 2019 14:17

Instrument :
BNA_F
ClientSampleId :
SP-1-5

Tot Ion: 82 Resp: 549823
Ion Ratio Lower Upper
82 100
128 43.9 35.7 53.5
54 56.7 45.8 68.8




Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.91 min Scan# 1330
Delta R.T. -0.02 min
Lab File: BF111985.D
Acq: 10 Jan 2019 14:17

Tgt Ion:164 Resp: 209351
Ion Ratio Lower Upper
164 100
162 101.5 82.2 123.2
160 43.5 35.5 53.3



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E





#42

2,4,6-Tribromophenol

Concen: 99.687 ng

RT: 10.70 min Scan# 1465

Delta R.T. -0.02 min

Lab File: BF111985.D

Acq: 10 Jan 2019 14:17

Instrument :

BNA_F

ClientSampleId :

SP-1-5


Tot Ion:330 Resp: 271450

Ion Ratio Lower Upper




330 100

332 95.2 76.9 115.3

141 30.2 23.7 35.5



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 74.666 ng

RT: 9.23 min Scan# 1215

Delta R.T. -0.02 min

Lab File: BF111985.D

Acq: 10 Jan 2019 14:17


Tgt Ion:172 Resp: 1071961

Ion Ratio Lower Upper



172 100


171 35.1 29.6 44.4

170 23.8 19.8 29.8



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E









#50
Dimethylphthalate
Concen: 17.586 ng
RT: 9.62 min Scan# 1281
Delta R.T. -0.03 min
Lab File: BF111985.D
Acq: 10 Jan 2019 14:17

Instrument :
BNA_F
ClientSampleId :
SP-1-5

Tot Ion:163 Resp: 276572
Ion Ratio Lower Upper
163 100
194 4.0 3.4 5.2
164 10.6 8.5 12.7




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.40 min Scan# 1583
Delta R.T. -0.02 min
Lab File: BF111985.D
Acq: 10 Jan 2019 14:17

Tgt Ion:188 Resp: 389309
Ion Ratio Lower Upper
188 100
94 8.5 6.6 10.0
80 9.1 7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1









#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 14.04 min Scan# 2032
 Delta R.T. -0.02 min
 Lab File: BF111985.D
 Acq: 10 Jan 2019 14:17




Instrument :
 BNA_F
 ClientSampleId :
 SP-1-5


Tot Ion	Ratio	Lower	Upper
240	100		
120	8.2	8.2	12.2
236	26.3	20.2	30.4



#79
 Terphenyl-d14
 Concen: 78.832 ng
 RT: 12.99 min Scan# 1853
 Delta R.T. -0.01 min
 Lab File: BF111985.D
 Acq: 10 Jan 2019 14:17

Tgt Ion	Ratio	Lower	Upper
244	100		
212	6.6	5.8	8.8
122	8.1	9.5	14.3#





#87
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.52 min Scan# 2284
 Delta R.T. -0.01 min
 Lab File: BF111985.D
 Acq: 10 Jan 2019 14:17

Instrument :
 BNA_F
 ClientSampleId :
 SP-1-5

Tot Ion	Ratio	Lower	Upper
264	100		
260	22.2	19.2	28.8
265	21.0	17.1	25.7

