

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF011719\
 Data File : BF112105.D
 Acq On : 17 Jan 2019 23:18
 Operator : JU/SJ
 Sample : K1164-06
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 011519-BLST-E-U-S

Quant Time: Jan 18 01:07:54 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF011619.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 16 18:22:05 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.86	152	333665	20.00	ng	0.00
21) Naphthalene-d8	8.15	136	1186688	20.00	ng	0.00
39) Acenaphthene-d10	9.90	164	517945	20.00	ng	0.00
64) Phenanthrene-d10	11.39	188	830452	20.00	ng	0.00
76) Chrysene-d12	14.02	240	745621	20.00	ng	-0.01
87) Perylene-d12	15.50	264	574576	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.49	112	654102	35.58	ng	0.00
7) Phenol-d6	6.50	99	501679	21.81	ng	-0.01
23) Nitrobenzene-d5	7.42	82	1714213	99.80	ng	0.00
42) 2,4,6-Tribromophenol	10.69	330	387685	69.38	ng	0.00
45) 2-Fluorobiphenyl	9.22	172	3033755	85.87	ng	0.00
79) Terphenyl-d14	12.97	244	2502782	71.41	ng	0.00
Target Compounds						
50) Dimethylphthalate	9.61	163	128204	3.394	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF011719\
Data File : BF112105.D
Acq On : 17 Jan 2019 23:18
Operator : JU/SJ
Sample : K1164-06
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
011519-BLST-E-U-S

Quant Time: Jan 18 01:07:54 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF011619.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 16 18:22:05 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.86 min Scan# 812
Delta R.T. -0.00 min
Lab File: BF112105.D
Acq: 17 Jan 2019 23:18

Instrument :
BNA_F
ClientSampleId :
011519-BLST-E-U-S

Tot Ion	Ratio	Lower	Upper
152	100		
150	152.1	127.4	191.0
115	53.5	45.5	68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 35.581 ng
RT: 5.49 min Scan# 579
Delta R.T. -0.00 min
Lab File: BF112105.D
Acq: 17 Jan 2019 23:18

Tgt Ion	Ratio	Lower	Upper
112	100		
64	56.6	45.7	68.5
63	29.4	23.6	35.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 21.812 ng

RT: 6.50 min Scan# 750

Delta R.T. -0.01 min

Lab File: BF112105.D

Acq: 17 Jan 2019 23:18

Instrument :

BNA_F

ClientSampleId :

011519-BLST-E-U-S





Tot Ion: 99 Resp: 501679

Ion Ratio Lower Upper

99 100

42 17.7 15.1 22.7

71 32.1 26.9 40.3



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.15 min Scan# 1030

Delta R.T. -0.00 min

Lab File: BF112105.D

Acq: 17 Jan 2019 23:18

Tgt Ion: 136 Resp: 1186688




Ion Ratio Lower Upper

136 100

137 11.1 9.1 13.7

54 6.7 5.9 8.9

68 5.5 5.1 7.7









#23
Nitrobenzene-d5
Concen: 99.801 ng
RT: 7.42 min Scan# 907
Delta R.T. -0.01 min
Lab File: BF112105.D
Acq: 17 Jan 2019 23:18

Instrument :
BNA_F
ClientSampleId :
011519-BLST-E-U-S

Tot Ion: 82 Resp: 1714213
Ion Ratio Lower Upper
82 100
128 47.3 37.8 56.8
54 50.5 39.7 59.5




Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.90 min Scan# 1328
Delta R.T. -0.01 min
Lab File: BF112105.D
Acq: 17 Jan 2019 23:18

Tgt Ion: 164 Resp: 517945
Ion Ratio Lower Upper
164 100
162 103.4 82.2 123.4
160 45.8 36.2 54.4



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#42
 2,4,6-Tribromophenol
 Concen: 69.384 ng
 RT: 10.69 min Scan# 1462
 Delta R.T. -0.01 min
 Lab File: BF112105.D
 Acq: 17 Jan 2019 23:18

Instrument :
 BNA_F
 ClientSampleId :
 011519-BLST-E-U-S

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.5	76.6	114.8
141	30.7	24.3	36.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 85.874 ng
 RT: 9.22 min Scan# 1213
 Delta R.T. -0.00 min
 Lab File: BF112105.D
 Acq: 17 Jan 2019 23:18

Tgt Ion	Ratio	Lower	Upper
172	100		
171	39.0	30.5	45.7
170	26.2	20.2	30.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#50
Dimethylphthalate
Concen: 3.394 ng
RT: 9.61 min Scan# 1279
Delta R.T. -0.01 min
Lab File: BF112105.D
Acq: 17 Jan 2019 23:18

Instrument :
BNA_F
ClientSampleId :
011519-BLST-E-U-S

Tot Ion	Ratio	Lower	Upper
163	100		
194	3.9	3.3	4.9
164	10.2	8.5	12.7




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.39 min Scan# 1581
Delta R.T. -0.00 min
Lab File: BF112105.D
Acq: 17 Jan 2019 23:18

Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.5	8.2	12.2
80	9.4	8.9	13.3



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1









#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 14.02 min Scan# 2029
 Delta R.T. -0.01 min
 Lab File: BF112105.D
 Acq: 17 Jan 2019 23:18

Instrument :
 BNA_F
 ClientSampleId :
 011519-BLST-E-U-S

Tot Ion:240 Resp: 745621
 Ion Ratio Lower Upper
 240 100
 120 13.0 9.0 13.6
 236 24.9 20.7 31.1




Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E






#79
 Terphenyl-d14
 Concen: 71.408 ng
 RT: 12.97 min Scan# 1850
 Delta R.T. -0.01 min
 Lab File: BF112105.D
 Acq: 17 Jan 2019 23:18

Tgt Ion:244 Resp: 2502782
 Ion Ratio Lower Upper
 244 100
 212 7.1 5.9 8.9
 122 12.7 9.8 14.6



Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E





#87

Pervlene-d12

Concen: 20.000 ng

RT: 15.50 min Scan# 2280

Delta R.T. -0.01 min

Lab File: BF112105.D

Acq: 17 Jan 2019 23:18

Instrument :

BNA_F

ClientSampleId :

011519-BLST-E-U-S


Tot Ion: 264 Resp: 574576

Ion Ratio Lower Upper

264 100

260 22.8 18.2 27.2

265 21.5 17.0 25.4



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

