

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF012119\
 Data File : BF112175.D
 Acq On : 21 Jan 2019 23:52
 Operator : JU/SJ
 Sample : K1206-01
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 011819-DBRI-E-D-M

Quant Time: Jan 22 01:33:17 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF011619.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Jan 19 01:02:12 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	224269	20.00	ng	0.00
21) Naphthalene-d8	8.13	136	742698	20.00	ng	0.00
39) Acenaphthene-d10	9.89	164	287183	20.00	ng	-0.01
64) Phenanthrene-d10	11.37	188	527932	20.00	ng	-0.01
76) Chrysene-d12	14.02	240	484260	20.00	ng	-0.01
87) Perylene-d12	15.49	264	344515	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.49	112	517462	41.88	ng	0.00
7) Phenol-d6	6.49	99	378815	24.50	ng	-0.01
23) Nitrobenzene-d5	7.42	82	1110500	103.30	ng	-0.01
42) 2,4,6-Tribromophenol	10.68	330	277790	89.67	ng	-0.01
45) 2-Fluorobiphenyl	9.21	172	1892204	96.60	ng	0.00
79) Terphenyl-d14	12.96	244	1877739	82.49	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF012119\
Data File : BF112175.D
Acq On : 21 Jan 2019 23:52
Operator : JU/SJ
Sample : K1206-01
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
011819-DBRI-E-D-M

Quant Time: Jan 22 01:33:17 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF011619.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Jan 19 01:02:12 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.85 min Scan# 810
Delta R.T. -0.01 min
Lab File: BF112175.D
Acq: 21 Jan 2019 23:52

Instrument :
BNA_F
ClientSampleId :
011819-DBRI-E-D-M

Tot Ion:152 Resp: 224269
Ion Ratio Lower Upper
152 100
150 157.1 127.4 191.0
115 58.5 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 41.879 ng
RT: 5.49 min Scan# 578
Delta R.T. -0.01 min
Lab File: BF112175.D
Acq: 21 Jan 2019 23:52

Tgt Ion:112 Resp: 517462
Ion Ratio Lower Upper
112 100
64 52.8 45.7 68.5
63 28.1 23.6 35.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 24.504 ng

RT: 6.49 min Scan# 749

Delta R.T. -0.01 min

Lab File: BF112175.D

Acq: 21 Jan 2019 23:52

Instrument :

BNA_F

ClientSampleId :

011819-DBRI-E-D-M


Tot Ion: 99 Resp: 378815

Ion Ratio Lower Upper

99 100

42 17.5 15.1 22.7




71 33.3 26.9 40.3



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.13 min Scan# 1028

Delta R.T. -0.01 min

Lab File: BF112175.D

Acq: 21 Jan 2019 23:52

Tgt Ion: 136 Resp: 742698


Ion Ratio Lower Upper

136 100

137 10.9 9.1 13.7

54 6.5 5.9 8.9

68 5.3 5.1 7.7





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1





#23

Nitrobenzene-d5

Concen: 103.303 ng

RT: 7.42 min Scan# 906

Delta R.T. -0.01 min

Lab File: BF112175.D

Acq: 21 Jan 2019 23:52

Instrument :

BNA_F

ClientSampleId :

011819-DBRI-E-D-M


Tot Ion: 82 Resp: 1110500

Ion Ratio Lower Upper

82 100

128 48.5 37.8 56.8




54 47.9 39.7 59.5



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.89 min Scan# 1326

Delta R.T. -0.01 min

Lab File: BF112175.D

Acq: 21 Jan 2019 23:52


Tgt Ion: 164 Resp: 287183

Ion Ratio Lower Upper

164 100

162 102.1 82.2 123.4



160 45.0 36.2 54.4




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E






#42
 2,4,6-Tribromophenol
 Concen: 89.665 ng
 RT: 10.68 min Scan# 1461
 Delta R.T. -0.01 min
 Lab File: BF112175.D
 Acq: 21 Jan 2019 23:52

Instrument :
 BNA_F
 ClientSampleId :
 011819-DBRI-E-D-M

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.0	76.6	114.8
141	31.3	24.3	36.5






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 96.600 ng
 RT: 9.21 min Scan# 1211
 Delta R.T. -0.01 min
 Lab File: BF112175.D
 Acq: 21 Jan 2019 23:52

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.7	30.5	45.7
170	25.0	20.2	30.4






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.37 min Scan# 1579
Delta R.T. -0.01 min
Lab File: BF112175.D
Acq: 21 Jan 2019 23:52




Instrument :
BNA_F
ClientSampleId :
011819-DBRI-E-D-M


Tot Ion:188 Resp: 527932
Ion Ratio Lower Upper
188 100
94 8.6 8.2 12.2
80 9.1 8.9 13.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.02 min Scan# 2028
Delta R.T. -0.01 min
Lab File: BF112175.D
Acq: 21 Jan 2019 23:52

Tgt Ion:240 Resp: 484260
Ion Ratio Lower Upper
240 100
120 11.2 9.0 13.6
236 26.1 20.7 31.1





#79

Terphenyl-d14

Concen: 82.490 ng

RT: 12.96 min Scan# 1848

Delta R.T. -0.01 min

Lab File: BF112175.D

Acq: 21 Jan 2019 23:52

Instrument :

BNA_F

ClientSampleId :

011819-DBRI-E-D-M


Tot Ion:244 Resp: 1877739

Ion Ratio Lower Upper

244 100

212 7.1 5.9 8.9




122 12.6 9.8 14.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.49 min Scan# 2278

Delta R.T. -0.01 min

Lab File: BF112175.D

Acq: 21 Jan 2019 23:52


Tgt Ion:264 Resp: 344515

Ion Ratio Lower Upper

264 100

260 23.5 18.2 27.2

265 21.9 17.0 25.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

