

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF013019\
 Data File : BF112336.D
 Acq On : 30 Jan 2019 22:03
 Operator : JU/SJ
 Sample : K1282-32
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-8

Quant Time: Jan 31 00:48:50 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF012519.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jan 28 10:38:18 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.84	152	131611	20.00	ng	0.00
21) Naphthalene-d8	8.12	136	464779	20.00	ng	-0.01
39) Acenaphthene-d10	9.87	164	200273	20.00	ng	-0.02
64) Phenanthrene-d10	11.36	188	326898	20.00	ng	-0.01
76) Chrysene-d12	14.00	240	314003	20.00	ng	-0.01
87) Perylene-d12	15.47	264	353463	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.48	112	589418	95.13	ng	0.00
7) Phenol-d6	6.49	99	629650	73.13	ng	0.00
23) Nitrobenzene-d5	7.40	82	478447	59.31	ng	-0.01
42) 2,4,6-Tribromophenol	10.66	330	185085	79.40	ng	-0.02
45) 2-Fluorobiphenyl	9.19	172	950719	67.14	ng	-0.01
79) Terphenyl-d14	12.94	244	818088	49.07	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF013019\
Data File : BF112336.D
Acq On : 30 Jan 2019 22:03
Operator : JU/SJ
Sample : K1282-32
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-8

Quant Time: Jan 31 00:48:50 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF012519.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jan 28 10:38:18 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.84 min Scan# 808
Delta R.T. -0.01 min
Lab File: BF112336.D
Acq: 30 Jan 2019 22:03

Instrument :
BNA_F
ClientSampleId :
TP-8

Tot Ion:152 Resp: 131611
Ion Ratio Lower Upper
152 100
150 152.7 127.4 191.0
115 54.8 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 95.126 ng
RT: 5.48 min Scan# 577
Delta R.T. 0.00 min
Lab File: BF112336.D
Acq: 30 Jan 2019 22:03

Tgt Ion:112 Resp: 589418
Ion Ratio Lower Upper
112 100
64 53.0 45.7 68.5
63 29.1 23.6 35.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 73.131 ng

RT: 6.49 min Scan# 748

Delta R.T. -0.01 min

Lab File: BF112336.D

Acq: 30 Jan 2019 22:03

Instrument :

BNA_F

ClientSampleId :

TP-8


Tot Ion: 99 Resp: 629650

Ion Ratio Lower Upper




99 100

42 17.2 15.1 22.7

71 33.9 26.9 40.3



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.12 min Scan# 1025

Delta R.T. -0.01 min

Lab File: BF112336.D

Acq: 30 Jan 2019 22:03

Tgt Ion: 136 Resp: 464779


Ion Ratio Lower Upper

136 100



137 11.3 9.1 13.7


54 7.0 5.9 8.9

68 5.5 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 59.314 ng
 RT: 7.40 min Scan# 903
 Delta R.T. -0.01 min
 Lab File: BF112336.D
 Acq: 30 Jan 2019 22:03




Instrument :
 BNA_F
 ClientSampleId :
 TP-8


Tot Ion	82	Resp	478447
Ion Ratio	Lower	Upper	
82	100		
128	47.1	37.8	56.8
54	46.3	39.7	59.5



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.87 min Scan# 1323
 Delta R.T. -0.02 min
 Lab File: BF112336.D
 Acq: 30 Jan 2019 22:03

Tgt Ion	164	Resp	200273
Ion Ratio	Lower	Upper	
164	100		
162	98.7	82.2	123.4
160	44.1	36.2	54.4





#42

2,4,6-Tribromophenol

Concen: 79.397 ng

RT: 10.66 min Scan# 1458

Delta R.T. -0.02 min

Lab File: BF112336.D

Acq: 30 Jan 2019 22:03

Instrument :

BNA_F

ClientSampled :

TP-8


Tot Ion:330 Resp: 185085

Ion Ratio Lower Upper

330 100

332 95.7 76.6 114.8




141 31.6 24.3 36.5



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 67.140 ng

RT: 9.19 min Scan# 1208

Delta R.T. -0.01 min

Lab File: BF112336.D

Acq: 30 Jan 2019 22:03


Tgt Ion:172 Resp: 950719

Ion Ratio Lower Upper

172 100

171 36.2 30.5 45.7



170 23.6 20.2 30.4




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.36 min Scan# 1576

Delta R.T. -0.01 min

Lab File: BF112336.D

Acq: 30 Jan 2019 22:03

Instrument :

BNA_F

ClientSampleId :

TP-8



Tot Ion:188 Resp: 326898

Ion Ratio Lower Upper

188 100

94 9.2 8.2 12.2



80 9.2 8.9 13.3



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.00 min Scan# 2025

Delta R.T. -0.01 min

Lab File: BF112336.D

Acq: 30 Jan 2019 22:03



Tgt Ion:240 Resp: 314003

Ion Ratio Lower Upper

240 100

120 11.9 9.0 13.6


236 26.0 20.7 31.1




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 49.070 ng

RT: 12.94 min Scan# 1845

Delta R.T. -0.01 min

Lab File: BF112336.D

Acq: 30 Jan 2019 22:03

Instrument :

BNA_F

ClientSampleId :

TP-8


Tot Ion:244 Resp: 818088

Ion Ratio Lower Upper

244 100

212 6.6 5.9 8.9




122 10.5 9.8 14.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.47 min Scan# 2275

Delta R.T. -0.01 min

Lab File: BF112336.D

Acq: 30 Jan 2019 22:03


Tgt Ion:264 Resp: 353463

Ion Ratio Lower Upper

264 100

260 22.0 18.2 27.2

265 21.1 17.0 25.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

