

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF021119\
 Data File : BF112490.D
 Acq On : 11 Feb 2019 19:31
 Operator : JU/SJ
 Sample : K1442-08
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 COMP-11

Quant Time: Feb 12 01:24:56 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF012519.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jan 28 10:38:18 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.83	152	137140	20.00	ng	-0.01
21) Naphthalene-d8	8.12	136	508483	20.00	ng	-0.01
39) Acenaphthene-d10	9.87	164	223418	20.00	ng	-0.02
64) Phenanthrene-d10	11.36	188	358429	20.00	ng	-0.01
76) Chrysene-d12	14.00	240	280050	20.00	ng	0.00
87) Perylene-d12	15.47	264	291597	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.48	112	888046	137.54	ng	0.00
7) Phenol-d6	6.49	99	994968	110.90	ng	0.00
23) Nitrobenzene-d5	7.40	82	765165	86.71	ng	-0.01
42) 2,4,6-Tribromophenol	10.66	330	314476	120.93	ng	-0.02
45) 2-Fluorobiphenyl	9.19	172	1544268	97.76	ng	-0.02
79) Terphenyl-d14	12.94	244	1219988	82.05	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF021119\
Data File : BF112490.D
Acq On : 11 Feb 2019 19:31
Operator : JU/SJ
Sample : K1442-08
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
COMP-11

Quant Time: Feb 12 01:24:56 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF012519.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jan 28 10:38:18 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.83 min Scan# 807
Delta R.T. -0.01 min
Lab File: BF112490.D
Acq: 11 Feb 2019 19:31

Instrument :
BNA_F
ClientSampleId :
COMP-11

Tot Ion:152 Resp: 137140
Ion Ratio Lower Upper
152 100
150 147.6 127.4 191.0
115 57.4 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 137.543 ng
RT: 5.48 min Scan# 577
Delta R.T. 0.00 min
Lab File: BF112490.D
Acq: 11 Feb 2019 19:31

Tgt Ion:112 Resp: 888046
Ion Ratio Lower Upper
112 100
64 54.7 45.7 68.5
63 29.8 23.6 35.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 110.902 ng

RT: 6.49 min Scan# 748

Delta R.T. -0.01 min

Lab File: BF112490.D

Acq: 11 Feb 2019 19:31

Instrument :

BNA_F

ClientSampled :

COMP-11


Tot Ion: 99 Resp: 994968

Ion Ratio Lower Upper




99 100

42 18.3 15.1 22.7

71 36.6 26.9 40.3



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.12 min Scan# 1025

Delta R.T. -0.01 min

Lab File: BF112490.D

Acq: 11 Feb 2019 19:31

Tgt Ion: 136 Resp: 508483


Ion Ratio Lower Upper

136 100



137 10.9 9.1 13.7


54 5.7 5.9 8.9#

68 4.2 5.1 7.7#



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 86.706 ng
 RT: 7.40 min Scan# 903
 Delta R.T. -0.01 min
 Lab File: BF112490.D
 Acq: 11 Feb 2019 19:31

Instrument :
 BNA_F
 ClientSampleId :
 COMP-11

Tot Ion	82	Resp	765165
Ion Ratio	100	Lower	Upper
128	47.2	37.8	56.8
54	48.2	39.7	59.5




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF1






#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.87 min Scan# 1323
 Delta R.T. -0.02 min
 Lab File: BF112490.D
 Acq: 11 Feb 2019 19:31

Tgt Ion	164	Resp	223418
Ion Ratio	100	Lower	Upper
162	105.5	82.2	123.4
160	47.3	36.2	54.4



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E





#42

2,4,6-Tribromophenol

Concen: 120.928 ng

RT: 10.66 min Scan# 1458

Delta R.T. -0.02 min

Lab File: BF112490.D

Acq: 11 Feb 2019 19:31

Instrument :

BNA_F

ClientSampleId :

COMP-11


Tot Ion:330 Resp: 314476

Ion Ratio Lower Upper




330 100

332 96.7 76.6 114.8

141 33.5 24.3 36.5



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 97.759 ng

RT: 9.19 min Scan# 1207

Delta R.T. -0.02 min

Lab File: BF112490.D

Acq: 11 Feb 2019 19:31


Tgt Ion:172 Resp: 1544268

Ion Ratio Lower Upper



172 100


171 37.0 30.5 45.7

170 24.4 20.2 30.4



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.36 min Scan# 1576
Delta R.T. -0.01 min
Lab File: BF112490.D
Acq: 11 Feb 2019 19:31




Instrument :
BNA_F
ClientSampled :
COMP-11


Tot Ion:188 Resp: 358429
Ion Ratio Lower Upper
188 100
94 8.1 8.2 12.2#
80 8.4 8.9 13.3#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.00 min Scan# 2026
Delta R.T. -0.01 min
Lab File: BF112490.D
Acq: 11 Feb 2019 19:31

Tgt Ion:240 Resp: 280050
Ion Ratio Lower Upper
240 100
120 9.9 9.0 13.6
236 25.1 20.7 31.1





#79

Terphenyl-d14

Concen: 82.049 ng

RT: 12.94 min Scan# 1845

Delta R.T. -0.01 min

Lab File: BF112490.D

Acq: 11 Feb 2019 19:31

Instrument :

BNA_F

ClientSampleId :

COMP-11


Tot Ion:244 Resp: 1219988

Ion Ratio Lower Upper

244 100

212 6.9 5.9 8.9




122 10.8 9.8 14.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.47 min Scan# 2276

Delta R.T. 0.00 min

Lab File: BF112490.D

Acq: 11 Feb 2019 19:31


Tgt Ion:264 Resp: 291597

Ion Ratio Lower Upper

264 100

260 23.1 18.2 27.2

265 21.7 17.0 25.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

