

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF022223\
 Data File : BF132509.D
 Acq On : 22 Feb 2023 17:03
 Operator : CG\JU
 Sample : PB150924TB
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB150924TB

Quant Time: Feb 23 01:17:36 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF022223.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 23 00:59:42 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.007	152	200602	20.000	ng	0.00
21) Naphthalene-d8	8.295	136	753615	20.000	ng	0.00
39) Acenaphthene-d10	10.054	164	417198	20.000	ng	0.00
64) Phenanthrene-d10	11.554	188	812158	20.000	ng	0.00
76) Chrysene-d12	14.207	240	647509	20.000	ng	#-0.01
86) Perylene-d12	15.765	264	581105	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.648	112	1573719	127.322	ng	0.01
7) Phenol-d6	6.643	99	2060909	127.760	ng	0.00
23) Nitrobenzene-d5	7.578	82	1398581	88.049	ng	0.00
42) 2,4,6-Tribromophenol	10.854	330	579953	128.719	ng	0.00
45) 2-Fluorobiphenyl	9.372	172	2199450	80.274	ng	0.00
79) Terphenyl-d14	13.148	244	2854753	74.542	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF022223\
Data File : BF132509.D
Acq On : 22 Feb 2023 17:03
Operator : CG\JU
Sample : PB150924TB
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB150924TB

Quant Time: Feb 23 01:17:36 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF022223.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 23 00:59:42 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.007 min Scan# 70
Delta R.T. -0.006 min
Lab File: BF132509.D
Acq: 22 Feb 2023 17:03




Instrument :
BNA_F
ClientSampleId :
PB150924TB


Tgt Ion:152 Resp: 200602
Ion Ratio Lower Upper
152 100
150 160.0 125.4 188.2
115 62.8 47.8 71.6



#5
2-Fluorophenol
Concen: 127.322 ng
RT: 5.648 min Scan# 478
Delta R.T. 0.012 min
Lab File: BF132509.D
Acq: 22 Feb 2023 17:03


Tgt Ion:112 Resp: 1573719
Ion Ratio Lower Upper
112 100
64 65.5 51.6 77.4
63 35.9 27.4 41.2








#7
Phenol-d6
Concen: 127.760 ng
RT: 6.643 min Scan# 647
Delta R.T. 0.000 min
Lab File: BF132509.D
Acq: 22 Feb 2023 17:03

Instrument :
BNA_F
ClientSampleId :
PB150924TB



Tgt Ion: 99 Resp: 2060909




Ion	Ratio	Lower	Upper
99	100		
42	17.8	13.9	20.9
71	38.4	28.5	42.7




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.295 min Scan# 928
Delta R.T. -0.006 min
Lab File: BF132509.D
Acq: 22 Feb 2023 17:03

Tgt Ion: 136 Resp: 753615

Ion	Ratio	Lower	Upper
136	100		
137	11.3	8.9	13.3
54	8.3	6.2	9.4
68	6.6	5.2	7.8





#23

Nitrobenzene-d5

Concen: 88.049 ng

RT: 7.578 min Scan# 80

Delta R.T. 0.000 min

Lab File: BF132509.D

Acq: 22 Feb 2023 17:03

Instrument :

BNA_F

ClientSampleId :

PB150924TB





Tgt Ion: 82 Resp: 1398581

Ion Ratio Lower Upper

82 100

128 41.7 32.2 48.2

54 47.3 38.4 57.6



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 10.054 min Scan# 1227

Delta R.T. -0.006 min

Lab File: BF132509.D

Acq: 22 Feb 2023 17:03




Tgt Ion:164 Resp: 417198


Ion Ratio Lower Upper

164 100

162 101.0 79.8 119.8

160 46.3 35.8 53.6





#42

2,4,6-Tribromophenol

Concen: 128.719 ng

RT: 10.854 min Scan# 1111

Delta R.T. -0.006 min

Lab File: BF132509.D

Acq: 22 Feb 2023 17:03

Instrument :

BNA_F

ClientSampleId :

PB150924TB





Tgt Ion:330 Resp: 579953

Ion Ratio Lower Upper

330 100

332 95.0 76.2 114.4

141 34.5 28.4 42.6



#45

2-Fluorobiphenyl

Concen: 80.274 ng

RT: 9.372 min Scan# 1111

Delta R.T. -0.005 min

Lab File: BF132509.D

Acq: 22 Feb 2023 17:03




Tgt Ion:172 Resp: 2199450


Ion Ratio Lower Upper

172 100

171 35.6 28.8 43.2

170 24.3 19.7 29.5





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.554 min Scan# 1482

Delta R.T. 0.000 min

Lab File: BF132509.D

Acq: 22 Feb 2023 17:03

Instrument :

BNA_F

ClientSampleId :

PB150924TB





Tgt Ion:188 Resp: 812158

Ion Ratio Lower Upper

188 100

94 9.1 8.3 12.5

80 9.9 8.7 13.1



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.207 min Scan# 1933

Delta R.T. -0.012 min

Lab File: BF132509.D

Acq: 22 Feb 2023 17:03




Tgt Ion:240 Resp: 647509


Ion Ratio Lower Upper

240 100

120 11.7 7.2 10.8#


236 25.9 21.8 32.6








#79
 Terphenyl-d14
 Concen: 74.542 ng
 RT: 13.148 min Scan# 1753
 Delta R.T. 0.000 min
 Lab File: BF132509.D
 Acq: 22 Feb 2023 17:03

Instrument :
 BNA_F
 ClientSampleId :
 PB150924TB



Tgt Ion:244 Resp: 2854753
 Ion Ratio Lower Upper
 244 100
 212 8.2 6.5 9.7
 122 9.6 7.5 11.3



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.765 min Scan# 2198
 Delta R.T. 0.000 min
 Lab File: BF132509.D
 Acq: 22 Feb 2023 17:03

Tgt Ion:264 Resp: 581105
 Ion Ratio Lower Upper
 264 100
 260 24.5 18.8 28.2
 265 21.5 17.1 25.7

