

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF022620\
 Data File : BF119096.D
 Acq On : 26 Feb 2020 15:54
 Operator : CG/JU
 Sample : L1680-01
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CONCRETE-WALL

Quant Time: Feb 26 17:42:02 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF022020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Feb 26 16:03:05 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.75	152	155724	20.00	ng	0.00
21) Naphthalene-d8	8.02	136	602285	20.00	ng	-0.01
39) Acenaphthene-d10	9.77	164	330045	20.00	ng	-0.01
64) Phenanthrene-d10	11.26	188	575497	20.00	ng	0.00
76) Chrysene-d12	13.89	240	330340	20.00	ng	-0.01
87) Perylene-d12	15.32	264	338915	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.37	112	638392	68.51	ng	0.00
7) Phenol-d6	6.39	99	945346	83.42	ng	-0.02
23) Nitrobenzene-d5	7.30	82	641487	56.24	ng	-0.02
42) 2,4,6-Tribromophenol	10.56	330	176403	40.86	ng	-0.01
45) 2-Fluorobiphenyl	9.10	172	1303444	58.18	ng	-0.01
79) Terphenyl-d14	12.84	244	1373730	71.60	ng	-0.01
Target Compounds						
50) Dimethylphthalate	9.49	163	54293	2.151	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF022620\
Data File : BF119096.D
Acq On : 26 Feb 2020 15:54
Operator : CG/JU
Sample : L1680-01
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CONCRETE-WALL

Quant Time: Feb 26 17:42:02 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF022020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Feb 26 16:03:05 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.75 min Scan# 792
Delta R.T. -0.00 min
Lab File: BF119096.D
Acq: 26 Feb 2020 15:54

Instrument :
BNA_F
ClientSampleId :
CONCRETE-WALL

Tot Ion:152 Resp: 155724
Ion Ratio Lower Upper
152 100
150 156.0 123.0 184.6
115 58.8 49.5 74.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5




2-Fluorophenol
Concen: 68.510 ng
RT: 5.37 min Scan# 558
Delta R.T. -0.00 min
Lab File: BF119096.D
Acq: 26 Feb 2020 15:54

Tgt Ion:112 Resp: 638392
Ion Ratio Lower Upper
112 100
64 54.5 45.0 67.4
63 29.3 24.2 36.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 83.418 ng

RT: 6.39 min Scan# 731

Delta R.T. -0.02 min

Lab File: BF119096.D

Acq: 26 Feb 2020 15:54

Instrument :

BNA_F

ClientSampleId :

CONCRETE-WALL





Tot Ion: 99 Resp: 945346

Ion Ratio Lower Upper

99 100

42 15.2 12.6 18.8

71 39.0 31.0 46.4



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.02 min Scan# 1009

Delta R.T. -0.01 min

Lab File: BF119096.D

Acq: 26 Feb 2020 15:54

Tgt Ion: 136 Resp: 602285


Ion Ratio Lower Upper


136 100

137 11.3 8.8 13.2

54 5.1 3.8 5.6

68 5.2 3.9 5.9





#23

Nitrobenzene-d5

Concen: 56.237 ng

RT: 7.30 min Scan# 887

Delta R.T. -0.02 min

Lab File: BF119096.D

Acq: 26 Feb 2020 15:54

Instrument :

BNA_F

ClientSampleId :

CONCRETE-WALL


Tot Ion: 82 Resp: 641487

Ion Ratio Lower Upper

82 100

128 45.3 37.9 56.9




54 40.1 33.4 50.2



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): BF1

Ion 54.00 (53.70 to 54.70): BF1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.77 min Scan# 1307

Delta R.T. -0.01 min

Lab File: BF119096.D

Acq: 26 Feb 2020 15:54


Tgt Ion:164 Resp: 330045

Ion Ratio Lower Upper

164 100

162 103.4 81.8 122.8



160 44.3 36.0 54.0




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#42
 2,4,6-Tribromophenol
 Concen: 40.857 ng
 RT: 10.56 min Scan# 1441
 Delta R.T. -0.01 min
 Lab File: BF119096.D
 Acq: 26 Feb 2020 15:54

Instrument :
 BNA_F
 ClientSampleId :
 CONCRETE-WALL

Tot Ion:330 Resp: 176403
 Ion Ratio Lower Upper
 330 100
 332 97.2 76.0 114.0
 141 30.2 22.9 34.3




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 58.180 ng
 RT: 9.10 min Scan# 1192
 Delta R.T. -0.01 min
 Lab File: BF119096.D
 Acq: 26 Feb 2020 15:54

Tgt Ion:172 Resp: 1303444
 Ion Ratio Lower Upper
 172 100
 171 36.9 30.6 45.8
 170 24.1 20.2 30.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 2.151 ng

RT: 9.49 min Scan# 1259

Delta R.T. -0.02 min

Lab File: BF119096.D

Acq: 26 Feb 2020 15:54

Instrument :

BNA_F

ClientSampleId :

CONCRETE-WALL


Tot Ion:163 Resp: 54293

Ion Ratio Lower Upper




163 100

194 4.2 3.5 5.3

164 10.5 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.26 min Scan# 1559

Delta R.T. -0.01 min

Lab File: BF119096.D

Acq: 26 Feb 2020 15:54


Tgt Ion:188 Resp: 575497

Ion Ratio Lower Upper



188 100


94 9.4 7.1 10.7

80 10.4 7.8 11.8



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1





#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.89 min Scan# 2007

Delta R.T. -0.01 min

Lab File: BF119096.D

Acq: 26 Feb 2020 15:54

Instrument :

BNA_F

ClientSampleId :

CONCRETE-WALL


Tot Ion:240 Resp: 330340

Ion Ratio Lower Upper

240 100

120 10.0 8.4 12.6




236 26.4 21.0 31.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 71.596 ng

RT: 12.84 min Scan# 1828

Delta R.T. -0.01 min

Lab File: BF119096.D

Acq: 26 Feb 2020 15:54


Tgt Ion:244 Resp: 1373730

Ion Ratio Lower Upper

244 100

212 7.2 6.6 10.0



122 10.6 8.2 12.2




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#87
Pervlene-d12
Concen: 20.000 ng
RT: 15.32 min Scan# 2250
Delta R.T. -0.00 min
Lab File: BF119096.D
Acq: 26 Feb 2020 15:54

Instrument :
BNA_F
ClientSampleId :
CONCRETE-WALL

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.0	19.4	29.2
265	22.0	17.7	26.5



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

