

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF030619\
 Data File : BF112885.D
 Acq On : 6 Mar 2019 16:47
 Operator : JU/SJ
 Sample : K1733-01
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 ADELINE-ST-CONCRETE

Quant Time: Mar 07 04:30:58 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF022719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 01 15:40:43 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.73	152	178805	20.00	ng	0.00
21) Naphthalene-d8	8.01	136	686017	20.00	ng	-0.01
39) Acenaphthene-d10	9.76	164	324803	20.00	ng	0.00
64) Phenanthrene-d10	11.24	188	615190	20.00	ng	0.00
76) Chrysene-d12	13.86	240	448536	20.00	ng	-0.01
87) Perylene-d12	15.27	264	459888	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.34	112	499389	43.45	ng	0.00
7) Phenol-d6	6.36	99	914287	63.32	ng	0.00
23) Nitrobenzene-d5	7.29	82	654246	57.07	ng	-0.02
42) 2,4,6-Tribromophenol	10.55	330	100627	29.18	ng	-0.01
45) 2-Fluorobiphenyl	9.09	172	1276341	60.30	ng	-0.01
79) Terphenyl-d14	12.82	244	1170227	50.58	ng	0.00
Target Compounds						
50) Dimethylphthalate	9.48	163	75266	3.143	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF030619\
Data File : BF112885.D
Acq On : 6 Mar 2019 16:47
Operator : JU/SJ
Sample : K1733-01
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ADELINE-ST-CONCRETE

Quant Time: Mar 07 04:30:58 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF022719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 01 15:40:43 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.73 min Scan# 790
Delta R.T. -0.01 min
Lab File: BF112885.D
Acq: 6 Mar 2019 16:47

Instrument :
BNA_F
ClientSampleId :
ADELINE-ST-CONCRETE

Tot Ion:152 Resp: 178805
Ion Ratio Lower Upper
152 100
150 155.3 124.2 186.2
115 57.8 48.2 72.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 43.445 ng
RT: 5.34 min Scan# 553
Delta R.T. -0.01 min
Lab File: BF112885.D
Acq: 6 Mar 2019 16:47

Tgt Ion:112 Resp: 499389
Ion Ratio Lower Upper
112 100
64 62.8 47.6 71.4
63 32.2 24.4 36.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 63.320 ng

RT: 6.36 min Scan# 727

Delta R.T. -0.01 min

Lab File: BF112885.D

Acq: 6 Mar 2019 16:47

Instrument :

BNA_F

ClientSampleId :

ADELINE-ST-CONCRETE


Tot Ion: 99 Resp: 914287

Ion Ratio Lower Upper




99 100

42 19.4 16.3 24.5

71 33.3 26.2 39.4



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.01 min Scan# 1007

Delta R.T. -0.01 min

Lab File: BF112885.D

Acq: 6 Mar 2019 16:47

Tgt Ion: 136 Resp: 686017


Ion Ratio Lower Upper

136 100



137 11.1 8.9 13.3


54 8.5 7.3 10.9

68 6.5 5.4 8.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
Nitrobenzene-d5
Concen: 57.067 ng
RT: 7.29 min Scan# 884
Delta R.T. -0.02 min
Lab File: BF112885.D
Acq: 6 Mar 2019 16:47

Instrument :
BNA_F
ClientSampleId :
ADELINE-ST-CONCRETE

Tot Ion: 82 Resp: 654246
Ion Ratio Lower Upper
82 100
128 45.6 36.3 54.5
54 54.1 43.7 65.5




Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.76 min Scan# 1305
Delta R.T. -0.01 min
Lab File: BF112885.D
Acq: 6 Mar 2019 16:47

Tgt Ion:164 Resp: 324803
Ion Ratio Lower Upper
164 100
162 103.3 80.6 120.8
160 46.7 36.0 54.0



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#42
 2,4,6-Tribromophenol
 Concen: 29.183 ng
 RT: 10.55 min Scan# 1438
 Delta R.T. -0.01 min
 Lab File: BF112885.D
 Acq: 6 Mar 2019 16:47

Instrument :
 BNA_F
 ClientSampleId :
 ADELINE-ST-CONCRETE

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.7	76.2	114.4
141	29.3	27.0	40.6




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 60.302 ng
 RT: 9.09 min Scan# 1190
 Delta R.T. -0.01 min
 Lab File: BF112885.D
 Acq: 6 Mar 2019 16:47

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.1	29.0	43.4
170	24.7	20.0	30.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#50
Dimethylphthalate
Concen: 3.143 ng
RT: 9.48 min Scan# 1257
Delta R.T. -0.02 min
Lab File: BF112885.D
Acq: 6 Mar 2019 16:47

Instrument :
BNA_F
ClientSampleId :
ADELINE-ST-CONCRETE

Tot Ion	Ratio	Lower	Upper
163	100		
194	3.9	3.0	4.4
164	10.0	8.4	12.6






Abundance

Ion 163.00 (162.70 to 163.70): E


Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.24 min Scan# 1556
Delta R.T. -0.01 min
Lab File: BF112885.D
Acq: 6 Mar 2019 16:47

Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.9	9.0	13.4#
80	9.5	9.2	13.8






Abundance

Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1





#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.86 min Scan# 2002

Delta R.T. -0.01 min

Lab File: BF112885.D

Acq: 6 Mar 2019 16:47

Instrument :

BNA_F

ClientSampleId :

ADELINE-ST-CONCRETE


Tot Ion:240 Resp: 448536

Ion Ratio Lower Upper

240 100

120 10.7 8.9 13.3




236 26.7 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 50.575 ng

RT: 12.82 min Scan# 1825

Delta R.T. -0.01 min

Lab File: BF112885.D

Acq: 6 Mar 2019 16:47


Tgt Ion:244 Resp: 1170227

Ion Ratio Lower Upper

244 100

212 6.4 5.6 8.4



122 10.2 10.5 15.7#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
Pervlene-d12
Concen: 20.000 ng
RT: 15.27 min Scan# 2241
Delta R.T. -0.01 min
Lab File: BF112885.D
Acq: 6 Mar 2019 16:47

Instrument :
BNA_F
ClientSampleId :
ADELINE-ST-CONCRETE

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.3	18.7	28.1
265	22.0	17.2	25.8

