

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF031119\
 Data File : BF112996.D
 Acq On : 12 Mar 2019 10:51
 Operator : JU/SJ
 Sample : K1817-05
 Misc :
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Mar 12 12:00:44 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF022719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 01 15:40:43 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.73	152	76422	20.00	ng	-0.01
21) Naphthalene-d8	8.01	136	300936	20.00	ng	-0.01
39) Acenaphthene-d10	9.76	164	168896	20.00	ng	0.00
64) Phenanthrene-d10	11.24	188	378580	20.00	ng	0.00
76) Chrysene-d12	13.86	240	287896	20.00	ng	-0.01
87) Perylene-d12	15.27	264	218425	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.33	112	483947	98.51	ng	-0.02
7) Phenol-d6	6.36	99	638626	103.48	ng	0.00
23) Nitrobenzene-d5	7.29	82	342911	68.18	ng	-0.02
42) 2,4,6-Tribromophenol	10.55	330	232049	129.42	ng	-0.01
45) 2-Fluorobiphenyl	9.09	172	731489	68.09	ng	-0.01
79) Terphenyl-d14	12.82	244	900891	60.66	ng	-0.01
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.29	70	43012	11.005	ng	# 76
25) Isophorone	7.29	82	342908	31.649	ng	# 66
50) Dimethylphthalate	9.48	163	76498	6.143	ng	# 99
57) 2,4-Dinitrotoluene	9.76	165	21194	6.575	ng	# 18
65) 4,6-Dinitro-2-methylphenol	10.55	198	272	4.771	ng	# 1
67) 4-Bromophenyl-phenylether	10.55	248	13472	3.378	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF031119\
Data File : BF112996.D
Acq On : 12 Mar 2019 10:51
Operator : JU/SJ
Sample : K1817-05
Misc :
ALS Vial : 42 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Mar 12 12:00:44 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF022719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 01 15:40:43 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.73 min Scan# 789
Delta R.T. -0.01 min
Lab File: BF112996.D
Acq: 12 Mar 2019 10:51

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 76422
Ion Ratio Lower Upper
152 100
150 154.8 124.2 186.2
115 57.4 48.2 72.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 98.506 ng
RT: 5.33 min Scan# 551
Delta R.T. -0.02 min
Lab File: BF112996.D
Acq: 12 Mar 2019 10:51

Tgt Ion:112 Resp: 483947
Ion Ratio Lower Upper
112 100
64 56.9 47.6 71.4
63 28.3 24.4 36.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 103.482 ng

RT: 6.36 min Scan# 727

Delta R.T. -0.01 min

Lab File: BF112996.D

Acq: 12 Mar 2019 10:51

Instrument :

BNA_F

ClientSampled :


Tot Ion: 99 Resp: 638626

Ion Ratio Lower Upper




99 100

42 16.9 16.3 24.5

71 30.4 26.2 39.4



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 11.005 ng

RT: 7.29 min Scan# 884

Delta R.T. 0.12 min

Lab File: BF112996.D

Acq: 12 Mar 2019 10:51

Tgt Ion: 70 Resp: 43012


Ion Ratio Lower Upper

70 100



42 48.0 49.9 74.9#

101 0.0 7.4 11.2#

130 2.6 17.4 26.2#



Abundance Ion 70.00 (69.70 to 70.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 101.00 (100.70 to 101.70): BF1
Ion 130.00 (129.70 to 130.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.01 min Scan# 1007
Delta R.T. -0.01 min
Lab File: BF112996.D
Acq: 12 Mar 2019 10:51

Instrument :
BNA_F
ClientSampleId :

Tot Ion:136	Resp:	300936
Ion Ratio	Lower	Upper
136	100	
137	11.3	8.9 13.3
54	8.1	7.3 10.9
68	6.6	5.4 8.2




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1





#23
Nitrobenzene-d5
Concen: 68.184 ng
RT: 7.29 min Scan# 884
Delta R.T. -0.02 min
Lab File: BF112996.D
Acq: 12 Mar 2019 10:51

Tgt Ion: 82	Resp:	342911
Ion Ratio	Lower	Upper
82	100	
128	49.7	36.3 54.5
54	51.8	43.7 65.5



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1





#25

Isophorone

Concen: 31.649 ng

RT: 7.29 min Scan# 884

Delta R.T. -0.28 min

Lab File: BF112996.D

Acq: 12 Mar 2019 10:51

Instrument :

BNA_F

ClientSampled :


Tot Ion: 82 Resp: 342908

Ion Ratio Lower Upper

82 100

95 0.0 5.2 7.8#




138 0.0 13.8 20.8#



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 95.00 (94.70 to 95.70): BF1

Ion 138.00 (137.70 to 138.70): BF1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.76 min Scan# 1305

Delta R.T. -0.01 min

Lab File: BF112996.D

Acq: 12 Mar 2019 10:51


Tgt Ion:164 Resp: 168896

Ion Ratio Lower Upper

164 100

162 101.9 80.6 120.8



160 45.8 36.0 54.0




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E





#42

2,4,6-Tribromophenol

Concen: 129.416 ng

RT: 10.55 min Scan# 1438

Delta R.T. -0.01 min

Lab File: BF112996.D

Acq: 12 Mar 2019 10:51

Instrument :

BNA_F

ClientSampleId :


Tot Ion:330 Resp: 232049

Ion Ratio Lower Upper




330 100

332 98.4 76.2 114.4

141 28.7 27.0 40.6



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 68.091 ng

RT: 9.09 min Scan# 1190

Delta R.T. -0.01 min

Lab File: BF112996.D

Acq: 12 Mar 2019 10:51


Tgt Ion:172 Resp: 731489

Ion Ratio Lower Upper



172 100

171 34.5 29.0 43.4

170 23.6 20.0 30.0



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 6.143 ng

RT: 9.48 min Scan# 1257

Delta R.T. -0.02 min

Lab File: BF112996.D

Acq: 12 Mar 2019 10:51

Instrument :

BNA_F

ClientSampleId :


Tot Ion:163 Resp: 76498

Ion Ratio Lower Upper

163 100

194 4.0 3.0 4.4




164 10.2 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#57

2,4-Dinitrotoluene

Concen: 6.575 ng

RT: 9.76 min Scan# 1305

Delta R.T. -0.19 min

Lab File: BF112996.D

Acq: 12 Mar 2019 10:51

Tgt Ion:165 Resp: 21194


Ion Ratio Lower Upper

165 100

63 1.6 42.2 63.2#

89 1.8 66.2 99.4#

182 0.0 1.8 2.6#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1

Ion 89.00 (88.70 to 89.70): BF1

Ion 182.00 (181.70 to 182.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.24 min Scan# 1556
Delta R.T. -0.01 min
Lab File: BF112996.D
Acq: 12 Mar 2019 10:51




Instrument :
BNA_F
ClientSampleId :


Tot Ion:188 Resp: 378580
Ion Ratio Lower Upper
188 100
94 9.1 9.0 13.4
80 9.4 9.2 13.8



#65
4,6-Dinitro-2-methylphenol
Concen: 4.771 ng
RT: 10.55 min Scan# 1438
Delta R.T. 0.19 min
Lab File: BF112996.D
Acq: 12 Mar 2019 10:51

Tgt Ion:198 Resp: 272
Ion Ratio Lower Upper
198 100
51 195.2 43.8 83.8#
105 241.4 36.5 76.5#









#67
4-Bromophenyl-phenylether
Concen: 3.378 ng
RT: 10.55 min Scan# 1438
Delta R.T. -0.25 min
Lab File: BF112996.D
Acq: 12 Mar 2019 10:51

Instrument :
BNA_F
ClientSampled :

Tot Ion:248 Resp: 13472
Ion Ratio Lower Upper
248 100
250 202.1 77.5 116.3#
141 475.0 62.4 93.6#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.86 min Scan# 2002
Delta R.T. -0.01 min
Lab File: BF112996.D
Acq: 12 Mar 2019 10:51

Tgt Ion:240 Resp: 287896
Ion Ratio Lower Upper
240 100
120 11.7 8.9 13.3
236 25.1 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#79
 Terphenyl-d14
 Concen: 60.660 ng
 RT: 12.82 min Scan# 1824
 Delta R.T. -0.01 min
 Lab File: BF112996.D
 Acq: 12 Mar 2019 10:51

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:244 Resp: 900891
 Ion Ratio Lower Upper
 244 100
 212 6.5 5.6 8.4
 122 11.7 10.5 15.7




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.27 min Scan# 2241
 Delta R.T. -0.01 min
 Lab File: BF112996.D
 Acq: 12 Mar 2019 10:51

Tgt Ion:264 Resp: 218425
 Ion Ratio Lower Upper
 264 100
 260 23.6 18.7 28.1
 265 22.1 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

